

MADE IN ITALY. MADE TO EXCEL.

LOG

ANTHOLOGY

Interactive version

 atlas concorde

WOOD LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



THE HEART OF HOME

INDEX

- INSPIRATION
- FEEL YOUR HOME
- SURFACE RANGE & TECHNICAL SPECIFICATIONS

INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS





INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS





INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS



A journey through home daylife.

CURATED ESSENCES



Where the line leads you in.

QUIET WELCOME



INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS



Where the outside becomes home.

WARM EMBRACE



INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS





Where the roof reaches skyward.
SOFT RETREAT

INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS





FRAME



HERRINGBONE



LINE



ZEBRANO

Lines find their geometry.

RHYTHM IN SPACE

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



↔ Quiet Welcome



↔ Warm Embrace



↔ Soft Retreat



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



QUIET WELCOME



OUTDOOR FLOOR
Log Anthology
Walnut
Outdoor Sensitech $\pm$ 20 mm
30x120 cm | 11³/₄"x47¹/₄"

OUTDOOR WALL
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Dark Walnut Frame
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Next
Calacatta Gold
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Silver Root
Silk - Polished
Ø 120 cm | 47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Silver Root
Silk - Polished
Ø 65 cm | 25⁵/₈"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Dark Walnut Frame
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Silver Root
Silk – Polished
Ø 120 cm | 47¹/₄"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



FLOOR
Log Anthology
Light Walnut
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

KITCHEN FURNITURE
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
Log Anthology
Light Walnut
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Log Anthology
Dark Walnut Line
Matte
120x278 cm | 47¹/₄"x109¹/₂"

WALL SHELVES | TRATTO - OMEGA
Atlas Concorde Habitat
Log Anthology Dark Walnut
Matte
10x12x90 cm | 3⁷/₈"x4³/₄"x35³/₈"

DINING TABLE | INCONTRO 75
Atlas Concorde Habitat
Marvel Next Calacatta Oro
Hammered
240x100 cm | 94¹/₂"x39⁴/₃"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Elm
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Log Anthology
Dark Walnut Line
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Nyra
Star
Matte
120x278 cm | 47¹/₄"x109¹/₂"

BEDHEAD
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17³/₄"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Elm
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17³/₄"

>
WALL
Log Anthology
Dark Walnut Line
Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Dark Walnut Herringbone
Matte Sensitech
7,5x60 cm | 3'x23⁵/₈"

WALL
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Next
Vanilla White
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Next
Sahara Dark
Matte
120x278 cm | 47¹/₄"x109¹/₂"

EVOLUZIONE MONO - SINGLE SINK
Atlas Concorde Habitat
Marvel Next Sahara Dark - Vanilla White
Matte
180x45x3 cm | 70⁷/₈"x17³/₄"x1¹/₈"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Dark Walnut Herringbone
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

WALL
Log Anthology
Dark Walnut
Matte
120x278 cm | 47¹/₄"x109¹/₂"

EVOLUZIONE MONO - SINGLE SINK
Atlas Concorde Habitat
Marvel Next Sahara Dark - Vanilla White
Matte
180x45x3 cm | 70⁷/₈"x17³/₄"x1¹/₈"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



WARM EMBRACE



OUTDOOR FLOOR
Log Anthology
Teak
Outdoor Sensitech $\approx$ 20 mm
30x120 cm | 11³/₄"x47¹/₄"

OUTDOOR WALL
Log Anthology
Teak Line
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





OUTDOOR FLOOR
Log Anthology
Teak
Matte Sensitech
30x120 cm | 11³/₄"x47¹/₄"

OUTDOOR WALL
Log Anthology
Teak Line
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Fior di Bosco
Silk - Polished
Ø 45 cm | 17³/₄"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



FLOOR
Log Anthology
Teak
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Log Anthology
Zebrano
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Nyra Utopia
Barley
Matte
120x278 cm | 47¹/₄"x109¹/₂"

WALL SHELVES | TRATTO - LINEA
Atlas Concorde Habitat
Nyra Ambrosia
Hammered
20x120 cm | 7⁷/₈"x47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Fior di Bosco
Silk - Polished
Ø 45 cm | 17³/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 120 cm | 47¹/₄"



FLOOR
Log Anthology
Teak
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Log Anthology
Zebrano
Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Nyra Utopia Barley
Matte
162x324 cm | 63⁵/₈"x127"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Teak
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

SIDE TABLE | **TRATTO - GIOTTO**
Atlas Concorde Habitat
Fior di Bosco
Polished - Silk
Ø 45 cm | 17³/₄" - Ø 120 cm | 47¹/₄"

>
COUNTERTOP
Atlas Plan
Nyra Utopia Barley
Matte
162x324 cm | 63⁵/₈"x127"

>
KITCHEN FURNITURE
Log Anthology
Zebrano
Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR

Log Anthology
Light Teak

Matte Sensitech
18,5x150 cm | 7 1/4" x 59"

WALL

Log Anthology
Zebrano

Matte
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR

Log Anthology
Light Teak
Matte Sensitech
18,5x150 cm | 7¼"x59"

WALL

Log Anthology
Teak Herringbone
Matte
7,5x60 cm | 3"x23⅝"

Log Anthology
Zebrano
Matte
120x278 cm | 47¼"x109½"



Warm Embrace

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



FLOOR
Log Anthology
Teak Herringbone
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

WALL
Log Anthology
Zebrano
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | CONTATTO
Atlas Concorde Habitat
Nyra Ambrosia
Hammered
45x45x40 cm | 17³/₄"x17³/₄"x15³/₄"

ESSENZA BLOCK - FREE-STANDING
Atlas Concorde Habitat
Nyra Ambrosia
Hammered
65x45x85 cm | 25⁵/₈"x17³/₄"x33¹/₂"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



FLOOR

Log Anthology
Teak Herringbone

Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

WALL

Log Anthology
Zebrano

Matte
120x278 cm | 47¹/₄"x109¹/₂"



ESSENZA BLOCK - FREE-STANDING

Atlas Concorde Habitat
Nyra Ambrosia

Hammered
65x45x85 cm | 25⁵/₈"x17³/₄"x33¹/₂"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



SOFT RETREAT



OUTDOOR FLOOR
Log Anthology
Light Ash
Outdoor Sensitech $\times$ 20 mm
30x120 cm | 7 $\frac{1}{4}$ "x59"

OUTDOOR WALL
Log Anthology
Ash
Matte Sensitech
18,5x150 cm | 7 $\frac{1}{4}$ "x59"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS



FLOOR & WALL
Log Anthology
Douglas
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

COUNTERTOP
Atlas Plan
Nyra Utopia Comet
Matte
162x324 cm | 63⁵/₈"x127"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 120 cm | 47¹/₄"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Nyra Ambrosia - Boost Vision Camel
Hammered
Ø 65 cm | 25⁵/₈"



FLOOR & WALL

**Log Anthology
Douglas**
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

SIDE TABLE | **TRATTO - GIOTTO**
**Atlas Concorde Habitat
Boost Icor Bone - Dune**
Hammered
Ø 120 cm | 47 1/4"

WALL SHELVES | **TRATTO - OMEGA**
**Atlas Concorde Habitat
Boost Icor Bone**
Matte
10x12x90 cm | 3 7/8"x4 3/4"x35 3/8"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





WALL SHELVES | **TRATTO - OMEGA**
Atlas Concorde Habitat
Boost Icor Bone
Matte
10x12x90 cm | 3⁷/₈"x4³/₄"x35³/₈"

>
BACKSPLASH
Atlas Plan
Nyra Utopia Comet
Matte
162x324 cm | 63⁵/₈"x127"



Soft Retreat

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR & WALL
Log Anthology
Douglas
Matte Sensitech
18,5x150 cm | 7 1/4"x59"

COUNTERTOP
Atlas Plan
Nyra Utopia Comet
Matte
162x324 cm | 63 5/8"x127"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR
Log Anthology
Douglas Herringbone
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

WALL
Log Anthology
Douglas
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"



FLOOR

Log Anthology
Douglas Herringbone

Matte Sensitech
7,5x60 cm | 3'x23⁵/₈"

WALL

Log Anthology
Douglas

Matte Sensitech
18,5x150 cm | 7¹/₄"x59"



INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR & WALL
Log Anthology
Ash
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"
Boost Hux
Salt
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | **ARMONIA**
Atlas Concorde Habitat
Boost Vision Glow
Matte
120x50x32 cm | 47³/₈"x19⁵/₈"x12⁵/₈"

STORAGE UNIT | **TRATTO - TORRE**
Atlas Concorde Habitat
Boost Vision Glow
Matte Sensitech
30x30x90 cm | 11³/₄"x11³/₄"x35³/₈"

SAUNA & BATHTUB
Log Anthology
Ash
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

INDEX



INSPIRATION



FEEL
YOUR
HOME



QUIET WELCOME
WARM EMBRACE
SOFT RETREAT

SURFACE
RANGE &
TECHNICAL
SPECS





FLOOR & WALL
Log Anthology
Ash
Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

SAUNA & BATHTUB
Log Anthology
Ash
Matte Sensitech
7,5x60 cm | 3"x23⁵/₈"

SINK | **ARMONIA**
Atlas Concorde Habitat
Boost Vision Glow
Matte
120x50x32 cm | 47³/₈"x19⁵/₈"x12⁵/₈"



SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ⇄ LOG ANTOLOGY RANGE
- ⇄ TECHNICAL SPECIFICATIONS
- ⇄ SENSITECH

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

FloorWall

		Light Douglas	Douglas	Light Ash	Ash	Elm	Light Walnut	Walnut	Dark Walnut	Light Teak	Teak	Zebrano
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm								Matte		Matte	Matte
20x120 cm - 7 ⁷ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	
30x120 cm - 11 ³ / ₄ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech	Matte Sensitech		Matte Sensitech		Matte Sensitech			Matte Sensitech	
18,5x150 cm - 7 ¹ / ₄ "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	
7,5x60 cm - 3"x23 ⁵ / ₈ "	± 9 mm		Matte Sensitech		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	

Outdoor

20x120 cm - 7 ⁷ / ₈ "x47 ¹ / ₄ "	± 9 mm		Grip Sensitech	Grip Sensitech		Grip Sensitech		Grip Sensitech			Grip Sensitech	
30x120 cm - 11 ³ / ₄ "x47 ¹ / ₄ "	±20 mm		Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech			Outdoor Sensitech	

Destination of use

M

Matte ± 6 mm

H

Matte Sensitech ± 9-9.5 mm
Grip Sensitech ± 9 mm
Outdoor Sensitech ± 20 mm

Anti-slip

R9 A Matte ± 6 mm
R10 A+B Matte Sensitech ± 9-9.5 mm
R11 C Grip Sensitech ± 9 mm
R11 C Outdoor Sensitech ± 20 mm

Color-shading

V2 Slight Variation

Light Douglas, Douglas, Light Ash, Ash, Elm, Light Teak

V3 Moderate variation

Light Walnut, Walnut, Teak

V4 Substantial variation

Dark Walnut



LIGHT DOUGLAS

DOUGLAS

LIGHT ASH

ASH

ELM

LIGHT WALNUT

WALNUT

DARK WALNUT

LIGHT TEAK

TEAK

ZEBRANO

INDEX



INSPIRATION



FEEL
YOUR
HOME



SURFACE
RANGE &
TECHNICAL
SPECS



LOG ANTOLOGY RANGE
TECHNICAL SPECIFICATIONS
SENSITECH TECHNOLOGY

Frame

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation



Frame Douglas*
Matte
120x120 cm - 47 1/4" x 47 1/4"



Frame Ash*
Matte
120x120 cm - 47 1/4" x 47 1/4"



Frame Light Teak*
Matte
120x120 cm - 47 1/4" x 47 1/4"



Frame Dark Walnut*
Matte
120x120 cm - 47 1/4" x 47 1/4"



Frame Teak*
Matte
120x120 cm - 47 1/4" x 47 1/4"




◆ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.**
Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto.


V2 Slight Variation

Herringbone


PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит




Herringbone Douglas
Matte
7,5x60 cm - 3" x 23 5/8"




Herringbone Elm
Matte
7,5x60 cm - 3" x 23 5/8"




Herringbone Ash
Matte
7,5x60 cm - 3" x 23 5/8"




Herringbone Walnut
Matte
7,5x60 cm - 3" x 23 5/8"




Herringbone Light Walnut
Matte
7,5x60 cm - 3" x 23 5/8"



Herringbone Dark Walnut
Matte
7,5x60 cm - 3" x 23 5/8"



Herringbone Teak
Matte
7,5x60 cm - 3" x 23 5/8"



7,5x60 cm
3" x 23 5/8"

± 8,5 mm



Big Slabs

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation




Dark Walnut
Matte **Sensitech**
120x278 cm - 47 1/4" x 109 1/2"



Teak
Matte **Sensitech**
120x278 cm - 47 1/4" x 109 1/2"



Zebrano
Matte **Sensitech**
120x278 cm - 47 1/4" x 109 1/2"




120x278 cm
47 1/4" x 109 1/2"
± 6 mm



Dark Walnut Line*
Matte **Sensitech**
120x278 cm - 47 1/4" x 109 1/2"



Teak Line*
Matte **Sensitech**
120x278 cm - 47 1/4" x 109 1/2"



120x278 cm
47 1/4" x 109 1/2"
± 6 mm

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.**
Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto.



INDEX



INSPIRATION



FEEL
YOUR
HOME




SURFACE
RANGE &
TECHNICAL
SPECS



LOG ANTOLOGY RANGE
TECHNICAL SPECIFICATIONS
SENSITECH TECHNOLOGY


Trim tiles

Porcelain trim tiles



- * Available in / Disponibile in Light Douglas, Douglas, Light Ash, Ash, Elm, Light Walnut, Walnut, Dark Walnut, Light Teak, Teak
- ** Available in / Disponibile in Douglas, Light Ash, Elm, Walnut, Teak
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

Outdoor trim tiles ± 20 mm



- * Available in / Disponibile in Douglas, Light Ash, Walnut, Teak
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ♦ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx


Outdoor Porcelain tiles ± 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.


Laying tips

Stagger the planks at a maximum of 40 cm. It's best to stagger the tiles randomly (see the illustration).
Consigli per la posa. Sfalsare i listoni di 40 cm al massimo. Si consiglia di sfalsare le piastrelle in maniera irregolare. (vedi figura).
Conseils pour la pose. Décaler les listels de 40 cm maximum. Nous conseillons de décaler les carreaux de manière irrégulière. (voir la figure).
Tipps für die Verlegung. Die Dielen maximal um 40 cm versetzt verlegen. Es empfiehlt sich, die Fliesen in unregelmäßig versetztem Verband zu verlegen (siehe Abbildung).
Recomendaciones para la instalación. Escalonar los listones un máximo de 40 cm. Se recomienda escalonar los azulejos de forma irregular (véase figura).
Рекомендации по укладке. Рекомендуются укладывать плитку со смещением не более 40 см. Кроме того, желательно смещать плитки неравномерно (см. рисунок).

Recommended laying patten - Schema di posa consigliato



Not recommended laying patten - Schema di posa sconsigliato



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

120x278 cm - 47¹/₄"x109¹/₂"
20x120 cm - 7⁷/₈"x47¹/₄"
30x120 cm - 11³/₄"x47¹/₄"
18,5x150 cm - 7¹/₄"x59"

± 6 mm
± 9 mm
± 9 mm
± 9 mm

120x120 cm - 47¹/₄"x47¹/₄"
7,5x60 cm - 3"x23³/₄"
30x120 cm - 11³/₄"x47¹/₄"

± 9 mm
± 8,5 mm
± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9-9,5 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)				
	Thickness Spessore		± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2							
			± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
			c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
			e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.				
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
		ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ U3 30x120
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _f Classe A1 oppure A1 _f			A1 - A1 _f	A1 - A1 _f	A1 - A1 _f	A1 - A1 _f
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
		BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)	Class P3	Class P4	Class P4
		UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(***)	Class C2	Class C3	Class C3
	Coefficient of friction (COF) Coeffiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
	Dynamic coefficient of friction (DCOF) Coeffiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dalla spessore riportato nella dimensione di fabbricazione (WS).

(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

(****) The maximum permissible deviation from centre curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonali; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(4) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

(a) PTV ≥ 36 Wet on demand / su richiesta (aa) P3 on demand / su richiesta (aaa) C2 on demand / su richiesta

INDEX

INSPIRATION

FEEL YOUR HOME

SURFACE RANGE & TECHNICAL SPECS

LOG ANTOLOGY RANGE TECHNICAL SPECIFICATIONS SENSITECH TECHNOLOGY

Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT



Bathroom Furniture

Custom Elements

Essenza

MONO
Single Sink

DUO
Twin Sink

UP
Sit-on basin

BLOCK
Free-Standing

LEVEL
Top

Evoluzione

MONO
Single Sink

DUO
Twin Sink

BLOCK
Free-standing

Dialogo

Designer Sinks
Single

Designer Sinks
Twin

Armonia

Single drawer

Twin drawer

Tables

BROOKLYN 75
Dining Tables

BROOKLYN 25
Coffee Tables

INCONTRO 75
Dining Tables

INCONTRO 25
Coffee Tables

CONTATTO
Side Table

MANHATTAN
Hospitality Tables

COSMOPOLITAN
Hospitality Tables

Signature Objects

BY PIERO LISSONI

Tratto

LIBRA
T-Frame

ELLE
L-Frame

TORRE
Wall I-Frame

TORRE
Ground I-Frame

TORRE
Slim Wall I-Frame

LINEA
T-Shelf

OMEGA
U-Shelf

GIOTTO
Side Table

HASHTAG
Flower Pot

ARCO
Bench


QUADRO - 3D QUADRO
Tray

DISCO - 3D DISCO
Tray

FILO
Serving Board

TRAMA
Centerpiece

Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilità d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

* Si rimanda alla pagina dedicata per approfondimenti sul riconoscimento EcoVadis - <https://recognition.ecovadis.com/pw4JMSKBFkGvUib2UI-GSA>

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2026
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cspb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.



atlasconcorde.com

Copyright 2026 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2026