

MADE IN ITALY. MADE TO EXCEL.

BOOST HUX



CONCRETE LOOK

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

INDEX

- INSPIRATION
- DESIGN GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



A

MDL CIRCLE

IN DIALOGUE WITH BOOST HUX.



Dentro Fuori, Arte Sella, Giardino di Villa Strobele, Val di Sella, Borgo Valsugana, Trento, Italia



The Waterstone, Padiglione Intesa Sanpaolo, Expo Milano 2015



People, AMDL CIRCLE

AMDL CIRCLE, the multidisciplinary studio founded by Michele De Lucchi, carries out continuous research on the relationship between matter, surface, and inhabited space. The Studio is a circle where designers share the desire to improve the quality of the environment in which people live. This open and evolving approach brings different disciplines together to shape welcoming, human-centred environments.

BOOST HUX REVEALS A NEW
CHROMATIC SIDE OF POURED
CONCRETE

AMDL CIRCLE creates a dialogue between Boost Hux, a contemporary interpretation of poured concrete in neutral and vibrant colours, and Vivia, a glossy ceramic collection rooted in Italian tradition. Together, they shape an architecture that evolves through colour, finishes and decorative contrasts.



DIFFERENT WAYS OF LIVING



GARDEN HOUSE – Intimate Living



RESIDENTIAL HUB – Shared Living



We live two lives in the same day: the one we withdraw into, and the one we share. AMDL CIRCLE designed both – a house in its garden, a building full of neighbours. Under both, the same poured surface. Boost Hux disappears where architecture needs continuity, and speaks where a place needs a character of its own.

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





GARDEN HOUSE. AN INTIMATE WAY OF LIVING

Step off the terrace and nothing changes underfoot. The same poured surface runs from the garden into the bedroom, so the house has no edges to defend. Light crosses it all day; the colour does not move with it. Vivia enters one room only – glossy, where the day begins.



RESIDENTIAL HUB. A SHARED WAY OF LIVING

Every day this floor is crossed by someone you have never met. Residences, shared rooms, wellness areas, a rooftop bar with a pool – many lives inside one building. Poured concrete becomes the connective tissue: it takes the traffic and holds everything in a single tone. Vivia answers on the walls, glossy, with the rhythm the floor refuses to make.



DIFFERENT WAYS OF COLOURING



BOOST
HUX MATT, IN THE MATERIAL



VIVIA GLOSSY, IN THE GLAZE

One collections, two ways of holding colour:

Boost Hux is the body of the project, Vivia is where it turns decorative. Boost Hux keeps colourin the material: matt, even, absorbing the light. Vivia carries it in the glaze – glossy, crackled – and gives the light back.

CONCRETE FINDS ITS COLOUR

Grey was never a property of concrete. It was a limit. This palette moves from neutrals that let the architecture speak first, to coloursthat give a room a position.



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



VIVIA BRINGS THE SHINE

Vivia looks back at the glazed ceramics of the Italian tradition: full colour, glossy glaze, and – on Crelis – the fine craquelé that runs under the surface.



VIVIA
CRELIS
50x120 Tiles



VIVIA
KILN
6x24 Brick

The craquelé never repeats. Up close it holds the light like old ceramics. From the other side of the room it is simply a colour that moves. Then you walk closer, and it changes again.

Design Gallery

↔ Garden House



↔ Residential Hub



↔ The Welcome Lounge



↔ Studio Apartment



↔ The Nest Loft



↔ The Wellness Club



↔ The Upper Terrace



INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT
THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





GARDEN HOUSE



INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Clay Rugged
Outdoor Sensitech
120x120 cm | 47 1/4" x 47 1/4" ✕ 20 mm

FACADE
Boost Hux
Camel
Matte
120x278 | 47 1/4" x 109 1/2"

Vivia Kiln
Relief
Glossy
6x24 | 2 3/8" x 9 1/2"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
Vivia Crelis
3D Flute Deep Red
Shiny
50x120 cm - 19⁵/₈"x47¹/₄"



FLOOR
Boost Hux
Shell
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Shell
Matte Sensitech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Boost Hux
Shell
Matte
120x278 cm | 47 1/4" x 109 1/2"

Vivia Crelis
3D Flute Deep Red
Shiny
50x120 cm - 19 5/8" x 47 1/4"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Dune
Hammered
Ø 45 cm | 17 3/4" - Ø 65 cm | 25 5/8"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux Clay

Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

SINK | EVOLUZIONE MONO

Atlas Concorde Habitat Boost Hux Clay

Matte Sensitech
270x45x3 cm | 106¹/₄"x17³/₄"x1¹/₈"

WALL

Boost Hux Red Aged

Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Vivia Kiln Relief

Glossy
6x24 | 2³/₈"x9¹/₂"

VANITY UNIT | ARMONIA

Atlas Concorde Habitat Boost Hux Clay

Matte Sensitech
90x45x50 cm | 35³/₈"x17³/₄"x19⁵/₈"



INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux
Clay Rugged

Outdoor Sensitech
120x120 cm | 47 1/4" x 47 1/4" ✕ 20 mm

FACADE

Boost Hux
Camel

Matte
120x278 | 47 1/4" x 109 1/2"

Vivia Kiln
Pulse

Glossy
6x24 | 2 3/8" x 9 1/2"

COUNTERTOP

Atlas Plan
Boost Hux Dune

Hammered
162x324 | 63 3/4" x 127 1/2"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Clay Rugged
Outdoor Sensitech
120x120 cm | 47 1/4"x47 1/4" ✂ 20 mm

FACADE
Boost Hux
Camel
Matte
120x278 | 47 1/4"x109 1/2"

Vivia Kiln
Pulse
Glossy
6x24 | 2 3/8"x9 1/2"

COUNTERTOP
Atlas Plan
Boost Hux Dune
Hammered
162x324 | 63 3/4"x127 1/2"



INDEX 

INSPIRATION 

DESIGN
GALLERY 

GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS 

ENJOY
THE VIDEO 



RESIDENTIAL HUB



INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE

RESIDENTIAL HUB

THE WELCOME LOUNGE

STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO







THE WELCOME LOUNGE



The Welcome Lounge

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Shell
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Hux
Shell
Matte
120x278 | 47¹/₄"x109¹/₂"

Vivia Crelis
Light Green
Shiny
50x120 cm - 19⁵/₈"x47¹/₄"

DESK
Vivia Kiln
Origin
Glossy
6x24 cm | 2³/₈"x9¹/₂"

Boost Hux
Moka
Hammered
160x320 | 63"x126"

SIDE TABLE | TRATTO - GIOTTO
Atlas Concorde Habitat
Boost Icor Dune
Hammered
Ø 45 cm | 17³/₄" - Ø 120 cm | 47¹/₄"

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





STUDIO APARTMENT



INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT

- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux
Ember Aged
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

WALL

Boost Hux
Shell
Matte
120x278 | 47¹/₄"x109¹/₂"

FURNITURE

Atlas Plan
Boost Hux Dune
Hammered
162x324 | 63³/₄"x127¹/₂"

Vivia Crelis
3D Flute Off-White
Shiny
50x120 cm - 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





<
WALL
Boost Hux
Green Aged
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Hux
Organic Green
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



^
WALL
Boost Hux
Shell
Matte
120x278 | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT

THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Dune
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Hux
Shell
Matte
120x278 | 47¹/₄"x109¹/₂"

Boost Hux
Green Aged
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Hux
Organic Green
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SINK | ESSENZA MONO
Atlas Concorde Habitat
Boost Hux Dune
Hammered
90x50x15 cm | 35³/₈"x19⁵/₈"x5⁷/₈"

VANITY UNIT | ARMONIA
Atlas Concorde Habitat
Boost Hux Dune
Hammered
90x45x50 cm | 35³/₈"x17³/₄"x19⁵/₈"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT

THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





THE NEST LOFT



FLOOR
Boost Hux
Camel Rugged
Outdoor Sensitech
120x120 cm | 47 1/4" x 47 1/4" x 20 mm

FACADE
Boost Hux
Camel
Matte
120x278 | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT

THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux
Camel
Matte
120x278 | 47¹/₄"x109¹/₂"

WALL

Boost Hux
Camel
Matte
120x278 | 47¹/₄"x109¹/₂"

Boost Hux
Camel Rugged
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Vivia Kiln
Wellness
Glossy
6x24 cm | 2³/₈"x9¹/₂"

SIDE TABLE | TRATTO - GIOTTO

Atlas Concorde Habitat
Boost Icor Bone - Dune
Hammered
Ø 45 cm | 17³/₄" - Ø 65 cm | 25⁵/₈" - Ø 120 cm | 47¹/₄"

INDEX


INSPIRATION

DESIGN
GALLERY

- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS

ENJOY
THE VIDEO



FLOOR

Boost Hux Camel

Matte

120x278 | 47 1/4" x 109 1/2"

WALL

Boost Hux Camel

Matte

120x278 | 47 1/4" x 109 1/2"

Vivia Kiln Wellness

Glossy

6x24 cm | 2 3/8" x 9 1/2"



INDEX



INSPIRATION



DESIGN GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT

THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR

Boost Hux Camel

Matte Sensitech

120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Hux Camel

Matte

120x278 | 47¹/₄"x109¹/₂"

Vivia Crelis

3D Flute Light Green

Shiny

50x120 cm - 19⁵/₈"x47¹/₄"

BASIN

Boost Hux Camel

Hammered

160x320* cm - 63"x126"




WALL

Boost Hux

Feel Shell

Matte

50x120 cm - 19⁵/₈"x47¹/₄"



INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT

THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Hux
Camel
Matte Sensitech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Boost Hux
Camel
Matte
120x278 | 47 1/4" x 109 1/2"

Vivia Crelis
Deep Green
Shiny
50x120 cm - 19 5/8" x 47 1/4"

SINK | ESSENZA DUO
Atlas Concorde Habitat
Boost Hux Camel
Matte
180x50x15 cm | 70 7/8" x 19 5/8" x 5 7/8"

SHELF | ESSENZA THIN
Atlas Concorde Habitat
Boost Hux Camel
Matte
180x35x5 cm | 70 7/8" x 13 3/4" x 2"

INDEX



INSPIRATION



DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT

THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





THE WELLNESS CLUB



INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT

THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux

Moka

Matte Sensitech

120x120 cm | 47 1/4" x 47 1/4"

WALL

Boost Hux

Moka

Matte

120x278 | 47 1/4" x 109 1/2"

Vivia Crelis

Deep Blue

Shiny

50x120 cm - 19 5/8" x 47 1/4"

INDEX



INSPIRATION



DESIGN GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT

THE WELLNESS CLUB

THE UPPER TERRACE

SURFACE RANGE & TECHNICAL SPECS




ENJOY THE VIDEO





THE UPPER TERRACE



The Upper Terrace

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Hux
Clay Rugged
Grip Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Hux
Camel Rugged
Grip Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

WALL

Boost Hux
Aged Blue
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

COUNTER

Vivia Kiln
Levity
Glossy
6x24 cm | 2³/₈"x9¹/₂"

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





COUNTER
**Vivia Kiln
Levity**
Glossy
6x24 cm | $2\frac{3}{8}$ "x9 $\frac{1}{2}$ "

WALL
**Boost Hux
Aged Blue**
Matte Sensitech
60x120 cm | $23\frac{5}{8}$ "x47 $\frac{1}{4}$ "



FLOOR
**Boost Hux
Clay Rugged**
Grip Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

**Boost Hux
Camel Rugged**
Grip Sensitech
60x120 cm | $23\frac{5}{8}$ "x47 $\frac{1}{4}$ "



INDEX



INSPIRATION




DESIGN
GALLERY



GARDEN HOUSE
RESIDENTIAL HUB
THE WELCOME LOUNGE
STUDIO APARTMENT
THE NEST LOFT
THE WELLNESS CLUB
THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



			
Dune, Green Aged	Camel, Clay, Blue Aged	Shell, Feel Shell, Ember Aged	Clay, Relief, Pulse
			
Shell, Deep Green, Origin	Dune, Relief, Levity	Camel, 3D Flute Light Green, Deep Green	Shell, 3D Flute Deep Red
			
Dune, Relief, Red Aged	Moka, Relief, Levity	Relief, Camel	Clay, Harmony, Shell
			
Camel, Energy, Dune	Shell, Clay, Green Aged	Shell, Light Green, Origin	Clay, Levity, Wonder

HARMONIOUS PAIRINGS





Camel, Deep Green





Clay, Red Aged, Relief





Clay, Camel, Pulse





Shell, 3D Flute Deep Red

INDEX



INSPIRATION



DESIGN GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE RANGE & TECHNICAL SPECS




ENJOY THE VIDEO






Shell, Light Green, Origin



Dune, Shell, Green Aged, Organic Green



Clay Rugged, Blue Aged, Levity



Clay Rugged, Camel, Relief

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO






Camel, Wellness



Ember Aged, Shell, 3D Flute Off-White



Moka, Deep Blue



Camell, 3D Flute Light Green

INDEX



INSPIRATION



DESIGN
GALLERY



- GARDEN HOUSE
- RESIDENTIAL HUB
- THE WELCOME LOUNGE
- STUDIO APARTMENT
- THE NEST LOFT
- THE WELLNESS CLUB
- THE UPPER TERRACE

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◊ BOOST HUX RANGE
- ◊ SENSITECH
- ◊ TECHNICAL SPECIFICATIONS
- ◊ BOOST WORLD

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Shell	Camel	Dune	Clay	Moka	Green Aged	Blue Aged	Ember Aged	Red Aged
Floor	Wall	Bathroom furniture								
160x320* cm - 63"x126"	± 6 mm			Hammered		Hammered				
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte	Matte	Matte	Matte	Matte				
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech				
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ " - Rugged ID Skin	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech					
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " - Rugged ID Skin	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech					
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech				
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech				
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech				
Slabs for Countertops										
162x324* cm - 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified - non rettificato	± 12 mm			Hammered		Hammered Natura-Body				
Outdoor										
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " - Rugged ID Skin	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech					
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ " - Rugged	± 20 mm		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech					
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " - Rugged	± 20 mm		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech					
* Atlas Plan										

ID Skin This surface enhances the details and the fine texture of the product. La superficie esalta i dettagli e la matericità del prodotto.	Natura-Body Technology that creates visual continuity between surfaces, edges and corners. The aesthetic of the product is maintained through the the entire thickness of the slab. Tecnologia che crea continuità visiva tra superficie, bordo ed angoli. Il prodotto mantiene la stessa qualità estetica su tutto lo spessore della lastra.
---	---

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Shell	Green
Wall			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Field	± 8,5 mm	Matte	
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Feel	± 8,5 mm	Matte	
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Organic	± 8,5 mm	Matte	Matte

Sensitech pag. 83

Destination of use	Anti-slip	Color-shading
M Matte ± 6 mm	R9 A Matte ± 6 mm R10 A+B Matte Sensitech ± 9 mm R11 C Grip Sensitech ± 9 mm R11 C Outdoor Sensitech ± 20 mm	V2 Slight Variation All colors
H Matte Sensitech ± 9 mm Grip Sensitech ± 9 mm Outdoor Sensitech ± 20 mm		



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST HUX RANGE

SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Rugged

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Matte
120x120 cm
47 1/4" x 47 1/4"

± 9 mm




Matte
60x120 cm
23 5/8" x 47 1/4"

± 9 mm



Grip
60x120 cm
23 5/8" x 47 1/4"

± 9 mm



Outdoor
120x120 cm
47 1/4" x 47 1/4"

± 20 mm



Outdoor
60x120 cm
23 5/8" x 47 1/4"

± 20 mm



Boost Hux Camel
60x120 cm - 23 5/8" x 47 1/4"



Boost Hux Dune
60x120 cm - 23 5/8" x 47 1/4"



Boost Hux Clay
60x120 cm - 23 5/8" x 47 1/4"

V2 Slight Variation
All colors

Feel

Designed by AMDL CIRCLE

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm
19 5/8" x 47 1/4"

± 8,5 mm



Boost Hux Feel Shell
50x120 cm - 19 5/8" x 47 1/4"



INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST HUX RANGE

SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Organic

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

V2 Slight Variation
All colors

50x120 cm
19⁵/₈"x47¹/₄"

± 8,5 mm



Boost Hux Organic Shell
50x120 cm - 19⁵/₈"x47¹/₄"



Boost Hux Organic Green
50x120 cm - 19⁵/₈"x47¹/₄"



VIVIA

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

VIVIA

CRELIS

Off-White

Shell

Light Green

Deep Green

Light Blue

Deep Blue

Ochre

Deep Red

50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Shiny	Shiny	Shiny	Shiny	Shiny	Shiny	Shiny	Shiny
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Flute	± 10 mm	Shiny		Shiny		Shiny			Shiny

GLAZED PORCELAIN TILES - Gres porcellanato smaltato - Grès cérame fin émaillé - Glasiertes feinsteinzeug - Gres porcelánico fino esmaltado - Глазурованный керамогранит

VIVIA

KILN

Silence

Relief

Whisper

Energy

Pulse

Euphoria

6x24 cm - 2 ³ / ₈ "x9 ¹ / ₂ " Brick	± 8,5 mm	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
---	----------	--------	--------	--------	--------	--------	--------

VIVIA

KILN

Harmony

Wellness

Origin

Levity

Wonder

Resolve

6x24 cm - 2 ³ / ₈ "x9 ¹ / ₂ " Brick	± 8,5 mm	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
---	----------	--------	--------	--------	--------	--------	--------

Color-shading

V2 Slight Variation
All colors

6x24 cm
2³/₈"x9¹/₂"

± 8,5 mm

INDEX



INSPIRATION



DESIGN
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST HUX RANGE


SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO




Trim tiles

Porcelain trim tiles




✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

Wall trim tiles



Outdoor trim tiles $\pm$ 20 mm




- * Available in / Disponibile in Camel Rugged, Dune Rugged, Clay Rugged
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ◆ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx

Outdoor Porcelain tiles $\nless 20$ mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.





Porcelain tiles - Rectified monocaliber

Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group Bla
Compliant with standards ISO 13006 annex G group Bla
Conforme alla norma EN 14411 Appendice G gruppo Bla
Conforme alla norma ISO 13006 Appendice G gruppo Bla

160x320 cm - 63"x126"
120x278 cm - 47 1/4"x109 1/2"
120x120 cm - 47 1/4"x47 1/4"
80x80 cm - 31 1/2"x31 1/2"
60x120 cm - 23 3/8"x47 1/4"
60x60 cm - 23 3/8"x23 3/8"

± 6 mm
± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm

30x60 cm - 11 3/8"x23 5/8"
120x120 cm - 47 1/4"x47 1/4"
60x120 cm - 23 3/8"x47 1/4"

± 9 mm
± 20 mm
± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Thickness Spessore		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (****) Non-rect. ± 0.4 (****) Rect.	± 0.5 (****) Non-rect. ± 0.3 (****) Rect.	± 2.0 (****) Non-rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect.		e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect.	e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect.					
	w. ± 0.8 Non-rect. w. ± 0.6 Rect.		w. ± 0.5 Non-rect. w. ± 0.4 Rect.	w. ± 2.0 Non-rect. w. ± 1.8 Rect.					
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0.5% Individual Maximum 0.6% E _v ≤ 0.5% Valore massimo singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %
		ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ T11 120x120 ≥ T11 80x80 ≥ U4 60x120
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _s Classe A1 oppure A1 _s			A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9		R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C
		BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(•)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
	Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(••)	Class P3	Class P4	Class P4
		UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(•••)	Class C2	Class C3	Class C3
		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326.3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(*) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(*) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(*) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(*) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(*) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(*) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(*) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(*) PTV ≥ 36 Wet on demand / su richiesta (**) P3 on demand / su richiesta (***) C2 on demand / su richiesta



Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

50x120 cm - 19 5/8"x47 1/4"
50x120 cm - 19 5/8"x47 1/4"

± 8,5 mm
± 10 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
			(mm)	(%)	(mm)		
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Thickness Spessore		± 0,5 (**) Rect.	± 10 (**) Rect.	± 0,5 (**) Rect.	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	3D WALL Not applicable Non applicabile
	e.c. ± 0,6 Rect.		e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.			
	w. ± 0,6 Rect.		w. ± 0,4 Rect.	w. ± 1,8 Rect.			
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(*) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(*) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(*) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(*) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(*) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(*) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(*) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(*) PTV ≥ 36 Wet on demand / su richiesta (**) P3 on demand / su richiesta (***) C2 on demand / su richiesta

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Furniture in combination with
Atlas Concorde surfaces

atlasconcorde.com >
ATLAS CONCORDE HABITAT



Bathroom Furniture

Custom Elements

Essenza

MONO
Single Sink

DUO
Twin Sink

UP
Sit-on basin

BLOCK
Free-Standing

LEVEL
Top

Evoluzione

MONO
Single Sink

DUO
Twin Sink

BLOCK
Free-standing

Dialogo

Designer Sinks
Single

Designer Sinks
Twin

Armonia

Single drawer

Twin drawer

Tables

BROOKLYN 75
Dining Tables

BROOKLYN 25
Coffee Tables

INCONTRO 75
Dining Tables

INCONTRO 25
Coffee Tables

CONTATTO
Side Table

MANHATTAN
Hospitality Tables

COSMOPOLITAN
Hospitality Tables

Signature Objects

BY PIERO LISSONI

Tratto

LIBRA
T-Frame

ELLE
L-Frame

TORRE
Wall I-Frame

TORRE
Ground I-Frame

TORRE
Slim Wall I-Frame

LINEA
T-Shelf

OMEGA
U-Shelf

GIOTTO
Side Table

HASHTAG
Flower Pot

ARCO
Bench

QUADRO - 3D QUADRO
Tray

DISCO - 3D DISCO
Tray

FILO
Serving Board

TRAMA
Centerpiece

BOOSTWORLD

- BOOST

BOOST
PRO

BOOST
NATURAL

BOOST
NATURAL PRO

BOOST
STONE

BOOST
MIX

BOOST
HUX
- BOOST
MINERAL


BOOST
BALANCE

BOOST
COLOR

BOOST
EXPRESSION

BOOST
ICOR

BOOST
VISION



Boost your style

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un’unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d’uso.

DISCOVER
BOOST WORLD



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2026
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.





atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2026