STYLED IN ITALY. PROUDLY AMERICAN.

CHESTER



atlas concorde us A

NEW 2017





CHESTER

Plaster Warm Brick Wall Mosaic 12"x12" - 30.5x30.5 cm Chester Saddle 11^{3/4}"x23^{5/8}" - 30x60 cm

COLORED BODY PORCELAIN TILE





Biscuit






Saddle

Warm and modern with an old-time favorite

The reference of used leather, rich in grain, ruts and cracking is exaggerated in the three-dimensionality of this collection. The leather look is expressed in four shades, ranging from light to dark, making CHESTER versatile for warm and modern spaces. The Plait Mosaic mixes in rustic versions of leather and wood, both delivering environments with a relaxed and sophisticated appeal.



Leather look

- Depth and shine
- Plait Mosaic, featuring textured leather and wood
- Residential and commercial spaces

CHESTER

Chester Cigar 11^{3/4}" x23^{5/8}" - 30x60 cm Chester Contrast Plait Mosaic 11^{3/4}" x11^{3/4}" - 30x30 cm

COLORED BODY PORCELAIN TILE



Biscuit








Saddle



Cigar

V2 SLIGHT VARIATION

COLORED BODY PORCELAIN TILE







NEW 2017



COLORED BODY PORCELAIN TILE





CHESTER

Chester Cigar 11^{3/4}"x23^{5/8}" - 30x60 cm Chester Contrast Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm

FORGE

Forge Steel 17^{3/4}"x35^{3/8}" - 45x90 cm





CHESTER

Chester Biscuit $11^{3/4}$ "x $23^{5/8}$ " - 30x60 cm Chester Light Cushion Listello $1^{3/4}$ "x $23^{5/8}$ " - 4.5x60 cm Chester Biscuit Plait Mosaic $11^{3/4}$ "x $11^{3/4}$ " - 30x30 cm Chester Dove $11^{3/4}$ "x $23^{5/8}$ " - 30x60 cm





V2 SLIGHT VARIATION

SIZE - THICKNESS

 $11^{3/4}$ "x $23^{5/8}$ " - 30x60 cm \neq 9 mm

FINISH MATTE

CHESTER Biscuit 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002016



CHESTER Dove 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002017



CHESTER Saddle 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002018



CHESTER Cigar 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002019

MOSAICS & DECORS

CHESTER Light Cushion Listello 1x^{3/4}"x23^{5/8}" - 4,5x60 cm 600090000423



CHESTER Biscuit Mosaic (Mosaic 2"x2") 600110000794



11^{3/4}"x11^{3/4}" - 30x30 cm (Mosaic 2"x2") 600110000795



CHESTER Saddle Cushion Listello

1x^{3/4}"x23^{5/8}" - 4,5x60 cm 600090000424

600110000796

Plait Mosaic

600110000790







CHESTER Contrast Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Plait Mosaic 2"x6") CHESTER Cigar + REDEEM Wax 600110000817



Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Plait Mosaic 2"x6") CHESTER Saddle + REDEEM Gold 600110000816



COORDINATING TRIMS





CHESTER Biscuit Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Plait Mosaic 2"x6") 600110000788



CHESTER Dove Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Plait Mosaic 2"x6") 600110000789



CHESTER Cigar Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm 11^{3/4}"x11^{3/4}" - 30x30 cm (Plait Mosaic 2"x6") (Plait Mosaic 2"x6") 600110000791







600110000797



CHESTER

Chester Biscuit 11^{3/4}"x23^{5/8}" - 30x60 cm Chester Light Cushion Listello 1^{3/4}"x23^{5/8}" - 4.5x60 cm Chester Biscuit Plait Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm

ove base		
130000508		
130000509		
130000510	Bullnose	Cove base
	3"x 24" - 7.2x60 cm	6"x12" - 15x30 cm - ★ 8,5mm

Sustainability



Every Atlas Concorde USA porcelain tile collection is PTCA Certified. Under the program, established jointly by the Porcelain Tile Certification Agency (PTCA) and the Ceramic Tile Distributors Association (CTDA), manufacturers can "prove" their product is really porcelain (meeting the water absorption criteria of the American national standard - ASTM C373).



LEED (Leadership in Energy and Environmental Design) is a rating system created to encourage the construction of "green" buildings. Developed by the US Green Building Council and internationally recognized, it points out the necessary requirements to build eco-compatible projects, capable of functioning in sustainable and autonomous way in terms of energy consumption as well as having a low environmental impact throughout their entire life-cycle. Atlas Concorde USA is a member of the US Green Building Council.



Atlas Concorde USA products are low-emitting materials with zero emission of volatile organic compounds (VOC). This can contribute to the awarding of 1 LEED credit.

Member of TCNA

Atlas Concorde USA is a member of TCNA, a trade association representing manufacturers of ceramic tile, tile installation materials, tile equipment, raw materials, and other tile-related products. The Tile Council is recognized for its leadership role in facilitating the development of North American and international industry quality standards to benefit tile consumers.



The Ceramic Tile Distributors Association (CTDA) is an international association of distributors, manufacturers and allied professionals of ceramic tile and related products. CTDA connects, educates and strengthens tile and stone distributors. Atlas Concorde USA is a member of CTDA.



The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. The HPD Open Standard was created and is maintained and evolved by the HPD Collaborative, a customer-led organization committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. Atlas Concorde USA adheres with its own HPD.



An Environmental Product Declaration (EPD) is an independently verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products. It is a transparent declaration of the lifecycle environmental impact, which Atlas Concorde USA makes available to customers.



Atlas Concorde USA can provide a Product Environmental Footprint (PEF), a multi-criteria measure of the environmental performance of a good or service throughout its life cycle. PEF information is produced for the overarching purpose of seeking to reduce the environmental impacts of goods and services taking into account supply chain activities.

COLORED BODY PORCELAIN TILE

Compliant with standards ANSI A137.1-2012		2 SIZE - THICKNESS	11 ^{3/4} "x 23 ^{5/8} " - 30x60 cm 🛣 9	9 mm FINISH MATTE				
	FIELD TILES - Available in all colors							
V2	Commercial size (in)	al size (in) Nominal size (in) Thickness (mm		Finish				
	12"x24"	12"x24" 11 3/4" x 23 5/8" 9 mm		Matte				
SLIGHT VARIATION	MOSAICS AND COORDINATING TRIMS - Available in all colors							
Clearly distinguishable differences in texture and/or pattern within similar colors.	Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish				
	Mosaic 2"x2"	losaic 2"x2" 11 3/4" x 11 3/4"		Matte				
	Plait Mosaic 2"x6"	11 3/4" x 11 3/4"	9 mm	Matte				
	Bullnose 3"x24"	2 7/8" x 23 5/8"	9 mm	Matte				
	Cove Base 6"x12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte				

Please refer to caliber chart for work sizes. Close joints are not recommended. (*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

				Porcelain Tile Specification				
CHESTER		PROPERTY	ASTM TEST METHOD	Calibrated		Rectified		CHESTER
				Minimum	Maximum	Minimum	Maximum	
		Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
		Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (")	0.25% or 0.03 in (0.8 mm) (*)	Compliant
REGULARITY	\searrow	Thickness (1)		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
CHARACTERISTICS		Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	t 🕹 t	Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) ^[2] or -1.8 mm ^[3] (*)	0.40% or 0.05 in (1.3 mm) ⁽²⁾ or 1.8 mm ⁽³⁾ (*)	Compliant
		Warpage Diagonal		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant
	All Porcelain Tiles							
STRUCTURAL CHARACTERISTICS		Water Absorption	ASTM C373	< 0.5%				≤ 0.5%
BULK MECHANICAL CHARACTERISTICS	$\frac{\downarrow}{\uparrow\uparrow\uparrow}$	Breaking Strength	ASTM C648		≥ 350 lbf. avg			
PHYSICAL PROPERTIES		Bond Strength	ASTM C482		≥ 100 psi			
THERMAL AND IGROMETRIC CHARACTERISTICS		Resistance to Freeze/ Thaw Cycling	ASTM C1026		Resistant			
CHEMICAL CHARACTERISTICS	$\mathbf{5}$	Chemical Resistance	ASTM C650	As Reported				Unaffected
		Stain Resistance	ASTM C1378	As Reported			Unaffected	
SAFETY CHARACTERISTICS		Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet				> 0.42 Wet

(*) Whichever is less
(1) May not apply to textured surfaces or tiles with uneven back patterns.
(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).
(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.

© Copyright Atlas Concorde USA, Inc. 2017 The reproduction of the work, fully or in part, is strictly forbidden.

ATLAS CONCORDE USA, INC. - 117 Seaboard Lane - Suite F170 - Franklin, TN 37067 - USA www.atlasconcordeusa.com



