
DIALOGO

SIT-ON BASIN 67x40x12,5



DIMENSIONS

Length 67 cm (26 $^{3}/_{8}$ ")

Depth 40 cm (15 ³/₄")

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 1/4" (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 25 kg

Packaged in a chipboard case

Packaging dimensions: $88x58x34 \text{ cm} (34 \frac{5}{8}\text{"} x 22 \frac{7}{8}\text{"} x 13 \frac{3}{8}\text{"})$










SINGLE WALL-MOUNTED WASHBASIN 67x50x12,5



DIMENSIONS

Length 67 cm (26 $^{3}/_{8}$ ")

Depth 50 cm (19 ⁵/₈")

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 1/4" (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 25 kg

Packaged in a chipboard case

Packaging dimensions: 88x58x34 cm (34 $^5/_8{}''x$ 22 $^7/_8{}''x$ 13 $^3/_8{}'')$






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process.





SINGLE WALL-MOUNTED DRAWER UNIT 67x50x32



DIMENSIONS Length 67 cm (26 ³/₈") Depth 50 cm (19 ⁵/₈") Height 32 cm (12 ⁵/₈")

STRUCTURE

Porcelain stoneware upper tiling 67x50x3 cm (26 $^3/_8$ "x 19 $^5/_8$ "x 1 $^1/_8$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 $^{1}/_{4}$ ")

Metal hooks for wall mounting with holes Ø min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

DRAWE

Front thickness: 3,2 cm $(1 \frac{1}{4})$

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 40 kg

Packaged in a chipboard case


Packaging dimensions: 76x58,5x48 cm (29 ⁷/₈"x 23"x 18 ⁷/₈")







Side section (open drawer)



Side section (closed drawer)


Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.

To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the techn





LEFT SINGLE WALL-MOUNTED WASHBASIN 80x50x12,5



DIMENSIONS Length 80 cm (31 1/2") Depth 50 cm (19 5/8") Height 12,5 cm (4 7/8")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 1/4" (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 27 kg

Packaged in a chipboard case

Packaging dimensions: 88x58x34 cm (34 $^5/_8$ "x 22 $^7/_8$ "x 13 $^3/_8$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process.





SINGLE WALL-MOUNTED DRAWER UNIT 80x50x32



DIMENSIONS Length 80 cm $(31 \, {}^{1}/_{2}")$ Depth 50 cm (19 ⁵/₈") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 80x50x3 cm (31 $^1\!/_2$ x 19 $^5\!/_8$ x 1 $^1\!/_8$)

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Metal hooks for wall mounting with holes Ø min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

Front thickness: 3,2 cm $(1 \, {}^{1}/_{4}")$

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 46 kg

Packaged in a chipboard case


Packaging dimensions: 89x58,5x48 cm (35"x 23"x 18 7/8")



Front view



Side section (open drawer)




Side section (closed drawer)







SINGLE WALL-MOUNTED WASHBASIN 100x50x12,5



DIMENSIONS Length 100 cm (39 ³/₈") Depth 50 cm (19 ⁵/₈") Height 12,5 cm (4 ⁷/₈")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 30 kg

Packaged in a chipboard case

Packaging dimensions: $108x58x34 \text{ cm} (42 \frac{1}{2}\text{ x } 22 \frac{7}{8}\text{ x } 13 \frac{3}{8}\text{)}$






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the corporate website





RIGHT SINGLE WALL-MOUNTED WASHBASIN 100x50x12,5



DIMENSIONS Length 100 cm (39 ³/₈") Depth 50 cm (19 ⁵/₈") Height 12,5 cm (4 ⁷/₈")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1 \, {}^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 30 kg

Packaged in a chipboard case

Packaging dimensions: 108x58x34 cm ($42\frac{1}{2}$ "x $22\frac{7}{8}$ "x $13\frac{3}{8}$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the





LEFT SINGLE WALL-MOUNTED WASHBASIN 100x50x12,5



DIMENSIONSLength 100 cm (39 ³/₈")

Depth 50 cm (19 ⁵/₈")

Height 12,5 cm $(4^{7}/8")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 30 kg

Packaged in a chipboard case

Packaging dimensions: 108x58x34 cm ($42\frac{1}{2}$ "x $22\frac{7}{8}$ "x $13\frac{3}{8}$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the





SINGLE WALL-MOUNTED DRAWER UNIT 100x50x32



DIMENSIONS Length 100 cm (39 3/8") Depth 50 cm (19 ⁵/₈") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 100x50x3 cm (39 $^3/_8{}''x$ 19 $^5/_8{}''x$ 1 $^1/_8{}'')$

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Metal hooks for wall mounting with holes Ø min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

Front thickness: 3,2 cm $(1 \, {}^{1}/_{4}")$

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 56 kg

Packaged in a chipboard case


Packaging dimensions: 120x80x48 cm $(47 \frac{1}{4}$ "x $31 \frac{1}{2}$ "x $18 \frac{7}{8}$ ")







Side section (open drawer)




Side section (closed drawer)







RIGHT SINGLE WALL-MOUNTED WASHBASIN 100x40x12,5



DIMENSIONS

Length 100 cm (39 3/8")

Depth 40 cm $(15^{3}/_{4}")$

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 1/4" (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 27 kg

Packaged in a chipboard case

Packaging dimensions: 108x58x34 cm $(42 \frac{1}{2}$ "x $22 \frac{7}{8}$ "x $13 \frac{3}{8}$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process.





LEFT SINGLE WALL-MOUNTED WASHBASIN 100x40x12,5



DIMENSIONS

Length 100 cm (39 3/8")

Depth 40 cm $(15 \, {}^{3}/_{4}")$

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 1/4" (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 27 kg

Packaged in a chipboard case

Packaging dimensions: $108x58x34 \text{ cm} \left(42\frac{1}{2}\text{"}x\ 22\frac{7}{8}\text{"}x\ 13\frac{3}{8}\text{"}\right)$










SINGLE WALL-MOUNTED DRAWER UNIT 100x40x32



DIMENSIONS	
Length 100 cm (39 ³ / ₈ ")	
Depth 40 cm (15 ³ / ₄ ")	
Height 32 cm (12 ⁵ / ₈ ")	

STRUCTURE

Porcelain stoneware upper tiling 100x40x3 cm (39 $^3/_8{}''x$ 15 $^3/_4{}''x$ 1 $^1/_8{}'')$

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Metal hooks for wall mounting with holes Ø min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

Front thickness: 3,2 cm $(1 \, {}^{1}/_{4}")$

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 47 kg

Packaged in a chipboard case


Packaging dimensions: 109x48,5x48 cm $(42^{7}/_{8}"x 19^{1}/_{8}"x 18^{7}/_{8}")$



Front view



Side section (open drawer)




Side section (closed drawer)





RIGHT SINGLE WALL-MOUNTED WASHBASIN 120x50x12,5



DIMENSIONS

Length 120 cm (47 1/4")

Depth 50 cm (19 5/8")

Height 12,5 cm (4 7/8")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm (1 $^{3}/_{8}$ ")

WEIGHT AND PACKAGING

Product weight 34 kg

Packaged in a chipboard case

Packaging dimensions: 138x58x34 cm ($54 \frac{3}{8}$ "x $22 \frac{7}{8}$ "x $13 \frac{3}{8}$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the





LEFT SINGLE WALL-MOUNTED WASHBASIN 120x50x12,5



DIMENSIONS Length 120 cm (47 1/4") Depth 50 cm (19 5/8") Height 12,5 cm (4 7/8")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 34 kg

Packaged in a chipboard case

Packaging dimensions: 138x58x34 cm ($54 \frac{3}{8}$ "x $22 \frac{7}{8}$ "x $13 \frac{3}{8}$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the





SINGLE WALL-MOUNTED DRAWER UNIT 120x50x32



DIMENSIONS Length 120 cm (47 ¹/₄") Depth 50 cm (19 ⁵/₈") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 120x50x3 cm (47 $^{1}/_{4}$ "x 19 $^{5}/_{8}$ "x 1 $^{1}/_{8}$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Metal hooks for wall mounting with holes \varnothing min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

Front thickness: 3,2 cm $(1 \, {}^{1}/_{4}")$

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing

Drawer bottom in laminated panel and matching hardware


WEIGHT AND PACKAGING

Product weight 66 kg


Packaged in a chipboard case

Packaging dimensions: $129x58,5x48 \text{ cm} (50 ^{3}/_{4}"x 23"x 18 ^{7}/_{8}")$










Side section (closed drawer)





RIGHT SINGLE WALL-MOUNTED WASHBASIN 120x40x12,5



DIMENSIONS

Length 120 cm (47 1/4")

Depth 40 cm (15 3/4")

Height 12,5 cm (4 7/8")

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 30 kg

Packaged in a chipboard case

Packaging dimensions: $138x58x34 \text{ cm} (54 \frac{3}{8}\text{"x } 22 \frac{7}{8}\text{"x } 13 \frac{3}{8}\text{"})$










LEFT SINGLE WALL-MOUNTED WASHBASIN 120x40x12,5



DIMENSIONSLength 120 cm (47 ¹/₄")

Depth 40 cm (15 ³/₄")

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 30 kg

Packaged in a chipboard case

Packaging dimensions: $138x58x34 \text{ cm} (54 \frac{3}{8}\text{"x} 22 \frac{7}{8}\text{"x} 13 \frac{3}{8}\text{"})$










SINGLE WALL-MOUNTED DRAWER UNIT 120x40x32



DIMENSIONS Length 120 cm (47 1/4") Depth 40 cm (15 3/4") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 120x40x3 cm (47 $^{1}/_{4}$ "x 15 $^{3}/_{4}$ "x 1 $^{1}/_{8}$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 $^{1}/_{4}$ ")

Metal hooks for wall mounting with holes \varnothing min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

DRAWE

Front thickness: 3,2 cm (1 1/4")

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 56 kg

Packaged in a chipboard case


Packaging dimensions: 129x48,5x48 cm $(50 \frac{3}{4}x 19 \frac{1}{8}x 18 \frac{7}{8})$







Side section (open drawer)



Side section (closed drawer)


Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.

To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the techn





TWIN WALL-MOUNTED WASHBASIN 150x50x12,5



DIMENSIONS

Length 150 cm (59")

Depth 50 cm (19 5/8")

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 17,4 cm (6 7/8")

FAUCET AND FITTING HOLES


Ø 35 mm $(1^{3}/_{8}")$

WEIGHT AND PACKAGING

Product weight 48 kg

Packaged in a chipboard case

Packaging dimensions: 168x58x34 cm (66 $^{1}/_{8}"x$ 22 $^{7}/_{8}"x$ 13 $^{3}/_{8}")$






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the





TWIN WALL-MOUNTED DRAWER UNIT 150x50x32



DIMENSIONS Length 150 cm (59") Depth 50 cm (19 5/8")

Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 150x50x3 cm (59"x 19 $^{5}/_{8}$ "x 1 $^{1}/_{8}$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Black open compartment (RAL 9005)

Metal hooks for wall mounting with holes \emptyset min 8 mm ($\frac{3}{8}$)

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

DRAWER

Front thickness: 3,2 cm (1 1/4")

Interior clearance: 22 cm (8 ⁵/₈")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware


WEIGHT AND PACKAGING

Product weight 85 kg


Packaged in a chipboard case

Packaging dimensions: 159x58,5x48 cm $(62 \frac{5}{8}$ "x 23"x $18 \frac{7}{8}$ ")










Side section (closed drawer)





TWIN WALL-MOUNTED WASHBASIN 150x40x12,5



DIMENSIONS

Length 150 cm (59")

Depth 40 cm (15 3/4")

Height 12,5 cm $(4^{7}/_{8}")$

STRUCTURE

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 43 kg

Packaged in a chipboard case

Packaging dimensions: $168x58x34 \text{ cm} (66 \frac{1}{8}x 22 \frac{7}{8}x 13 \frac{3}{8})$










TWIN WALL-MOUNTED DRAWER UNIT 150x40x32



DIMENSIONS Length 150 cm (59") Depth 40 cm (15 3/4") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 150x40x3 cm (59"x 15 $^3/_4$ "x 1 $^1/_8$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 1/4")

Black open compartment (RAL 9005)

Metal hooks for wall mounting with holes \emptyset min 8 mm ($\frac{3}{8}$)

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

DRAWER

Front thickness: 3,2 cm (1 1/4")

Interior clearance: 22 cm (8 ⁵/₈")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 72 kg

Packaged in a chipboard case


Packaging dimensions: 159x48,5x48 cm $(62 \frac{5}{8}"x 19 \frac{1}{8}"x 18 \frac{7}{8}")$



Front view



Side section (open drawer)




Side section (closed drawer)





LEFT DESIGNER WALL-MOUNTED WASHBASIN 130x40x17,5



DIMENSIONS

Length 130 cm (51 1/8")

Depth 40 cm $(15 \, {}^{3}/_{4}")$

Height 17,5 cm (6 ⁷/₈")

STRUCTURE

Black towel rack (RAL 9005) integrated into the washbasin

Reinforcement: continuous panel

Brackets: stainless steel, \emptyset 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm $(21 \frac{5}{8}$ x $13 \frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. $10.3\ cm\ (4")$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 $^{7}/_{8}$ ")

WEIGHT AND PACKAGING

Product weight 38 kg

Packaged in a chipboard case

Packaging dimensions: $138x58x34 \text{ cm} (54 \frac{3}{8}\text{x} 22 \frac{7}{8}\text{x} 13 \frac{3}{8}\text{)}$






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.

To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet.





RIGHT DESIGNER WALL-MOUNTED WASHBASIN 130x40x17,5



DIMENSIONS Length 130 cm (51 1/8") Depth 40 cm (15 3/4") Height 17,5 cm (6 7/8")

STRUCTURE

Black towel rack (RAL 9005) integrated into the washbasin

Reinforcement: continuous panel

Brackets: stainless steel, \varnothing 10 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $^{5}/_{8}$ " x 13 $^{3}/_{8}$ ")

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10.3 cm (4")

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present


Distance between drain hole and wall: approx. 7,3 cm (2 $^{7}/_{8}$ ")

WEIGHT AND PACKAGING

Product weight 38 kg

Packaged in a chipboard case

Packaging dimensions: 138x58x34 cm (54 $^3/_8$ "x 22 $^7/_8$ "x 13 $^3/_8$ ")






Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.
To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheet of the ceramic material and its manufacturing process.





SINGLE WALL-MOUNTED DRAWER UNIT 120x40x32



DIMENSIONS Length 120 cm (47 1/4") Depth 40 cm (15 3/4") Height 32 cm (12 5/8")

STRUCTURE

Porcelain stoneware upper tiling 120x40x3 cm (47 $^{1}/_{4}$ "x 15 $^{3}/_{4}$ "x 1 $^{1}/_{8}$ ")

Matt lacquered MDF casing, 3,2 cm thick (1 $^{1}/_{4}$ ")

Metal hooks for wall mounting with holes \varnothing min 8 mm ($^3/_8$ ")

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

DRAWE

Front thickness: 3,2 cm (1 1/4")

Interior clearance: 22 cm (8 5/8")

Push opening system

Rails with soft closing


Drawer bottom in laminated panel and matching hardware

WEIGHT AND PACKAGING


Product weight 56 kg

Packaged in a chipboard case


Packaging dimensions: 129x48,5x48 cm $(50 \frac{3}{4}x 19 \frac{1}{8}x 18 \frac{7}{8})$







Side section (open drawer)



Side section (closed drawer)


Dimensional tolerances +/- 2 mm. The dimensions of the sink refer to a 12-mm thick porcelain stoneware tiling
The specifications given, including weights and dimensions, may differ slightly from the actual pieces, due to the inherent tolerance characteristics of the ceramic material and its manufacturing process. The company reserves the right to change technical data sheets and operating characteristics of products at any time without prior notice.

To consult the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating, please refer to the technical data sheet of the ceramic coating the techn



DIALOGO

FREE-STANDING 67x40x85



DIMENSIONS

Length 67 cm (26 $^3/_8$ ")

Depth 40 cm (15 ³/₄")

Height 85 cm (33 1/2")

STRUCTURE

Inspection door dim. 20x30 cm (7 $^{7}/_{8}$ "x 11 $^{3}/_{4}$ ")

Reinforcement: continuous panel

COLOURS AND FINISHES

Colour and finish combinations as per catalogue

SINK

Dimension 55x34 cm (21 $\frac{5}{8}$ x 13 $\frac{3}{8}$)

Stainless steel, with porcelain tiling in single sloped pitch, maximum depth approx. 10,3 cm (4") $\,$

Universal drain diameter 1 $^{1}/_{4}$ " (drain not included)

Overflow hole not present

Distance between drain hole and wall: approx. 7,3 cm (2 7/8")

WEIGHT AND PACKAGING

Product weight 68 kg

Packaged in a chipboard case

Packaging dimensions: 98x80x53 cm $(38 \, {}^5/_8"x \, 31 \, {}^1/_2"x \, 20 \, {}^7/_8")$

* Consider the distance from the wall as a function of installation and maintenance operations

