atlas concorde

Interactive version



LARGE SIZES

2025

atlas concorde

A system of indoor and outdoor surfaces: floors, walls and decors.

atlasPLAN

Large slabs for kitchen countertops, tables and for furnishings.

atlas concorde habitat

Furniture in combination with Atlas Concorde surfaces.

Three brands, one space.

Index

- Application
- **Surface Range**
- **Image Gallery**
  - Marble Look
  - Concrete & Resin Look
  - Stone Look
  - Wood Look
- **Product Range**
  - Marble Look
  - Concrete & Resin Look
  - Stone Look
  - Wood Look
  - Solid Look
  - Bookmatch
  - Kit endless
- **Slabs for Countertops & Furniture**
- **Range Summary**
- **Technical Specifications**

Large sizes for any application



atlas concorde

Floor Wall Facades



120 x 278 cm **6 mm**
160 x 160 cm
120 x 120 cm

Floor Wall Facades



120 x 240 cm **9 mm**
120 x 120 cm

Outdoor

120 x 120 cm **20 mm**

atlasPLAN

Slabs for countertops Slabs for furniture



160 x 320 cm **6 mm**



162 x 324 cm* **12 mm**



162 x 324 cm* **20 mm**
159 x 324 cm*

* Non-rectified slabs

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain Tiles
Marble Look



INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD, METAL & SOLID LOOK

IMAGE GALLERY

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles
Concrete & Resin Look



INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD, METAL & SOLID LOOK

IMAGE GALLERY

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles
Stone Look







































































INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD, METAL & SOLID LOOK

IMAGE GALLERY

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

Porcelain Tiles
Wood Look



Porcelain Tiles
Metal Look



Porcelain Tiles
Solid Look



INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD, METAL & SOLID LOOK

IMAGE GALLERY

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Image Gallery

- **Marble** Look
- **Concrete** & **Resin** Look
- **Stone** Look
- **Wood** Look

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Marble Look

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Onyx White Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx White Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan Onyx White Polished**
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Marvel Stone Bianco Dolomite Polished
120x278 cm | 47 1/4"x109 1/2"

Boost Natural Kaolin
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Stone Bianco Dolomite Polished
120x278 cm | 47 1/4"x109 1/2"

Marvel Diva Amethyst Polished
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP | **Atlas Plan Bianco Dolomite Polished**
162x324 cm | 63 3/4"x127 1/2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Meraviglia Calacatta Meraviglia Polished
120x240 cm | 47 1/4"x94 1/2"

WALL
Marvel Meraviglia Calacatta Meraviglia Polished
120x278 cm | 47 1/4"x109 1/2"
Marvel Meraviglia Silver Majestic Polished
120x278 cm | 47 1/4"x109 1/2"

SIDE TABLE | **Atlas Concorde Habitat**
Contatto Calacatta Meraviglia Silk
ø70 cm | 27 1/2"

COUNTERTOP | **Atlas Plan**
Calacatta Meraviglia Polished
162x324 cm | 63 3/4"x127 1/2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Marvel Calacatta Extra Matte
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Calacatta Extra Polished
120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Grey Stone Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan**
Boost Smoke Matte
162x324 cm | 63³/₄"x127¹/₂"
Calacatta Extra Lappato Lux
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel X Calacatta Sublime Silk
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel X Calacatta Sublime Silk
120x278 cm | 47 1/4"x109 1/2"
Marvel X Mosaico Hive Hex Polished
37,2x32,2 cm | 14 5/8"x12 5/8"
Boost Smoke Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Marvel Gala Calacatta Black Polished
120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance Smoke Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Gala Crystal White Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan Black Tempest Silk**
162x324 cm | 63³/₄"x127¹/₂"
Noce Canaletto Matte
160x320 cm | 63"x126"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Balance Pearl Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Marvel X Calacatta Perla Polished
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva White Everest Silk
120x278 cm | 47¹/₄"x109¹/₂"

Marvel X Calacatta Perla Polished
120x278 cm | 47¹/₄"x109¹/₂"

SINK | **Atlas Concorde Habitat**
Essenza Duo Marvel X Fior di Bosco Polished
220x50x15 cm | 86⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF | **Atlas Concorde Habitat**
Essenza Thin Marvel X Fior d i Bosco Polished
220x35x5 cm | 86⁵/₈"x13³/₄"x2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Travertine Sand Vein Cut Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Travertine Sand Vein Cut Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan**
Travertino Sand Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Travertine Pearl Vein Cut Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

Marvel Travertine White Vein Cut Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Travertine Pearl Vein Cut Matte
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Travertine White Vein Cut Matte
120x278 cm | 47¹/₄"x109¹/₂"

TOP | **Atlas Concorde Habitat**
Essenza Level Marvel Travertine Pearl Vein Cut Matte
180x50x12 cm | 70⁷/₈"x19⁵/₈"x4³/₄"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Diva Taj Mahal Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Taj Mahal Silk
120x278 cm | 47¹/₄"x109¹/₂"
Marvel Diva Precious Brown Silk
120x278 cm | 47¹/₄"x109¹/₂"
Marvel Diva Taj Mahal Mosaico Grid Velvet Velvetech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Atlas Plan Boost Balance Ash Matte
160x320 cm | 63"x126"

Marvel Gala Crystal White Polished
120x120 cm | 47¹/₄"x47¹/₄"
Boost White Grip
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Atlas Plan Baobab Polished
160x320 cm | 63"x126"
Marvel Diva Baobab Mosaico Hex Polished
40,3x23,3 cm | 15⁷/₈"x9¹/₈"

Marvel Gala Crystal White Polished
120x278 cm | 47¹/₄"x109¹/₂"
Marvel Gala Amazzonite Polished
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Marvel Gala Amazzonite Polished
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Atlas Concorde Habitat**
Incontro 75 Boost Smoke Matte
100x180 cm | 39³/₈"x70⁷/₈"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel X Fior di Bosco Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Gala Exotic Green Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan Exotic Green Polished**
162x324 cm | 63³/₄"x127¹/₂"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS





FLOOR
Marvel Diva Taj Mahal Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

Marvel Calacatta Extra Polished
160x160 cm | 63"x63"

WALL
Calacatta Extra Polished
160x320 cm | 63"x126"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Balance Ash Matte Sensitech
120x240 cm | 47 1/4"x94 1/2"

Boost Balance Ash Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva Sky Stone Silk
120x278 cm | 47 1/4"x109 1/2"

FURNITURE | **Atlas Plan**
Sky Stone Silk
162x324 cm | 63 3/4"x127 1/2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



WALL
Marvel Onyx Pearl Polished
120x278 cm | 47¹/₄"x109¹/₂"
Marvel Onyx Noir Polished
120x278 cm | 47¹/₄"x109¹/₂"

FLOOR
Marvel Onyx Pearl Polished
120x240 cm | 47¹/₄"x94¹/₂"

Marvel Onyx Sky Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Atlas Concorde Habitat**
Contatto Black Lava Leathered
ø45 cm | 17³/₄"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Marvel Meraviglia Silver Majestic Polished
120x240 cm | 47¼"x94½"

Marvel Diva Ice Crystal Polished
120x240 cm | 47¼"x94½"

WALL
Marvel Meraviglia Silver Majestic Polished
120x278 cm | 47¼"x109½"
Marvel Meraviglia Black Origin Polished
120x278 cm | 47¼"x109½"
Marvel Meraviglia Silver Majestic Diamond Polished
46,6x284,6 cm | 18⅜"x112"

WALL | **Atlas Plan**
Ice Crystal Bookmatch Polished
160x320 cm | 63"x126"

DESK
Black Origin Polished
120x278 cm | 47¼"x109½"

DESK | **Atlas Plan**
Ice Crystal Polished
162x324 cm | 63¾"x127½"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Marvel Onyx Alabaster Polished
120x240 cm | 47¼"x94½"
Marvel Onyx Noir Polished
120x240 cm | 47¼"x94½"

WALL
Marvel Onyx Alabaster Polished
120x278 cm | 47¼"x109½"
Marvel Onyx Noir Polished
120x278 cm | 47¼"x109½"

DESK
Marvel Onyx Noir Polished
120x278 cm | 47¼"x109½"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Marvel Shine Calcatta Delicato Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Aqua Polished
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Marvel Diva Aqua Polished
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Concrete & Resin Look

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Pro Oat Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro Salt Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Natural Pro Motion Coffee Matte
50x120 cm | | 19⁵/₈"x47¹/₄"

SIDE TABLE | **Atlas Concorde Habitat**
Contatto Fior di Bosco Silk
ø70 cm | 27¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Natural Pro Oat Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Natural Ash Matte
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Pro Salt Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Natural Pro Motion Coffee Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural Ash Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Natural Ash Mosaic Rhombus Matte
36,7x33,8 cm | 14¹/₂"x13¹/₄"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Natural Ecru Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"
Boost Natural Ecru Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Umber Matte
120x278 cm | 47¹/₄"x109¹/₂"

FACADE
Boost Natural Umber Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Expression Haze Outdoor Sensitech ± 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

FACADE
Boost Expression Haze Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



OUTDOOR FLOOR
Boost Natural Pro Cinder Outdoor Sensitech ± 20 mm
120x120 cm | 47¼" x47¼"

INDOOR FLOOR
Boost Natural Pro Cinder Matte Sensitech
120x120 cm | 47¼" x47¼"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS





INDOOR FLOOR
Boost White Matte
120x278 cm | 47 1/4"x109 1/2"

OUTDOOR FLOOR
Boost White Outdoor Sensitech ⧗ 20 mm
120x120 cm | 47 1/4"x47 1/4"

COUNTERTOP | **Atlas Plan**
Boost White Matte
162x324 cm | 63 3/4"x127 1/2"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
‹ **Boost Balance White Matte Sensitech**
120x120 cm | 47¹/₄"x47¹/₄"
Boost Balance White Grip Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

^ **Boost Expression Ice Matte Sensitech**
120x120 cm | 47¹/₄"x47¹/₄"

WALL
‹ **Boost Balance Pearl Matte**
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Pearl Mosaico Lock Matte Sensitech
37,4x50,5 cm | 14³/₄"x19⁷/₈"

^ **Boost Expression Mosaico Circle Ice Matte Sensitech**
50x120 cm | 19⁵/₈"x47¹/₄"
Boost Expression Ice Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIT-ON BASIN | **Atlas Concorde Habitat**
^ **Essenza Up Boost White Matte**
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF | **Atlas Concorde Habitat**
^ **Essenza Thin Boost Expression Ice Matte**
240x35x5 cm | 94¹/₂"x15³/₄"x2"

TOP | **Atlas Concorde Habitat**
^ **Essenza Level Boost Expression Ice Matte**
240x50x15 cm | 94¹/₂"x19⁵/₈"x5⁷/₈"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Expression Shell Matte Sensitech ± 20 mm
120x120 cm | 48"x48"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Expression Haze Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance Pearl Outdoor Sensitech ⧗ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Expression Mosaico Circle Carbon Matte Sensitech
32x32 cm | 12³/₅"x12³/₅"
Boost Expression Haze Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE/COUNTERTOP | **Atlas Plan**
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"

FACADE
Boost Balance Pearl Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Pro Clay Matte
160x160 cm | 63"x63"

WALL
Boost Pro Taupe Matte
160x320 cm | 63"x126"

FURNITURE
Boost White Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Expression Haze Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Expression Duo Haze Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Expression Ice Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Coral Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Boost Natural Coral Matte
120x278 cm | 47¼"x109½"
Boost Stone Ivory Matte
120x278 cm | 47¼"x109½"

FURNITURE
Boost Stone Ivory Matte
120x278 cm | 47¼"x109½"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Natural Cobalt Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"
Boost Natural Coal Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural Ash Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Natural Cobalt Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Balance Pure Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Pearl Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Pure Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Smoke Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Boost Balance Pure Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Expression Tan Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Prism Suede Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Expression 3D Flute Glow Matte
50x120 cm | 19⁵/₈"x47¹/₄"
Boost Expression Glow Matte
120x278 cm | 47¹/₄"x109¹/₂"
Prism Bloom Matte
120x278 cm | 47¹/₄"x109¹/₂"

FACADE
Boost Balance Grey Outdoor Sensitech ✠ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Balance Grey Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Grey Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Tarmac Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE | **Atlas Plan**
Calacatta Meraviglia Silk
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Pearl Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance Grey Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Smoke Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Grey Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Tarmac Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIT-ON BASIN | **Atlas Concorde Habitat**
Essenza Up Boost White Matte
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"

TOP | **Atlas Concorde Habitat**
Essenza Level Boost White Matte
120x50x15 cm | 47¹/₄"x19⁵/₈"x5⁷/₈"

DESK | **Atlas Plan**
Calacatta Meraviglia Silk
162x324 cm | 63³/₄"x127¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Pearl Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance Grey Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Smoke Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Grey Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Balance Tarmac Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | **Atlas Concorde Habitat**
Sit-on basin **Boost White Matte**
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"
Top **Boost White Matte**
120x50x15 cm | 47¹/₄"x19⁵/₈"x5⁷/₈"

DESK | **Atlas Plan**
Calacatta Meraviglia Silk
162x324 cm | 63³/₄"x127¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Stone Look

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Mineral White Elegant Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

Boost Mineral White Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

OUTDOOR FLOOR
Boost Mineral White Outdoor Sensitech ⧗ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral White Elegant Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Pro Clay Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Boost Icor Sideral Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Icor Dust Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Icor Dust Furnace Mosaico Matte
30x19,5 11¹¹/₄"x7¹¹/₁₆"

COUNTERTOP | **Atlas Plan**
Boost Icor Bone Hammered ✠ 12 mm
162x324 cm | 63³/₄"x127¹/₂"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



INDOOR FLOOR
Boost Icor Sideral Matte
120x120 cm | 47 1/4"x47 1/4"

Entice Copper Oak Natural Grip
20x120 cm | 7 7/8"x47 1/4"
Entice Copper Oak Natural Grip
20x120 cm | 7 7/8"x47 1/4"

OUTDOOR FLOOR
Boost Icor Sideral Outdoor Sensitech ± 20 mm
120x120 cm | 47 1/4"x47 1/4"

WALL
Boost Mix Pearl Matte
120x278 cm | 47 1/4"x109 1/2"
Boost White Matte
120x278 cm | 47 1/4"x109 1/2"

TOP | **Atlas Concorde Habitat Essenza Level Boost Mix Pearl Matte**
180x50x12 cm | 70 7/8"x19 5/8"x4 3/4"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





OUTDOOR FLOOR
Boost Stone Cream Outdoor Sensitech ± 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Stone Ivory Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDOOR FLOOR
Boost Icor Dune Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Stone Tarmac Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Stone Smoke Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Pearl Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral Smoke Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"
Entice Copper Oak Natural Matte Sensitech
18,5x150 cm | 7¹/₄"x59"

Boost Stone Tarmac Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Smoke Elegant Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Stone Smoke Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Pearl Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | **Atlas Concorde Habitat Essenza Duo Boost Tarmac Matte**
210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF | **Atlas Concorde Habitat Essenza Thin Boost Tarmac Matte**
210x35x5 cm | 82⁵/₈"x13³/₄"x2"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



INDOOR FLOOR
Boost Icor Sideral Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

OUTDOOR FLOOR
Boost Icor Sideral Outdoor Sensitech ⧳ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Icor Oyster Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan**
Boost Icor Bone Hammered ⧳ 12 mm
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS





FLOOR
Boost Icor Sideral Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Stone Taupe Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Icor Oyster Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Stone Ivory Matte
120x278 cm | 47¹/₄"x109¹/₂"
Boost Stone Clay Matte
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Boost Natural Cobalt Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral Tarmac Elegant Matte Sensitech
120x240 cm | 47¹/₄"x94¹/₂"
Boost Mineral Tarmac Outdoor Sensitech ⧗ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Tarmac Elegant Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP | **Atlas Plan**
Boost Mineral Grey Hammered
162x324 cm | 63³/₄"x127¹/₂"

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Icor Crete Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Icor Bone Matte
120x278 cm | 47¹/₄"x109¹/₂"
Log Icon Oak Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Wood Look

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Log con Oak Classic Frame Matte Sensitech
120x120 cm | 47¼"x47¼"

WALL
Log Icon Oak Matte
120x278 cm | 47¼"x109½"

DINING TABLE | **Atlas Concorde Habitat**
Incontro 75 Nero Marquinia Silk
100x240 cm | 39³/₂"x94½"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



FLOOR
Log Icon Oak Modern Frame 1 Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

Log Icon Oak Chevron Matte
7,5x45 cm | 3"x17 3/4"

WALL
Log Icon Oak Matte
120x278 cm | 47 1/4"x109 1/2"

DINING TABLE | **Atlas Concorde Habitat**
Incontro 75 Calacatta Prestigio Silk
100x180 cm | 39 3/8"x70 7/8"



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



FLOOR
Boost Mineral Grey Hammered Natura Body Tech
160x320 cm | 63"x126"

WALL
Noce Canaletto Matte
160x320 cm | 63"x126"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS





FLOOR
Boost Mineral Grey Hammered Natura Body Tech
160x320 cm | 63"x126"

WALL
Noce Canaletto Matte
160x320 cm | 63"x126"

FURNITURE | **Atlas Plan**
Calacatta Gold Polished
162x324 cm | 63 3/4"x127 1/2"

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Product Range

- Marble Look
- Concrete Look
- Stone Look
- Wood Look
- Solid Look

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL CARRARA PURE

MARVEL STONE Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	**AZTU** **A207**	Polished Matte Sensitech	20 R10B

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA EXTRA

MARVEL Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	**AJKS** **AJKY** **AJKT** **AJKZ**	Polished Silk Polished Bookmatch Silk Bookmatch	4
160 x 160 cm 63" x 63"	± 6 mm	**AO51** **AO54**	Polished Matte	8 R9A
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	**A0BM** **A0BT** **AOTJ** **AOTK** **A6DU** **AOUB**	Polished Matte Polished Bookmatch A Polished Bookmatch B Polished Bookmatch 4 pcs Polished Kit Endless	12 R9A
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	**AY2N**	Polished	12
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	**AY2R** **A20Y**	Polished Matte Sensitech	 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	**AAVD** **AA2X** **AA2T** **AMJV**	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 5/8" x 127 1/2"	± 20 mm	**AIRN** **AIRP** **AIRM** **AIRQ** **AIRR** **AILQ**	Polished Polished Bookmatch Polished Natura Vein Matte Matte Bookmatch Matte Natura Vein	

V2 Slight Variation

More info
Kit Endless page 294
Bookmatch page 292

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL BIANCO DOLOMITE

MARVEL STONE Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0BP A2RS	Polished Matte	10 R9A
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AZTV	Polished	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AZTT A204	Polished Matte Sensitech	20 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AAVG	Polished	
159 x 324 cm 62 5/8" x 127 1/2"	± 20 mm	AILN	Polished	

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CRYSTAL WHITE

MARVEL GALA Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJKU AJKV	Polished Polished Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFXW	Polished	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AFXN	Polished	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A9C2 AF2W A9C4 AF2X	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 5/8" x 127 1/2"	± 20 mm	AIRJ AIRH	Polished Polished Bookmatch	

V3 Moderate Variation

More info
Bookmatch page 292

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL CALACATTA DELICATO

MARVEL SHINE Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4OY	Polished	5
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	A4RH	Polished	9
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4Q8 A4Q4	Polished Matte Sensitech	13 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A4T3	Silk	

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA APUANO

MARVEL X Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJRR AKFN	Polished Endless Polished Kit Endless	4
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFUS AFUX	Polished Silk	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AFU2	Polished	9
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AFU7 AFVJ	Polished Silk	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AGRP AGRQ AGRJ AGRL	Polished Polished Bookmatch Silk Silk Bookmatch	

V2 Slight Variation

More info
Kit Endless page 294
Bookmatch page 292

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL CALACATTA MERAVIGLIA

MARVEL MERAVIGLIA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJJ9 AJKA AJSZ AKFJ AJG9 AKFI	Polished Polished Bookmatch Matte Endless Matte Kit Endless Polished Endless Polished Kit Endless	4
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJH2 AKF8	Polished Polished Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJH7	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJIC AJII	Polished Velvet	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	AJHH AJHI AJHB AJHC	Polished Polished Bookmatch Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA BERNINI

MARVEL MERAVIGLIA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJRT AJRU	Polished Polished Bookmatch	4
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJH3 AKF9	Polished Polished Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJH8	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJID AJIJ	Polished Velvet	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	AF5E AF5K AF5B AF5C	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 3/4" x 127 1/2"	∓ 20 mm	AIRK AIRL	Polished Natura Vein Matte Natura Vein	

V2 Slight Variation

More info
Kit Endless page 294
Bookmatch page 292

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL CALACATTA PRESTIGIO

MARVEL SHINE Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	**A4RR** **AKFL**	Polished Endless Polished Kit Endless	4
160 x 160 cm 63" x 63"	± 6 mm	**A4RP**	Polished	8
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	**A4OZ** **A4O6** **A4O2** **A4O3** **A6EO** **A6ER**	Polished Silk Polished Bookmatch A Polished Bookmatch B Polished Kit Endless Silk Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	**A4RI**	Polished	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	**A4Q9** **A4Q5**	Polished Matte Sensitech	17 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	**A4T0** **A4T1**	Silk Silk Bookmatch	

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA IMPERIALE

MARVEL SHINE Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	**AJK0** **AJK1**	Silk Silk Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	**A4O1** **A6EQ**	Polished Polished Kit Endless	5
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	**A4RK**	Polished	9
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	**A4RB** **A4Q7**	Polished Matte Sensitech	18 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	**A0XI** **A0XT** **A0XV** **A0XX**	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	**AIRS** **AILP**	Polished Natura Vein Matte Natura Vein	

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

CALACATTA GOLD



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AKE6 AKE7	Polished Polished Bookmatch	
PORCELAIN SLAB - NOT RECTIFIED page 310				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AKFA AKFB AKE8 AKE9	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	AKFC	Polished Natura Vein	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA SUBLIME

MARVEL X Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFUT AFUY AFWN AFWO	Polished Silk Polished Kit Endless Silk Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AFU3	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8YT AFVK	Polished Silk	21

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL ICE CRYSTAL

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AXXG AXXH AXYJ AXYK	Polished Endless Silk Endless Polished Kit Endless Silk Kit Endless	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AX8K AX81 AYV3 AYWC	Polished Silk Polished Kit Endless Silk Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AXJU	Polished	12
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AU8X	Velvet	19
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AXXK AXXL AXXI AXXJ	Polished Polished Bookmatch Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL STATUARIO SUPREMO

MARVEL SHINE Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 160 cm 63" x 63"	± 6 mm	A4RQ	Polished	10
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4O0 A4O7 A4O4 A4O5 A6EP A6ES	Polished Silk Polished Bookmatch A Polished Bookmatch B Polished Kit Endless Silk Kit Endless	5
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	A4RJ	Polished	9
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4RA A4Q6	Polished Matte Sensitech	18 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AF6A AF6B A4TX A4TY	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	AILO AIRT	Polished Natura Vein Matte Natura Vein	

V2 Slight Variation

More info
Kit Endless page 294
Bookmatch page 292

Sensitech Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL ONYX WHITE

MARVEL ONYX Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJHA AJKB	Polished Polished Bookmatch	4
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJAH	Polished	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJBG	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJBK	Polished	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	AJHJ AJHK	Polished Polished Bookmatch	
159 x 324 cm 62 5/8" x 127 1/2"	∓ 20 mm	AJHD AJHE	Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA PERLA

MARVEL X Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AFUU AFUZ	Polished Silk	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AFU4	Polished	10
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AFU8 AFVL	Polished Silk	17

V3 Moderate Variation

More info
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL BIANCO FANTASTICO

MARVEL DREAM Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AOSE A2RR	Polished Matte	7 R9A
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AO3P	Polished	7
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AL7N A203	Polished Matte Sensitech	14 R10B

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

MARVEL ONYX PEARL

MARVEL ONYX Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJAJ	Polished	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJBI	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJBM	Polished	13

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL TRAVERTINE WHITE VEIN CUT

MARVEL TRAVERTINE Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	ALYW	Matte	R9A	4
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFS1	Matte	R9A	6
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AFT7	Matte Sensitech	R10B	6
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	ALYX	Hammered		

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL TRAVERTINE WHITE CROSS CUT

MARVEL TRAVERTINE Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8WU	Matte Sensitech	R10B	13

V3 Moderate Variation

Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL TRAVERTINE SAND VEIN CUT

MARVEL TRAVERTINE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	∓ 6 mm	AJKQ	Hammered		4
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AFS2	Matte	R9A	6
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AFT8	Matte Sensitech	R10B	6
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	A647	Hammered		

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL TRAVERTINE SAND CROSS CUT

MARVEL TRAVERTINE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	A8WV	Matte Sensitech	R10B	13

V3 Moderate Variation



Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL ONYX ALABASTER

MARVEL ONYX Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJAI	Polished	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AJBH	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJBL	Polished	13

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL TAJ MAHAL

MARVEL DIVA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AXXO AXXP AXYL AXYM	Polished Endless Silk Endless Polished Kit Endless Silk Kit Endless	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AX8L AX82 AYV4 AYWD	Polished Silk Polished Kit Endless Silk Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AXJV	Polished	7
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AX8Q	Velvet	14
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AXXS AXXT AXXQ AXXR	Polished Polished Bookmatch Silk Silk Bookmatch	
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	AXXU	Polished	

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL TRAVERTINE PEARL VEIN CUT

MARVEL TRAVERTINE Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	ALYV	Hammered		4
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFS3	Matte	R9A	6
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AFT9	Matte Sensitech	R10B	6

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL TRAVERTINE PEARL CROSS CUT

MARVEL TRAVERTINE Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8WW	Matte Sensitech	R10B	13

V3 Moderate Variation



Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL PRECIOUS BROWN

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	**AKGB** **AKGC**	Silk Silk Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	**AX8Y** **AYV9**	Silk Silk Kit Endless	4
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	**AJHF** **AJHG**	Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL WHITE EVEREST

MARVEL DIVA Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	**ARTK** **ARTM**	Silk Silk Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	**AX8M** **AX83** **AYV5** **AYWE**	Polished Silk Polished Kit Endless Silk Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	**AXJW**	Polished	11
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	**AX8R**	Velvet	19
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	**AX0N** **AX0O**	Silk Silk Bookmatch	

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL GREY CLOUD

MARVEL X Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	**AFUV** **AFU0**	Polished Silk	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	**AFU5**	Polished	10
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	**AFU9** **AFVM**	Polished Silk	13

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL SILVER MAJESTIC

MARVEL MERAVIGLIA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	**AJH4** **AKQU**	Polished Polished Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	**AJH9**	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	**AJIE** **AJIK**	Polished Velvet	13

V3 Moderate Variation

More info
Kit Endless page 294

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

SILVER ROOT



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	ARTN ARTO	Silk Silk Bookmatch	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AX0R AX0S	Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL GRIGIO ELEGANTE

MARVEL MERAVIGLIA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJH5 AKQV	Polished Polished Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AJIA	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJIF AJIL	Polished Velvet	13

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL FIOR DI BOSCO

MARVEL X Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJRV AJRW AYB4 AYB5	Polished Polished Bookmatch Silk Silk Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AFUW AFU1	Polished Silk	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AFU6	Polished	10
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AFVA AFVN	Polished Silk	15
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	AIRZ AIR3 AIBE AIBF	Polished Polished Bookmatch Silk Silk Bookmatch	

V3 Moderate Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

MARVEL GREY STONE

MARVEL Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJKX	Silk	
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	A2RP	Matte	R9A 11
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AY2O	Polished	11
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	AAWA	Silk	
162 x 324 cm 63 3/4" x 127 1/2"	∓ 20 mm	AHH2	Matte	

V2 Slight Variation

More info
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

LIGHT GREY STONE



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	ABGZ	Silk	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AMJ9	Silk	

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

MARVEL CALACATTA BLACK

MARVEL GALA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFXY	Polished	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AFXO	Polished	17

V3 Moderate Variation



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL NERO MARQUINA

MARVEL STONE Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJKW AJK2	Polished Silk	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	ANWA ANVK A6T5 A6T4	Polished Silk Polished Bookmatch Silk Bookmatch	
162 x 324 cm 63 3/4" x 127 1/2"	∓ 20 mm	AHH5	Matte	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL BLACK ATLANTIS

MARVEL DREAM Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AOSG A2RQ	Polished Matte	6 R9A
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AO3R	Polished	6
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AL7P A20Z	Polished Matte Sensitech	12 R10B
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	A9CK A9CL A8XV A8XW	Polished Polished Bookmatch Silk Silk Bookmatch	

V2 Slight Variation

More info
Bookmatch page 292

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL BLACK ORIGIN

MARVEL MERAVIGLIA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJH6 AKQW	Polished Polished Kit Endless	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJIB	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJIG AJIM	Polished Velvet	13

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL ONYX NOIR

MARVEL ONYX Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJAK	Polished	4
120 x 240 cm 47 1/4" x 94 1/2"	∓ 9 mm	AJBJ	Polished	13
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	AJBN	Polished	13

V3 Moderate Variation

More info
Kit Endless page 294

Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL BLACK TEMPEST

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AX80 AYWB	Silk Silk Kit Endless	4
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AXXX AXXY	Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL DESERT SOUL

MARVEL GALA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJKG AJKH	Polished Polished Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFXV	Polished	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AFXM	Polished	13
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A9CW A9CX A9CZ A9C0	Polished Polished Bookmatch Silk Silk Bookmatch	
162 x 324 cm 63 3/4" x 127 1/2"	± 20 mm	A9C7 A9C8	Polished Polished Bookmatch	

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL AMETHYST

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AX8P AYV8	Polished Polished Kit Endless	4

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL ONYX QUARTZ

MARVEL ONYX Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AJAM	Polished	4

V3 Moderate Variation

More info
Kit Endless page 294



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL ONYX SKY

MARVEL ONYX Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJAL	Polished	4

V3 Moderate Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329

Destinations of use pag 333

MARVEL AMAZZONITE

MARVEL GALA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AFXX	Polished	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	ABKB	Polished	11

V3 Moderate Variation



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL EXOTIC WAVE

MARVEL GALA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJRN AJRO	Polished Polished Bookmatch	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	A9CT A9CU	Polished Polished Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL EXOTIC GREEN

MARVEL GALA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	∓ 6 mm	AJRP AJRQ	Polished Polished Bookmatch	
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AFXU	Polished	4
120 x 120 cm 47 1/4" x 47 1/4"	∓ 9 mm	ABKA	Polished	11
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	∓ 12 mm	A9CN A9CO	Polished Polished Bookmatch	

V3 Moderate Variation

More info
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL AQUA

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AX8N AYV6	Polished Polished Kit Endless	4

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL GALAXY

MARVEL DIVA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AX8O AYV7	Polished Polished Kit Endless	4

V3 Moderate Variation

More info
Kit Endless page 294



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL SKY STONE

MARVEL DIVA Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AX8Z AYWA	Silk Silk Kit Endless	4
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AXXM AXXN	Silk Silk Bookmatch	

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

MARVEL BAOBAB

MARVEL DIVA Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AXXV AXYN	Polished Endless Polished Kit Endless	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	ARR3 AYV2	Polished Polished Kit Endless	4
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AXXW AXX1	Polished Polished Bookmatch	

V3 Moderate Variation

More info
Kit Endless page 294
Bookmatch page 292



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST EXPRESSION GLOW

BOOST EXPRESSION Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSG	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYT7	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYUQ	Grip Sensitech	R11C	11

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST BALANCE PURE

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMI	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMS AJM2	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNC	Grip Sensitech	R11C	9

V2 Slight Variation

Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL PRO SALT

BOOST NATURAL PRO Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AQ9E	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ8U AQ8K	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ9J	Grip Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST BALANCE IVORY

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMK	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMU AJM4	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNE	Grip Sensitech	R11C	9

V2 Slight Variation

Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PRO IVORY

BOOST PRO Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0CK	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	A0CF	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A0CQ	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0AF	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0AO	Grip Sensitech	R11C	14

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST NATURAL KAOLIN

BOOST NATURAL Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	ALR0	Hammered	R9A	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67B	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A65N	Matte Sensitech	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A653	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A7Q7	Outdoor Sensitech	R11C	9

V2 Slight Variation

Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST EXPRESSION SHELL

BOOST EXPRESSION Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSH	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYT8	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYUP	Grip Sensitech	R11C	11
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYRU	Outdoor Sensitech	R11C	11

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST EXPRESSION CAMEL

BOOST EXPRESSION Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSI	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYT9	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYUR	Grip Sensitech	R11C	11

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL PRO OAT

BOOST NATURAL PRO Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AQ9F	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AQ8V AQ8L	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AQ9K	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	20 mm	ARB2	Outdoor Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

PRISM CORD

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A4UQ	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A4OH A4ON	Matte Sensitech Silk	R10B	17
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A5OJ	Grip Sensitech	R11C	17
120 x 120 cm 47 1/4" x 47 1/4"	20 mm	A5ON	Outdoor Sensitech	R11C	17

V2 Slight Variation



Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST BALANCE CREAM

BOOST BALANCE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AJML	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AJMV AJM5	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AJNF	Grip Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST NATURAL PRO SAND

BOOST NATURAL PRO Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AQ9G	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AQ8W AQ8M	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AQ9L	Grip Sensitech	R11C	9
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	12 mm	ARCQ	Hammered		

V3 Moderate Variation



Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST EXPRESSION TAN

BOOST EXPRESSION Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AYSJ	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AYUA	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AYUS	Grip Sensitech	R11C	11

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST PRO CREAM

BOOST PRO Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A0CM	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	9 mm	A0CG	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	6 mm	A0CR	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A0AH	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A0AQ	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	20 mm	A3DD	Outdoor Sensitech	R11C	14

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL ASH

BOOST NATURAL Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67C	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6WT	Matte Sensitech	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A654	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A7Q8	Outdoor Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST BALANCE ASH

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 47 1/4" x 109 1/2"	± 6 mm	AJG4	Matte	R9A	3
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMM	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMW AJM6	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNG	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AJPF	Outdoor Sensitech	R11C	9
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AJKC	Matte		

V2 Slight Variation

Sensitech Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PRO CLAY

BOOST PRO Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 160 cm 63" x 63"	± 6 mm	A0QG	Matte	R9A	14
120 x 278 cm 47 1/4" x 109 1/2"	± 9 mm	A0CN	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	A0CJ	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A0CS	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0AJ	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0BV	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A3DE	Outdoor Sensitech	R11C	14

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST NATURAL ECRU

BOOST NATURAL Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67D	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6WU	Matte Sensitech	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A655	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A7Q9	Outdoor Sensitech	R11C	9
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A649	Hammered		

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL CORAL

BOOST NATURAL Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67H	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A65R	Matte Sensitech	R10B	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

PRISM SUEDE

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4UP	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4OG A4OM	Matte Sensitech Silk	R10B	17
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A5OI	Grip Sensitech	R11C	17
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A5OM	Outdoor Sensitech	R11C	17

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PRO TAUPE

BOOST PRO Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 160 cm 63" x 63"	± 6 mm	A0QH	Matte	R9A	14
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0CO	Matte	R9A	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A0CT	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0AL	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0BW	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A3DF	Outdoor Sensitech	R11C	14

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST NATURAL UMBER

BOOST NATURAL Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67E	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A65O	Matte Sensitech	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A656	Grip Sensitech	R11C	9

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PRO TOBACCO

BOOST PRO Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0CP	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	A0CI	Matte	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A0CU	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0AN	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A0BX	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A3DH	Outdoor Sensitech	R11C	14

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM COTTON

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4UR	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4OI A4OO	Matte Sensitech Silk	R10B	17

V2 Slight Variation

Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST BALANCE MOON

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMN	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMX AJM7	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNH	Grip Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST BALANCE WHITE

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMJ	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMT AJM3	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJND	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AJPE	Outdoor Sensitech	R11C	9

V2 Slight Variation

Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST WHITE

BOOST Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	AO5Z	Matte	R9A	4
160 x 160 cm 63" x 63"	± 6 mm	A0DE	Matte	R9A	8
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0BD	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AMGD	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A2TK	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGI	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGN	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AMG3	Outdoor Sensitech	R11C	14
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	ANVX	Hammered		

V3 Moderate Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST EXPRESSION ICE

BOOST EXPRESSION Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSE	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYT2	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYUN	Grip Sensitech	R11C	11
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYRS	Outdoor Sensitech	R11C	11

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL PRO CINDER

BOOST NATURAL PRO Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AQ9H	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ8X AQ8N	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ9M	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	ARB4	Outdoor Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329

Destinations of use pag 333

BOOST BALANCE PEARL

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMO	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMY AJM8	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNI	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AJMH	Outdoor Sensitech	R11C	9

V2 Slight Variation



Sensitech Velvetech

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

BOOST EXPRESSION HAZE

BOOST EXPRESSION Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSF	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYT4	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYUO	Grip Sensitech	R11C	11
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYRT	Outdoor Sensitech	R11C	11

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

PRISM CLOUD

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4US	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4OJ A4OP	Matte Sensitech Silk	R10B	17
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A5OK	Grip Sensitech	R11C	17
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A5OO	Outdoor Sensitech	R11C	17

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PEARL

BOOST Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0BE	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AMGE	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A2TM	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGJ	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGO	Grip Sensitech	R11C	14

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST NATURAL PRO DOVE

BOOST NATURAL PRO Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AQ9I	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ8Y AQ8O	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AQ9N	Grip Sensitech	R11C	9

V2 Slight Variation



Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST GREY

BOOST Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	A68I	Matte	R9A	4
160 x 160 cm 63" x 63"	± 6 mm	A68K	Matte	R9A	8
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0BF	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AMGF	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A2TN	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGK	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGP	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AMG5	Outdoor Sensitech	R11C	14
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A65C	Hammered		

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST BALANCE GREY

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMP	Matte		3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJMZ AJM9	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNJ	Grip Sensitech	R11C	9
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AJPG	Outdoor Sensitech	R11C	9

V2 Slight Variation



Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

PRISM FOG

PRISM Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4UT	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A4OK A4OQ	Matte Sensitech Silk	R10B	17
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A5OL	Grip Sensitech	R11C	17
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A5OP	Outdoor Sensitech	R11C	17

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST BALANCE SMOKE

BOOST BALANCE Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMQ	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJM0 AJNA	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNK	Grip Sensitech	R11C	9

V2 Slight Variation



Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST SMOKE

BOOST Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	AO50	Matte	R9A	4
160 x 160 cm 63" x 63"	± 6 mm	A0DF	Matte	R9A	8
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A0BG	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AMGG	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A2TO	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGL	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGQ	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AMG6	Outdoor Sensitech	R11C	14
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	ANV0	Hammered		

V3 Moderate Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST NATURAL COAL

BOOST NATURAL Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67F	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A65P	Matte Sensitech	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A657	Grip Sensitech	R11C	9

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST BALANCE TARMAC

BOOST BALANCE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AJMR	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJM1 AJNB	Matte Sensitech Velvet	R10B	9
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AJNL	Grip Sensitech	R11C	9

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST TARMAC

BOOST Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	A68J	Matte	R9A	4
160 x 160 cm 63" x 63"	± 6 mm	A68L	Matte	R9A	8
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AOQB	Matte	R9A	7
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AMGH	Matte Sensitech	R10B	7
120 x 120 cm 47 1/4" x 47 1/4"	± 6 mm	A2TP	Matte	R9A	14
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGM	Matte Sensitech	R10B	14
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AMGR	Grip Sensitech	R11C	14
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AMG7	Outdoor Sensitech	R11C	14
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A65D	Hammered		

V3 Moderate Variation

Sensitech Velvetech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST EXPRESSION CARBON

BOOST EXPRESSION Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AYT5	Matte Sensitech	R10B	11

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

PRISM GRAPHITE

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A4UU	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A4OL A4OR	Matte Sensitech Silk	R10B	17

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST PRO LEAVES

BOOST PRO Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	**A3HE** **A3M2**	Matte (A) Matte (B)	2

V3 Moderate Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM BRUSH

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	**A4VP**	Matte	2

V3 Moderate Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

PRISM GRADIENT

PRISM Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A4VO	Matte	3

V3 Moderate Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST EXPRESSION DUO CAMEL

BOOST EXPRESSION Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AYSN	Matte	R9A 4

V2 Slight Variation



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST EXPRESSION DUO HAZE

BOOST EXPRESSION Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYSM	Matte	R9A	4

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST ICOR BONE

BOOST ICOR Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	AX6K	Hammered		
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYAN	Matte	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AX53	Matte Sensitech	R10B	5
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYAY	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYCG	Outdoor Sensitech	R11C	11
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AX6L	Hammered		

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST MINERAL WHITE

BOOST MINERAL Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AHWW	Matte**	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AHW1	Matte Sensitech**	R10B	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AHT6	Matte Sensitech	R10B	13
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AH35	Outdoor Sensitech	R11C	10

V3 Moderate Variation

**Elegant surface

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST MIX IVORY

BOOST MIX Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A8Y7	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8XD	Matte Sensitech	R10B	10
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A84U	Outdoor Sensitech	R11C	10

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

LIMS IVORY

LIMS Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A3EI	Matte	R9A 6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A3DI	Matte Sensitech	R10B 14

V3 Moderate Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST STONE IVORY

BOOST STONE Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJRX	Hammered	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6R8	Matte	R9A 6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QT	Matte Sensitech	R10B 12
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A648	Hammered	

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE WHITE

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6R7	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QS	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A67M	Outdoor Sensitech	R11C	12

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST ICOR DUST

BOOST ICOR Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYAO	Matte	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AX54	Matte Sensitech	R10B	5
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYAZ	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYCH	Outdoor Sensitech	R11C	11

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE CREAM

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6R9	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QU	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A67N	Outdoor Sensitech	R11C	12

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST ICOR DUNE

BOOST ICOR Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	± 6 mm	AX6M	Hammered	R9A	
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYAP	Matte	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AX1Y	Matte Sensitech	R10B	5
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYA0	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYCI	Outdoor Sensitech	R11C	11
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AX6N	Hammered		

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

LIMS BEIGE

LIMS Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A3EJ	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A3DJ	Matte Sensitech	R10B	14

V3 Moderate Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST ICOR CRETE

BOOST ICOR Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYA3	Matte Sensitech	R10B	11

V2 Slight Variation



Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE CLAY

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6SA	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QV	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A67O	Outdoor Sensitech	R11C	12

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST ICOR OYSTER

BOOST ICOR Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AYAQ	Matte	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AX55	Matte Sensitech	R10B	5
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AYA2	Matte Sensitech	R10B	11
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AYCJ	Outdoor Sensitech	R11C	11

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST ICOR SIDERAL

BOOST ICOR Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AYA4	Matte Sensitech	R10B 11

V2 Slight Variation

BOOST STONE TAUPE

BOOST STONE Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A6SB	Matte	R9A 6
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A6QW	Matte Sensitech	R10B 12

V3 Moderate Variation



***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

Sensitech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE TOBACCO

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6SF	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QZ	Matte Sensitech	R10B	12

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329

Destinations of use pag 333

BOOST MIX PEARL

BOOST MIX Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A8Y8	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8XE	Matte Sensitech	R10B	10
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A84V	Outdoor Sensitech	R11C	10

V3 Moderate Variation

Sensitech



INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

BOOST STONE PEARL

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6SD	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6QX	Matte Sensitech	R10B	14

V3 Moderate Variation

**Elegant surface

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST MINERAL PEARL

BOOST MINERAL Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AHWX	Matte**	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AHW2	Matte Sensitech**	R10B	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AHT7	Matte Sensitech	R10B	13

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE GREY

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	A6SC	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	A6QY	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	20 mm	A67P	Outdoor Sensitech	R11C	12

V2 Slight Variation

**Elegant surface

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST MINERAL GREY

BOOST MINERAL Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
160 x 320 cm 63" x 126"	6 mm	AKGA	Hammered		
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AHWY	Matte**	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	9 mm	AHW3	Matte Sensitech**	R10B	10
120 x 120 cm 47 1/4" x 47 1/4"	9 mm	AHT8	Matte Sensitech	R10B	13
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	20 mm	AH36	Outdoor Sensitech	R11C	10
PORCELAIN SLAB - NOT RECTIFIED page 299					
162 x 324 cm 63 3/4" x 127 1/2"	12 mm	AHV6	Hammered		

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

KONE MIX

KONE Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJKP	Hammered	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	AMSX	Hammered	

V2 Slight Variation

**Elegant surface

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST MINERAL SMOKE

BOOST MINERAL Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AHWZ	Matte**	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AHW4	Matte Sensitech**	R10B	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AHT9	Matte Sensitech	R10B	13
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AH37	Outdoor Sensitech	R11C	10

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST STONE SMOKE

BOOST STONE Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6SE	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6L8	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A7II	Outdoor Sensitech	R11C	12

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST MIX SMOKE

BOOST MIX Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A8Y9	Matte	R9A	4
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A8XF	Matte Sensitech	R10B	10
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A84W	Outdoor Sensitech	R11C	10

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST MINERAL TARMAC

BOOST MINERAL Collection



Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AHW0	Matte**	R9A	4
120 x 240 cm 47 1/4" x 94 1/2"	± 9 mm	AHW5	Matte Sensitech**	R10B	10
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	AHUA	Matte Sensitech	R10B	13
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	AH38	Outdoor Sensitech	R11C	10

V3 Moderate Variation

**Elegant surface

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

BOOST STONE TARMAC

BOOST STONE Collection

Size	Thickness	Code	Surface finish	Patterns*	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A6SG	Matte	R9A	6
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A6Q0	Matte Sensitech	R10B	12
OUTDOOR AND WET AREAS - RECTIFIED MONOCALIBER					
120 x 120 cm 47 1/4" x 47 1/4"	± 20 mm	A67Q	Outdoor Sensitech	R11C	12

V3 Moderate Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARVEL STONE BASALTINA VOLCANO

MARVEL STONE Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	6 mm	AJKO	Hammered	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	12 mm	ANVI	Hammered	
162 x 324 cm 63 3/4" x 127 1/2"	20 mm	A2XS	Hammered	

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

LOG BRIGHT OAK

LOG Collection

Size	Thickness	Code	Surface finish	Patterns * >
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AX28	Matte	R9A 3

V2 Slight Variation

> Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.
Translations: page 329

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

LOG BRIGHT OAK LINE

LOG Collection



Size	Thickness	Code	Surface finish	Patterns * >
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	**6 mm**	**AX29**	Matte	R9A 3

V2 Slight Variation

> Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. Translations: page 329

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

LOG ICON OAK

LOG Collection

Size	Thickness	Code	Surface finish	Patterns * >
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	**6 mm**	**AX26**	Matte	R9A 3

V2 Slight Variation

> Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. Translations: page 329



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

LOG ICON OAK LINE

LOG Collection



Size	Thickness	Code	Surface finish	Patterns * >
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	6 mm	AX27	Matte	R9A 3

V2 Slight Variation

> Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. Translations: page 329

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

NOCE CANALETTO

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	6 mm	AKFD	Matte	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	12 mm	AKFE	Matte	

V2 Slight Variation



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

ABSOLUTE WHITE

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
160 x 320 cm 63" x 126"	± 6 mm	AJKR	Matte	
PORCELAIN SLAB - NOT RECTIFIED page 299				
162 x 324 cm 63 3/4" x 127 1/2"	± 12 mm	A4T4 AG1N	Polished Matte	
159 x 324 cm 62 3/4" x 127 1/2"	± 20 mm	AIRU	Matte	

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PURE FROG

BOOST COLOR Collection

Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	AP3R	Matte	R9A	1

V2 Slight Variation

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST COLOR SALIX

BOOST COLOR Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AKNI	Matte	R9A 3

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST COLOR MAUVE

BOOST COLOR Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ 6 mm	AKNE	Matte	R9A 3

V2 Slight Variation

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST COLOR JADE

BOOST COLOR Collection



Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	**6 mm**	**AKNK**	Matte	R9A 3

V2 Slight Variation

*The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. Translations: page 329
Destinations of use pag 333

BOOST COLOR TEAL

BOOST COLOR Collection

Size	Thickness	Code	Surface finish	Patterns*
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	**6 mm**	**AKNL**	Matte	R9A 3

V2 Slight Variation



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

BOOST NATURAL COBALT

BOOST NATURAL Collection



Size	Thickness	Code	Surface finish	Patterns *	
PORCELAIN TILES - RECTIFIED MONOCALIBER					
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A67G	Matte	R9A	3
120 x 120 cm 47 1/4" x 47 1/4"	± 9 mm	A65Q	Matte Sensitech	R10B	9

V2 Slight Variation

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM BLOOM

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	± 6 mm	A4VH	Matte	6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

Sensitech



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

PRISM CARAMEL

PRISM Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VI**	Matte	R9A 6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM GRAPE

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VJ**	Matte	6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

PRISM DUSK

PRISM Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VK**	Matte	6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM MIDNIGHT

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VL**	Matte	6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

PRISM MOSS

PRISM Collection



Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VM**	Matte	6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.

***The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** Translations: page 329
Destinations of use pag 333

PRISM EMERALD

PRISM Collection

Size	Thickness	Code	Surface finish	Patterns *
PORCELAIN TILES - RECTIFIED MONOCALIBER				
120 x 278 cm 47 1/4" x 109 1/2"	∓ **6 mm**	**A4VN**	Matte	R9A 6

V2 Slight Variation

The decoration can only be laid on the wall.
Il decoro si può posare solo a rivestimento.



INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Bookmatch laying patterns*



Marvel Calacatta Extra Bookmatch

120 x 278 cm ▲
47 1/4" x 109 1/2"





Marvel Calacatta Prestigio Bookmatch

120 x 278 cm ▲
47 1/4" x 109 1/2"







Marvel Statuario Supremo Bookmatch

120 x 278 cm ▲
47 1/4" x 109 1/2"







▲ **For best results it is recommended to follow one of the following laying patterns.**

● **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.**
Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.
Codes A and B are sold separately.
Translations: page 329

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Kit endless laying patterns

Marvel
Calacatta Prestigio
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Statuario Supremo
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Calacatta Imperiale
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Calacatta Bernini
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Calacatta Meraviglia
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"

Marvel
Calacatta Sublime
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Calacatta Extra
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Silver Majestic
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Grigio Elegante
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Black Origin
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



■ **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on. Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** Translations: page 329

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Kit endless laying patterns

Marvel
Ice Crystal
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Taj Mahal
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Black Tempest
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Amethyst
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Aqua
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Galaxy
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Sky Stone
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



Marvel
Baobab
Endless

120 x 278 cm ■
47 1/4" x 109 1/2"



■ **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on. Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** Translations: page 329

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
MARBLE LOOK
CONCRETE & RESIN LOOK
STONE LOOK
WOOD LOOK
SOLID LOOK
BOOKMATCH
KIT ENDLESS
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Slabs for countertops & furniture

atlasPLAN



162x324 12-20 mm
SINGLE SLAB NON-RECTIFIED



159x324 20 mm
SINGLE SLAB NON-RECTIFIED

- Marble Look
- Concrete Look
- Stone Look
- Wood Look
- Solid Look
- Metal Look

- Notes

atlasconcorde.com >
ATLAS PLAN

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

Marble Look - Non-Rectified

CALACATTA APUANO
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AGRP Polished
AGRJ Silk
AGRQ Polished Bookmatch
AGRL Silk Bookmatch

CALACATTA DELICATO
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A4T3 Silk



CALACATTA PRESTIGIO
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A4T0 Silk
A4T1 Silk Bookmatch

BIANCO DOLOMITE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AAVG Polished

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AILN Polished



CALACATTA EXTRA
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AAVD Polished
AA2T Silk
AA2X Polished Bookmatch
AMJV Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AIRN Polished
AIRQ Matte
AIRP Polished Bookmatch
AIRR Matte Bookmatch
AIRM Polished Natura Vein[1]
AILQ Matte Natura Vein[1]

[1] NATURA-VEIN™ TECH



STATUARIO SUPREMO
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AF6A Polished
A4TX Silk
AF6B Polished Bookmatch
A4TY Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AILO Polished Natura Vein[1]
AIRT Matte Natura Vein[1]

[1] NATURA-VEIN™ TECH

CALACATTA MERAVIGLIA
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AJHH Polished
AJHB Silk
AJHI Polished Bookmatch
AJHC Silk Bookmatch

× With fiberglass mesh

Marble Look - Non-Rectified



CALACATTA BERNINI
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AF5E Polished
AF5B Silk
AF5K Polished Bookmatch
AF5C Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AIRK Polished Natura Vein[1]
AIRL Matte Natura Vein[1]

[1] NATURA-VEIN™ TECH



CALACATTA IMPERIALE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A0XI Polished
A0XV Silk
A0XT Polished Bookmatch
A0XX Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AIRS Polished Natura Vein[1]
AILP Matte Natura Vein[1]

[1] NATURA-VEIN™ TECH



CALACATTA GOLD
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AKFA Polished
AKE8 Silk
AKFB Polished Bookmatch
AKE9 Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AKFC Polished Natura Vein[1]

[1] NATURA-VEIN™ TECH



ICE CRYSTAL
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AXXK Polished
AXXI Silk
AXXL Polished Bookmatch
AXXJ Silk Bookmatch

WHITE VEIN CUT
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
ALYX Hammered

SAND VEIN CUT
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A647 Hammered

ONYX WHITE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AJHJ Polished
AJHK Polished Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AJHD Silk
AJHE Silk Bookmatch

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

Marble Look - Non-Rectified



WHITE CLOUD
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A4UO Silk



CRYSTAL WHITE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A9C2 Polished
A9C4 Silk
AF2W Polished Bookmatch
AF2X Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂"
AIRJ Polished
AIRH Polished Bookmatch



CREAM PRESTIGE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AAV6 Silk



CALACATTA ANTIQUE
162x324 cm - 63³/₄"x127¹/₂" - ✠ 12 mm
A0XZ Polished
A8T7 Polished Bookmatch



TAJ MAHAL
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AXXS Polished
AXXQ Silk
AXXT Polished Bookmatch
AXXR Silk Bookmatch

159x324 cm - 62⁵/₈"x127¹/₂" ✠ 20 mm
AXXU Polished



WHITE EVEREST
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AX0N Silk
AX0O Silk Bookmatch



SKY STONE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AXXM Silk
AXXN Silk Bookmatch

Marble Look - Non-Rectified



DESERT SOUL
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A9CW Polished
A9CZ Silk
A9CX Polished Bookmatch
A9C0 Silk Bookmatch

162x324 cm - 63³/₄"x127¹/₂" ✠ 20 mm
A9C7 Polished
A9C8 Polished Bookmatch



EXOTIC GREEN
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A9CN Polished
A9CO Polished Bookmatch



EXOTIC WAVE
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
A9CT Polished
A9CU Polished Bookmatch



SILVER ROOT
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AX0R Silk
AX0S Silk Bookmatch



FIOR DI BOSCO
162x324 cm - 63³/₄"x127¹/₂" ✠ 12 mm
AIRZ Polished
AIBE Silk
AIR3 Polished Bookmatch
AIBF Silk Bookmatch



GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm
AAWA Silk

162x324 cm - 63³/₄"x127¹/₂"
✠ 20 mm
AHH2 Matte



LIGHT GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
✠ 12 mm
AMJ9 Silk

✠ With fiberglass mesh

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

Marble Look - Non-Rectified



PRECIOUS BROWN
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AJHF Silk
AJHG Silk Bookmatch



BAOBAB
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AXXW Polished
AXX1 Polished Bookmatch



BLACK TEMPEST
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AXXX Silk
AXXY Silk Bookmatch

Concrete Look - Non-Rectified

BOOST NATURAL KAOLIN
160x320 cm - 63"x126" ∓ 6 mm
ALR0 Hammered



BOOST BALANCE ASH
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AJKC Matte



BOOST NATURAL ECRU
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A649 Hammered



BOOST NATURAL PRO SAND
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ARCQ Hammered

BOOST WHITE
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ANVX Hammered



BOOST GREY
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A65C Hammered



BOOST SMOKE
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ANV0 Hammered



BOOST TARMAC
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A65D Hammered

atlasPLAN

Wood Look - Non-Rectified



BLACK ATLANTIS
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A9CK Polished
A8XV Silk
A9CL Polished Bookmatch
A8XW Silk Bookmatch



NERO MARQUINA
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ANWA Polished
ANVK Silk
A6T5 Polished Bookmatch
A6T4 Silk Bookmatch
162x324 cm - 63³/₄"x127"/₂" ∓ 20 mm
AHH5 Matte



NOCE CANALETTO
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AKFE Matte

Stone Look - Non-Rectified

BOOST ICOR BONE
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AX6L Hammered



BOOST STONE IVORY
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A648 Hammered



BOOST ICOR DUNE
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AX6N Hammered



BOOST MINERAL GREY
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AHV6 Hammered



KONE MIX
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
AMSX Hammered



BALSATINA VOLCANO
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ANVI Hammered
162x324 cm - 63³/₄"x127"/₂" ∓ 20 mm
A2XS Hammered



SOAPSTONE DARK
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
A4UN Hammered
162x324 cm - 63³/₄"x127"/₂" ∓ 20 mm
A5I3 Hammered



NEGRESCO
162x324 cm - 63³/₄"x127"/₂" ∓ 12 mm
ARCR Silk

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Slabs for Countertops & Furniture

Solid Look

ABSOLUTE WHITE
162x324 cm - 63³/₄"x127"/₂" ✠ 12 mm
A4T4 Polished
AG1N Matte

159x324 cm - 62⁵/₈"x127"/₂" ✠ 20 mm
AIRU Matte



ABSOLUTE BLACK
162x324 cm - 63³/₄"x127"/₂" ✠ 12 mm
AG1G Matte



BLACK LAVA
162x324 cm - 63³/₄"x127"/₂" ✠ 12 mm
AF5A Leathered

162x324 cm - 63³/₄"x127"/₂" ✠ 20 mm
AF5M Leathered

Metal Look



BLAZE IRON
162x324 cm - 63³/₄"x127"/₂" ✠ 12 mm
A3ND Matte



NATURA-VEIN™ TECH

Natura-Vein™ Tech is the technology from the Concorde Group that makes it possible to recreate the typical veining of a natural material such as marble in porcelain stoneware slabs at an industrial level.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm.

Natura-Vein™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre nello spessore delle lastre in gres porcellanato la venatura tipica di un materiale naturale come il marmo. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm.



NATURA-BODY™ TECH

Natura-Body™ Tech is the is the technology from the Concorde Group that allows the aesthetics of natural stone to be reproduced across both the surface and body of the slab.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm and 12 mm.

Natura-Body™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre l'estetica della pietra naturale sia in superficie che nel corpo della lastra. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm e 12 mm.

✠ With fiberglass mesh

Notes

atlasPLAN

CAUTION

Atlas Plan is in no way liable for "improper" use of the material, which is why it recommends to:

- Prevent shocks at the most exposed points such as corners and edges, both with and without ledge;
- Avoid the use of metal or abrasive straws;
- Refrain from using knives with ceramic blades as the hardness of the two materials is very similar;
- Provide protection systems, such as wooden and/or plastic cutting boards, when cutting foodstuffs on surfaces having a dark colour and/or a Polished or Satin finish;
- Precautiously protect the surface from direct contact with hot objects (e.g. frying pans, pots, coffee pots,etc. ...) using trivets.

Note: for the repair of shallow surface scratches in the various finishes, please refer to your Atlas Plan contact person directly.
Atlas Plan slabs must be cut in accordance with the instructions in the technical manual; any breakage due to a cut made other than specified will not be the responsibility of Atlas Plan.
The Technical Manual illustrates how to properly clean any type of stain that can be detected on an Atlas Plan surface; use the indicated products in case extraordinary cleaning is required.
It is understood that Atlas Plan cannot be held liable for events, damage or defects due to careless cleaning and maintenance.

EXCLUSIONS FROM THE 25-YEAR LIMITED WARRANTY FOR SLABS USED TO MANUFACTURE THE PRODUCT PURCHASED (KITCHEN TOPS AND BACKSPLASHES; WASHBASINS AND VANITY TOPS; TABLES) FOR DOMESTIC OR RESIDENTIAL USE
1. Damage caused by abuse or misuse of the products purchased, including but not limited to damage caused by improper use or accidents, following exposure of the product to abnormal physical conditions (such as strong impacts), aggressive chemicals, staining substances (such as ink and markers), corrosion, structural movements or natural disasters. Remember that contact with hydrofluoric acid results in immediate and irreversible damage.
2. Any type of damage directly or indirectly caused by actions, operations or works carried out by third parties. By way of non-limiting example: problems caused by incorrect processing of the product, improper installation or handling methods of the original product, cracks on the surface of the product purchased after its installation, etc...
3. Products that have been moved from their original place of installation.
4. The reactions and appearance of joints or seams, adhesives, sealants and all other accessories.
5. Damage caused by appliances installed, used or subject to improper maintenance.
6. Imperfections caused by natural wear and tear due to everyday use, such as stains, scratches, water marks and burns.
7. When choosing a colour or finish, consider that the samples only give a approximate indication of the design, pattern, aspect, colour and finish. There is no guarantee that the samples are an exact reproduction of the Atlas Plan slab. They may differ slightly from the actual installed product.
8. Opinions based on the customer's personal preferences, leading them to change their mind about the colour or general appearance, or other aesthetic opinions following manufacture or installation of the product.
9. Use of 162x324 cm slabs for commercial applications including, but not limited to, installation in shops, offices and other commercial establishments.
10. Purchased products in which the factory-applied surface finish has been altered in some way.
11. Defects already visible at the time of processing or installation of products made from 162x324 cm Atlas Plan slabs.
12. Transport, processing, assembly and/or disassembly costs for the repair or re-installation of the product purchased.
13. Additional repairs or modifications required for the new installation (plumbing, electricity, renovation work, etc.).
14. Repairs carried out without prior verification by Atlas Plan.
15. Stains caused by direct contact with aggressive chemical solutions or scratches caused by the use of rough or steel wire sponges to clean the product purchased, or resulting from any other improper use of abrasive products in violation of the Precautions for Use and the cleaning and maintenance instructions indicated in the Atlas Plan Technical Manual (available at www.atlasplan.com/en/).
16. Anything not expressly mentioned in this guarantee.
The 25-year Limited Warranty will not be transferable and will be applied only to the slabs used in the manufacture of the product purchased, for domestic or residential use, such as kitchen tops and backsplashes, washbasins, wall units and tables. This warranty will not be valid if the full payment of the product purchased has not been made.
The processing workshop and the installer are responsible for testing Atlas Plan slabs prior to the production and installation of the products made from the slabs.
No other express or implicit warranty included merchantability or suitability for a particular purpose is issued. Except as set out herein, Atlas Plan disclaims all contractual and non-contractual liability for any direct, incidental or consequential loss or damage resulting from the use or inability to use the product purchased made from Atlas Plan slabs.
No one except Atlas Plan shall have the right or authorisation to make any promises, representations or warranties of any kind in relation to their products.

ATTENZIONE

Atlas Plan non si ritiene in alcun modo responsabile per utilizzo "improprio" del materiale, ragione per la quale raccomanda di:

- Prevenire dagli urti nei punti più esposti tipo angoli e bordi, sia con che senza veletta;
- Evitare l'utilizzo di pagliette metalliche o abrasive;
- Non utilizzare dei coltelli con lama in ceramica in quanto la durezza dei due materiali è molto simile;
- Predisporre sistemi di protezione, tipo taglieri in legno e/o plastica, quando si tagliano alimenti su piani caratterizzati da un colore scuro e/o da una finitura Polished o Satin;
- Proteggere precauzionalmente la superficie dal contatto diretto con oggetti caldi (tipo padelle, pentole, caffettiere, ...) predisponendo l'utilizzo di sottopentole.

Nota: per la riparazione di graffi superficiali non profondi nelle varie finiture, rivolgersi direttamente al funzionario Atlas Plan.
Le lastre Atlas Plan vanno tagliate seguendo le istruzioni del manuale tecnico, qualunque rottura dovuta a un taglio eseguito in modo non indicato non sarà ritenuta di responsabilità di Atlas Plan.
Il Manuale tecnico illustra come pulire correttamente qualunque tipo di macchia che si può rilevare su una superficie Atlas Plan, utilizzare i prodotti indicati in caso sia necessario un intervento di pulizia straordinaria.
Resta inteso che Atlas Plan non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti a negligente pulizia e manutenzione.

ESCLUSIONI DELLA GARANZIA LIMITATA DI 25 ANNI PER LE LASTRE UTILIZZATE PER LA FABBRICAZIONE DEL PRODOTTO ACQUISTATO (TOP CUCINA E BACKSPLASH; LAVABI E VANITIES; TAVOLI) PER USO DOMESTICO O RESIDENZIALE
1. Danni causati da abuso o uso improprio dei prodotti acquistati, inclusi ma non limitati a danni causati da uso improprio o incidenti, a seguito dell'esposizione del prodotto a condizioni fisiche anomale (come forti urti), sostanze chimiche aggressive, sostanze macchianti (come inchiostro e pennarelli), corrosione, movimenti strutturali o disastri naturali. Si ricorda che il contatto con l'acido fluoridrico provoca danni immediati e irreversibili.
2. Qualsiasi tipo di danno causato direttamente o indirettamente da azioni, operazioni o lavori eseguiti da terzi. A titolo esemplificativo e non esaustivo: problemi causati da errata lavorazione del prodotto, metodi di installazione o manipolazione impropri del prodotto originale, crepe sulla superficie del prodotto acquistato dopo la sua installazione, ecc.
3. Prodotti che sono stati spostati dal luogo di installazione originale.
4. Le reazioni e l'aspetto di giunti o cuciture, adesivi, sigillanti e tutti gli altri accessori.
5. Danni causati da apparecchi installati, utilizzati o soggetti a cattiva manutenzione.
6. Imperfezioni causate dall'usura naturale dovuta all'uso quotidiano, come macchie, graffi, segni d'acqua e ustioni.
7. Nella scelta di un colore o di una finitura, va tenuto presente che i campioni forniscono solo un'indicazione generale del design, del motivo, dell'estetica, del colore e della finitura. Non vi è alcuna garanzia che i campioni siano una replica esatta della lastra Atlas Plan. Potrebbero differire leggermente dal prodotto effettivamente installato.
8. Opinioni basate sulle preferenze personali del cliente, che lo portano a cambiare idea sul colore o sull'aspetto generale, o altre opinioni estetiche successive alla fabbricazione o all'installazione del prodotto.
9. Utilizzo di lastre 162x324 cm per applicazioni commerciali inclusa, a titolo esemplificativo ma non esaustivo, installazione in negozi, uffici e altri esercizi commerciali.
10. Prodotti acquistati in cui la finitura superficiale applicata in fabbrica è stata in qualche modo alterata.
11. Difetti già visibili al momento della lavorazione o posa in opera di prodotti realizzati con lastre 162x324 cm. Piano Atlante.
12. Costi di trasporto, lavorazione, montaggio e/o smontaggio per la riparazione o reinstallazione del prodotto acquistato.
13. Ulteriori riparazioni o modifiche necessarie per la nuova installazione (idraulica, elettrica, lavori di ristrutturazione, ecc.).
14. Riparazioni eseguite senza previa verifica da parte di Atlas Plan.
15. Macchie causate dal contatto diretto con soluzioni chimiche aggressive o graffi causati dall'uso di spugne ruvide o di filo d'acciaio per pulire il prodotto acquistato, o derivanti da qualsiasi altro uso improprio di prodotti abrasivi in violazione delle Precauzioni d'uso e della pulizia e istruzioni di manutenzione indicate nel Manuale Tecnico Atlas Plan (disponibile su www.atlasplan.com).
16. Quanto non espressamente menzionato nella presente garanzia.
La Garanzia Limitata di 25 anni non sarà trasferibile e si applicherà solo alle lastre utilizzate nella fabbricazione del prodotto acquistato, per uso domestico o residenziale, come piani cucina e alzatine, lavabi, mobili e tavoli. Tale garanzia non sarà valida se non sarà stato effettuato il pagamento integrale del prodotto acquistato.
Il laboratorio di lavorazione e l'installatore sono responsabili del collaudo delle lastre Atlas Plan prima della realizzazione e posa in opera dei manufatti realizzati con le lastre.
Non viene rilasciata alcuna altra garanzia esplicita o implicita, inclusa la commerciabilità o l'idoneità per uno scopo particolare. Ad eccezione di quanto stabilito nel presente documento, Atlas Plan declina ogni responsabilità contrattuale ed extracontrattuale per qualsiasi perdita o danno diretto, incidentale o consequenziale derivante dall'uso o dall'impossibilità di utilizzare il prodotto acquistato realizzato con lastre Atlas Plan.
Nessuno, ad eccezione di Atlas Plan, avrà il diritto o l'autorizzazione a fare promesse, dichiarazioni o garanzie di qualsiasi tipo in relazione ai propri prodotti.

FR-DE-ES-RU

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS



Range Summary

Floor · Wall · Furniture · Facades · Outdoor

atlas concorde



160x160 · 120x278 · 120x240 · 120x120

Floor · Wall · Slabs for furniture

atlasPLAN



160x320

Slabs for countertops · Slabs for furniture



162x324 ∓ 6-12-20 mm
SINGLE SLAB NON-RECTIFIED



159x324 ∓ 20 mm
SINGLE SLAB NON-RECTIFIED

- Marble Look
- Concrete Look
- Stone Look
- Wood Look
- Solid Look
- Metal Look

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Stone Carrara Pure | Marvel Calacatta Extra | Marvel Stone Bianco Dolomite | Marvel Gala Crystal White | Marvel Shine Calacatta Delicato | Marvel X Calacatta Apuano | Marvel Meraviglia Calacatta Meraviglia | Marvel Meraviglia Calacatta Bernini | Marvel Shine Calacatta Prestigio | Marvel Shine Calacatta Imperiale | Calacatta Gold | Marvel X Calacatta Sublime | Marvel Diva Ice Crystal | Marvel Shine Statuario Supremo | Marvel Onyx White | Marvel X Calacatta Perla | Marvel Dream Bianco Fantastico | Marvel Onyx Pearl | Marvel Travertine White Vein | Marvel Travertine White Cross | Marvel Travertine Sand Vein | Marvel Travertine Sand Cross | Marvel Onyx Alabaster | Marvel Diva Taj Mahal | Marvel Travertine Pearl Vein | Marvel Travertine Pearl Cross | Cream Prestige | Calacatta Antique

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm		Polished Silk		Polished		Polished	Polished Matte	Polished	Polished	Silk	Polished		Polished Silk		Polished				Hammered		Hammered			Polished Silk	Hammered			
160x160 cm 63"x63"	6 mm		Polished Matte							Polished					Polished														
120x278 cm 47 1/4"x109 1/2"	6 mm		Polished Matte	Polished Matte	Polished	Polished	Polished Silk	Polished	Polished	Polished Silk	Polished		Polished Silk	Polished Silk	Polished Silk	Polished	Polished Silk	Polished Matte	Polished	Matte		Matte		Polished	Polished Silk	Matte			
120x240 cm 47 1/4"x94 1/2"	9 mm		Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished	Polished	Matte Sensitech		Matte Sensitech		Polished	Polished	Matte Sensitech			
120x120 cm 47 1/4"x47 1/4"	9 mm	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished	Polished Matte Sensitech	Polished Silk	Polished Velvet Velvetech	Polished Velvet Velvetech	Polished Matte Sensitech	Polished Matte Sensitech		Polished Silk	Velvet Velvetech	Polished Matte Sensitech	Polished	Polished Silk	Polished Matte Sensitech	Polished		Matte Sensitech		Matte Sensitech	Polished	Velvet Velvetech		Matte Sensitech		

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm		Polished Silk	Polished	Polished Silk	Silk	Polished Silk	Polished Silk	Polished Silk	Silk	Polished Silk	Polished Silk		Polished Silk	Polished Silk	Polished Silk				Hammered		Hammered			Polished Silk	Hammered		Silk	Polished
Non-rectified / non rettificato	20 mm																											
159x324 cm 62 5/8"x127 1/2"	20 mm		Polished Matte	Polished	Polished				Polished Matte		Polished Matte	Polished			Polished Matte										Polished				
Non-rectified / non rettificato																												

Sensitech **Velvetech**

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

MARBLE LOOK



Marvel Diva White Everest | Marvel X Grey Cloud | White Cloud | Marvel Meraviglia Silver Majestic | Silver Root | Marvel Meraviglia Grigio Elegante | Marvel X Fior di Bosco | Light Grey Stone | Marvel Grey Stone | Marvel Diva Precious Brown | Marvel Gala Calacatta Black | Marvel Stone Nero Marquina | Marvel Dream Black Atlantis | Marvel Meraviglia Black Origin | Marvel Onyx Noir | Marvel Diva Black Tempest | Marvel Gala Desert Soul | Marvel Diva Amethyst | Marvel Onyx Quartz | Marvel Onyx Sky | Exotic Wave | Marvel Amazzonite | Marvel Exotic Green | Marvel Diva Aqua | Marvel Diva Galaxy | Marvel Diva Sky Stone | Marvel Diva Baobab

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Silk				Silk		Polished Silk	Silk	Silk	Silk		Silk Polished					Polished				Polished		Polished				Polished
160x160 cm 63"x63"	6 mm																											
120x278 cm 47 1/4"x109 1/2"	6 mm	Polished Silk	Polished Silk		Polished		Polished	Polished Silk		Matte	Silk	Polished		Polished Matte	Polished	Polished	Silk	Polished	Polished	Polished	Polished		Polished	Polished	Polished	Polished	Silk	Polished
120x240 cm 47 1/4"x94 1/2"	9 mm	Polished	Polished		Polished		Polished	Polished		Polished				Polished	Polished	Polished												
120x120 cm 47 1/4"x47 1/4"	9 mm	Velvet Velvetech	Polished Silk		Polished Velvet Velvetech		Polished Velvet Velvetech	Polished Silk				Polished		Polished Matte Sensitech	Polished Velvet	Polished		Polished					Polished	Polished				

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm	Silk		Silk		Silk		Polished Silk	Silk	Silk	Silk		Polished Silk	Polished Silk			Silk	Polished Silk				Polished		Polished			Silk	Polished
Non-rectified / non rettificato	20 mm									Matte			Matte					Polished										
159x324 cm 62 5/8"x127 1/2" Non-rectified / non rettificato	20 mm																										

Sensitech Velvetech

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Boost Expression Glow	Boost Balance Pure	Boost Natural Pro Salt	Boost Balance Ivory	Boost Pro Ivory	Boost Natural Kaolin	Boost Expression Shell	Boost Expression Camel	Boost Natural Pro Oat	Prism Cord	Boost Balance Cream	Boost Natural Pro Sand	Boost Expression Tan	Boost Pro Cream	Boost Natural Ash	Boost Balance Ash	Boost Pro Clay	Boost Natural Ecru	Boost Natural Coral	Prism Suede	Boost Pro Taupe	Boost Natural Umber	Boost Pro Tobacco

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm						Hammered										Matte							
160x160 cm 63"x63"	6 mm																	Matte				Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm 47 1/4"x94 1/2"	9 mm						Matte Sensitech								Matte Sensitech			Matte Sensitech						Matte Sensitech
120x120 cm 47 1/4"x47 1/4"	6 mm						Matte								Matte			Matte				Matte		Matte
	9 mm	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech	Matte Sensitech

Outdoor

120x120 cm 47 1/4"x47 1/4"	9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm 47 1/4"x47 1/4"	20 mm						Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	12 mm											Hammered				Matte		Hammered					
	20 mm																						

Sensitech Velvetech

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

CONCRETE & RESIN LOOK



Prism Cotton	Boost Balance Moon	Boost Balance White	Boost White	Boost Expression Ice	Boost Natural Pro Cinder	Boost Balance Pearl	Boost Expression Haze	Prism Cloud	Boost Pearl	Boost Natural Pro Dove	Boost Grey	Boost Balance Grey	Prism Fog	Boost Balance Smoke	Boost Smoke	Boost Natural Coal	Boost Balance Tarmac	Boost Tarmac	Boost Expression Carbon	Prism Graphite

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm				Hammered								Hammered				Hammered			Hammered		
160x160 cm 63"x63"	6 mm				Matte								Matte				Matte			Matte		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte
120x240 cm 47 1/4"x94 1/2"	9 mm				Matte Sensitech						Matte Sensitech		Matte Sensitech				Matte Sensitech			Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	6 mm				Matte						Matte		Matte				Matte			Matte		
	9 mm	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech Silk	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet Velvetech	Matte Sensitech	Matte Sensitech	Matte Sensitech Silk

Outdoor

120x120 cm 47 1/4"x47 1/4"	9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		
120x120 cm 47 1/4"x47 1/4"	20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech			Outdoor Sensitech		

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	12 mm				Hammered								Hammered				Hammered			Hammered		
Non-rectified / non rettificato	20 mm																					

Sensitech Velvetech

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

STONE LOOK



Boost Icor Bone	Boost Mineral White	Boost Mix Ivory	Lims Ivory	Boost Stone Ivory	Boost Stone White	Boost Icor Dust	Boost Stone Cream	Boost Icor Dune	Lims Beige	Boost Icor Crete	Boost Stone Clay	Boost Icor Oyster	Boost Icor Sideral	Boost Stone Taupe	Boost Stone Tobacco	Boost Mix Pearl	Boost Stone Pearl	Boost Mineral Pearl	Boost Stone Grey	Boost Mineral Grey	Kone Mix	Boost Mineral Smoke	Boost Stone Smoke	Boost Mix Smoke	Boost Mineral Tarmac	Boost Stone Tarmac	Marvel Stone Balsatina Volcano	Soapstone Dark	Negresco

Floor | Wall | Slabs for furniture

160x320 cm 63"x126"	6 mm	Hammered				Hammered				Hammered												Hammered	Hammered						Hammered		
120x278 cm 47 1/4"x109 1/2"	6 mm	Matte	Matte ✖	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Matte		Matte	Matte	Matte	Matte	Matte ✖	Matte	Matte ✖		Matte ✖	Matte	Matte	Matte ✖	Matte			
120x240 cm 47 1/4"x94 1/2"	9 mm	Matte Sensitech	Matte ✖ Sensitech					Matte Sensitech		Matte Sensitech				Matte Sensitech						Matte Sensitech ✖		Matte Sensitech ✖		Matte Sensitech ✖			Matte Sensitech ✖				
120x120 cm 47 1/4"x47 1/4"	9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech			

Outdoor

120x120 cm 47 1/4"x47 1/4"	20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech				Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			

Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	12 mm	Hammered				Hammered				Hammered												Hammered	Hammered						Hammered	Hammered	Silk
	20 mm																												Hammered	Hammered	

Sensitech

✖ Elegant surface

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

WOOD LOOK



Log Bright Oak | Log Bright Oak Line ♦ | Log Icon Oak | Log Icon Oak Line ♦ | Noce Canaletto

SOLID LOOK



Absolute White | Absolute Black | Black Lava

METAL LOOK



Blaze Iron

Floor | Wall | Slabs for furniture

| | | |



Technical Specifications

- Environmental sustainability
- Certifications
- Velvetech
- Sensitech
- Note
- Technical Specifications
- Destination of use
- Packing

Responsibility

Our commitment for the environment.

Circularity

100% of cooked and raw waste recovered internally

90% recovered waste

100% water recovered for internal use

100% recyclable packaging materials

Environment, health and safety

Advanced purification systems, which contribute to the containment of atmospheric emissions

Reduction of CO_2 emissions due to automated vertical warehouse

RTO system to reduce harmful emissions and odours

0% lead, cadmium, and other dangerous substances in products

All Atlas Concorde surfaces do not release harmful levels of VOCs (Volatile Organic Compounds)

Reduction & self-production of energy

Heat recoveries from industrial furnaces

Efficient methane gas cogeneration plant

100% LED light

Recovery of residual heat energy by tube heat exchangers

Photovoltaic system producing over 4 GWh annually

Ceramics of Italy

MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Certifications

Ratings and memberships

SILVER 2023 ecovadis Sustainability rating

Sedex Member

Company certifications

QUALITY SYSTEM CERTIFICATION DNV ISO 9001

ENVIRONMENTAL SYSTEM CERTIFICATION DNV ISO 14001

SAFETY SYSTEM CERTIFICATION DNV ISO 45001

Product certifications

ISO 17889-1

CAM Criteri ambientali minimi

UL GREENGUARD GOLD *

Product declarations

EPD

PEF

FDES VERIFIÉE inies

HPD Health Product Declaration

Declare.

Certification for buildings

WELL v2

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Certifications for export to international markets*

CE

CCC

SQM SAUDI ARABIA

SGS INDONESIA

QB UPEC (1) (2) (3)

atlasconcorde.com

cstb.fr

* **Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.

* **Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(1) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
(2) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it
(4) Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Velvetech

The advanced technology with filed patent in Europe, inspired by the art of polishing surfaces for an impeccable smooth touch





USER GUIDE

DISCOVER MORE

PRECAUTIONS VELVETECH

SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi. Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.

DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alacalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbi-sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.

INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.

CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.

PULIZIA E MANUTENZIONE DI FINE CANTIERE

- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

FR-DE-ES-RU

Notes

- **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** / All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. / À l'intérieur delle casses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. / Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. / En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. / Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.
- ▲ **For best results it is recommended to follow one of the following laying patterns.** / Per un risultato estetico ottimale si consiglia di seguire uno dei seguenti schemi di posa. / Nous vous invitons à respecter un des schémas de pose suivants pour un résultat esthétique optimal. / Für ein optisch optimales Resultat empfehlen wir, eines der nachstehenden Verlegemuster zu befolgen. / Para obtener un mejor resultado estético, es aconsejable seguir uno de los siguientes esquemas de colocación. / Для достижения наилучшего эстетического результата рекомендуется использовать одну из следующих схем укладки.
- **Calacatta Extra Endless is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** / Calacatta Extra Endless è composto da quattro grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. / **Calacatta Extra Endless** est composé de quatre graphismes avec les veinures en continuité, mais celles-ci sont distribuées en mode aléatoire à l'intérieur delle caisses, sans possibilité de choix entre les motifs disponibles. / **Calacatta Extra Endless** besteht aus vier Grafiken mit durchlaufender Äderung; diese sind jedoch in den Kisten nach dem Zufallsprinzip enthalten, ohne dass Sie zwischen den einzelnen Motiven wählen können. / **Calacatta Extra Endles** se compone de cuatro gráficos con continuidad de vetas, pero en el interior de las cajas están distribuidos de forma aleatoria, sin que se pueda elegir el patrón disponible. / **Calacatta Extra Endless** состоит из четырех рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.
- ■ **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.** / Il **Kit Endless** contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. / Le **Kit Endless** contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. / **Kit Endless** umfasst alle Grafiken des Produkts mit durchlaufender Äderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Äderung zusammenzusetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. / El **Kit Endless** contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. / **Kit Endless** – это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

Codes A and B are sold separately. / I codici A e B sono venduti singolarmente. / Les codes A et B sont vendus individuellement. / Die Codes A und B sind einzeln erhältlich. / Los códigos A y B se venden individualmente. / Коды A и B продаются по отдельности.

Minor misalignments in the continuity of the veins between different graphics is normal for this type of product. / Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. / Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. / Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. / Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. / Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. / Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. / Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications / Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren / Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones / Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. / I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. / Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif / Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten / Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos / Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. / Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. / Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour / Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen | Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente / Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Ceramic products can have slight variations in tone. Check with the sales representative for the possibility of combining production lots, formats, decorations and special pieces. / Il prodotto ceramico può essere leggermente variabile in termini di toni. Verificare con il referente commerciale l'abbinabilità sia tra i lotti produttivi che tra i formati e i decori o i pezzi speciali. / Le produit céramique peut légèrement différer sur l'aspect de la couleur. Vérifier avec le référent commercial que l'assortiment soit entre les lots de fabrication qu'entre les formats et les décors ou les pièces spéciales / Im keramischen Produkt sind Abweichungen von Farbton möglich. Wenden Sie sich bitte an den Verkaufsleiter, um zu überprüfen, wie man die verschiedenen Posten, Formate, Dekore oder Spezialteile miteinander kombinieren kann / El producto cerámico puede variar levemente en lo que respecta a los tonos. Consulte con el representante de ventas la combinación entre los lotes producidos y entre los formatos y las decoraciones o las piezas especiales / Керамические изделия разных партий могут слегка отличаться по тону. Проверьте вместе с торговым представителем сочетаемость с изделиями других партий, а также с форматами, декоративными или специальными элементами.

Polished, Velvet, and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. / Le finiture lappata, Velvet e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. / Les finitions Velvet et Silk conviennent aux sols résidentiels ou commerciaux à faibles contraintes, où la performance antidérapante n'est pas requise. La brillance et la grande facilité de nettoyage de la surface sont le résultat d'études approfondies et de recherches techniques précises visant à assurer sa persistance dans le temps. Si le produit est en contact direct avec l'extérieur, prévoyez des dispositifs d'absorption de l'humidité et de la saleté pour éviter la formation de rayures. / Die Oberflächenversionen Velvet und Silk eignen sich für Bodenbeläge in Wohnbereichen bzw. in gering beanspruchten Gewerberäumen, wenn keine Rutschfestigkeit erforderlich ist. Der Glanz und die einfache Reinigung der Oberfläche sind das Resultat eingehender technischer Studien, mit denen die langfristige Beständigkeit sichergestellt wurde. Kommt das Produkt direkt mit der externen Umgebung in Kontakt, so sind Feuchtigkeit und Schmutz mit geeigneten Mitteln aufzunehmen, um Kratzer zu vermeiden. / Los acabados pulido, Velvet y silk son adecuados para pavimentos residenciales y comerciales con poco tráfico, donde no se requiere un efecto antideslizante. El brillo y la gran facilidad de limpieza de la superficie son el resultado de profundos estudios e investigaciones técnicas precisas para asegurar su persistencia en el tiempo. Si el producto está en contacto directo con el exterior, proporcionar dispositivos de absorción de humedad y suciedad para evitar arañazos. / Лаппатированная поверхность и поверхности Velvet и Silk рекомендованы для полов жилых и коммерческих помещений с невысокой интенсивностью эксплуатации, в которых от покрытий не требуется характеристик сопротивления скольжению. Блеск и легкая очищаемость являются результатом глубоких исследований, направленных на создание долговечного материала. Если плитка находится в непосредственном контакте с наружной средой, необходимо предусмотреть устройства поглощения влаги и грязи во избежание образования царапин.

Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. / Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. / Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. / Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. – несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Technical features

				Requirements for nominal size N Requisiti per dimensione nominale N	
				N ≥ 15 cm	
				(%)	(mm)
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,3 (*) Rect.	± 1,0 (*) Rect.
		Thickness Spessore		± 5 (**)	± 0,5 (**)
		Straightness of sides Rettilineità degli spigoli		± 0,3 (***) Rect.	± 0,8 (***) Rect.
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****) Rect.	± 1,5 (****) Rect.
		Surface flatness Planarità		c.c. ±0,4 Rect. e.c. ±0,4 Rect. w. ±0,4 Rect.	c.c. ±1,8 Rect. e.c. ±1,8 Rect. w. ±1,8 Rect.
Structural characteristics		**Water absorption** Massa d'acqua assorbita	ISO 10545-3	**E, ≤ 0,5% Individual max 0,6%** - E, ≤ 0,5% Valore max singolo 0,6%	
			ASTM C 373	**Requirement ANSI A137.1-2017 Water Absorption Max ≤ 0,5%**	
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	**S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm) **S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm)	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura	EN 1339 Annex F	-	
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato	
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³	
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato	
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1	
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato	
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1	
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	**Declared value** Valore dichiarato	
		Reaction to fire Reazione al fuoco	-	**Class A1 or $A1_{fl}$** Classe A1 oppure $A1_{fl}$	
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B** Classe minima B	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata	
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Declared Class** Classe dichiarata	
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B	**Declared value** Valore dichiarato	
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A	**Declared value** Valore dichiarato	
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C	**PTV ≥ 36 classifies the surface as "low slip risk"**	
			AS 4586	**Declared Classification of the new pedestrian surface materials according to the Pendulum Test**	
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	**Declared value** Valore dichiarato	
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 >0,40 per elemento scivolante cuoio su pavimentazione asciutta >0,40 per elemento scivolante gomma dura su pavimentazione bagnata	
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-	

120x120 cm 120x240 cm ± 9 mm	120x120 cm 120x278 cm (6) 160x160 cm ± 6 mm	120x120 cm ± 9 mm	120x120 cm 120x240 cm ± 9 mm	120x278 cm 160x160 cm 160x320 cm ± 6 mm	120x120 cm ± 9 mm	120x278 cm ± 6 mm	120x120 cm ± 9 mm	120x120 cm ± 20 mm
Matte	Matte	Velvet	Polished	Polished	Silk	Silk	Grip	Outdoor
Suitable for Conforme		Suitable for Conforme			Suitable for Conforme		Suitable for Conforme	Suitable for Conforme
Suitable for Conforme		Suitable for Conforme			Suitable for Conforme		Suitable for Conforme	Suitable for Conforme
Suitable for Conforme		Suitable for Conforme			Suitable for Conforme		Suitable for Conforme	Suitable for Conforme
Suitable for Conforme		Suitable for Conforme			Suitable for Conforme		Suitable for Conforme	Suitable for Conforme
Suitable for Conforme		Suitable for Conforme			Suitable for Conforme		Suitable for Conforme	Suitable for Conforme **Not applicable to 'strong' structures** Non applicabile a strutturati forti
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
-	-	-	-	-	-	-	-	120x120-60x60 >= T11 90x90 >= U11 60x120 >= U4
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste	**Resistant** Resiste
≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)	≥ 1,0 N/mm² (Class C2 - EN 12004)
A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$	A1 - $A1_{fl}$
A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	-	-	-	HA	HA	HA	HA
5	5	≥ 3	5	5	5	5	5	5
R10	R9	N.C.	N.C.	N.C.	N.C.	N.C.	R11	R11
A+B	A	0	0	0	0	0	A+B+C	A+B+C
≥ 36 Dry / ≥ 36 Wet	(•)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
Class P3	(••)	-	-	-	-	-	Class P4	Class P4
Class C2	(•••)	-	-	-	-	-	Class C3	Class C3
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Wet DCOF ≥ 0,50	Wet DCOF ≥ 0,42	Wet DCOF ≥ 0,42	Dry DCOF ≥ 0,42	Dry DCOF ≥ 0,42	Dry DCOF ≥ 0,42	Dry DCOF ≥ 0,42	Wet DCOF ≥ 0,55	Wet DCOF ≥ 0,55

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.
(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).** Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(2) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(3) **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers guidelines and recommendations.**
(4) **The following technical features do not apply to /**
Le seguenti caratteristiche tecniche non sono valide per:
PRISM Bloom, Caramel, Grape, Dusk, Midnight, Moss, Emerald, Brush, Gradient. BOOST PRO Leaves

(•) **PTV ≥ 36 Wet on demand** / su richiesta
(••) **P3 on demand** / su richiesta
(•••) **C2 on demand** / su richiesta
(i) **R9 on demand** / su richiesta
(ii) **DCOF >0,42wet on demand** / su richiesta

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Technical features

atlasPLAN
Technical Specification

				Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63⅞"x127⅞" 159x324 cm - 62⅝"x127⅞" Not Rectified			160x320 cm - 63"x127" Rectified		
				N ≥ 15 cm							
				(%)	(mm)	Silk	Matte Hammered Leathered	Polished	Silk	Matte Hammered	Polished
Regularity characteristics		**Length and width** Lunghezza e larghezza	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			**Suitable for** Conforme		
		Thickness Spessore		± 5 (**)	± 0,5 (**)	**Suitable for** Conforme			**Suitable for** Conforme		
		Straightness of sides Rettilinietà degli spigoli		± 0,3 (***)	± 0,8 (***)	N.A.			**Suitable for** Conforme		
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			**Suitable for** Conforme		
		Surface flatness Planarità		c.c. ± 0,4 e.c. ± 0,4 w. ± 0,4	c.c. ± 1,8 e.c. ± 1,8 w. ± 1,8	**Suitable for** Conforme			**Suitable for** Conforme		
Structural characteristics		**Water absorption** Massa d'acqua assorbita	ISO 10545-3	**E_v ≤ 0,5% Individual max 0,6%** E_v ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %			≤ 0,1 %		
			ASTM C373-18	**Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%**		≤ 0,5 %			≤ 0,5 %		
Bulk mechanical characteristics		**Breaking strength** Sforzo di rottura	ISO 10545-4	S ≥ 700 N **for thickness < 7,5mm** per spessore < 7,5mm	S ≥ 1300 N **for thickness ≥ 7,5mm** per spessore ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N		
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²		R ≥ 40 N/mm²			R ≥ 40 N/mm²		
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	**Declared value** Valore dichiarato		≥ 0,55			≥ 0,55		
Surface mechanical characteristics		**Resistance to deep abrasion of unglazed tiles (removed volume)** Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³		**Suitable for** Conforme			**Suitable for** Conforme		
Thermal and hygrometric characteristics		**Coefficient of thermal linear expansion** Coefficiente di dilatazione termica lineare	ISO 10545-8	**Declared value** Valore dichiarato		≤ 7 MK⁻¹			≤ 7 MK⁻¹		
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	**Declared value** Valore dichiarato		≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	**Pass according to EN ISO 10545-1** Test superato in accordo con ISO 10545-1		**Resistant** Resiste			**Resistant** Resiste		
Physical properties		**Bond strength/adhesion for improved cementitious adhesives** Adesione a trazione con adesivi cementizi migliorati	EN 1348	**Declared value** Valore dichiarato		≥ 1,0 N/mm² (Class C2 - EN 12004)			≥ 1,0 N/mm² (Class C2 - EN 12004)		
		Reaction to fire Reazione al fuoco	-	A1 or AfI		A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics		**Resistance to household chemicals and swimming pool salts** Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	**Minimum Class B (B for unglazed tiles)** Classe minima B (B per piastrelle non smaltate)		A			A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		LA			LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		**Declared Class** Classe dichiarata		HA	HA	-	HA	HA	-
		Resistance to staining Resistenza alle macchie	ISO 10545-14	**Declared Class** Classe dichiarata		5			5		
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	**Declared value** Valore dichiarato		≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb			≤ 0,01 mg/dm² Cd ≤ 0,1 mg/dm² Pb		
Safety characteristics (1)(2)		**Shod Ramp Test** Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	**Declared Class** Classe dichiarata		-	-	-	-	R9	N.C.
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	**Declared Class** Classe dichiarata		-	-	-	-	A	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata		-	-	-	-	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-		-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
		Resistance to scratching Resistenza alla graffiatura	UNI EN 15186:2012 met.B	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Tendency to retain dirt Tendenza a ritenere lo sporco	UNI 9300:2015	-		**No visible change (5)** Nessun cambiamento visibile (5)			**No visible change (5)** Nessun cambiamento visibile (5)		
		Surface resistance to cold liquids Resistenza delle superfici ai liquidi freddi	UNI EN 12720:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to wet heat Resistenza delle superfici al calore umido	UNI EN 12721:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Surface resistance to dry heat Resistenza delle superfici al calore secco	UNI EN 12722:2013	-		**CEN/TS 16209 Class A** CEN/TS 16209 Classe A			**CEN/TS 16209 Class A** CEN/TS 16209 Classe A		
		Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988	-		**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.			**Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore.		

Technical feature - Caratteristiche tecniche - Caractèristiques techniques - Technische Daten - Características técnicas - Технические характеристики

Coloured body porcelain tiles - Non-rectified - Gres porcellanato colorato in massa - non rettificato - Grès cérame coloré dans la masse - Non rectifié - Durchgefärbtes Feinsteinzeug - Nicht rektifiziert - Gres porcelánico coloreado en masa - No rectificada - Керамический гранит окрашенный в массе - Неректифицированные

Destinations of use

Recommended products by intended use

HEAVY COMMERCIAL
Malls, airports, places of worship, schools, museums, squares, hospitals, hotels - foyers, undergrounds, train stations, etc.

COMMERCIALI PESANTI
Mall, aeroporti, luoghi di culto, scuole, musei, piazze, ospedali, hotel - hall di ingresso, metropolitane, stazioni ferroviarie, ecc...

MEDIUM COMMERCIAL*
Restaurants, offices, shops, public restrooms, public offices, hotels except for foyers, business lounges, mandatory passageways and areas subject to the transit of trolleys with hard wheels or highly concentrated loads.

COMMERCIALI MEDI*
Ristoranti, uffici, negozi, bagni pubblici, uffici pubblici, hotel - ad esclusione delle hall di ingresso, business lounge, di passaggi obbligati e zone soggetto a transito di carrelli con ruote dure ovvero elevati carichi concentrati.

RESIDENTIAL
Bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.

RESIDENZIALI
Camere da letto, soggiorni, studi, cucine private, bagni privati...

Outdoor Sensitech 20 mm — H M L
Grip / Grip Sensitech 9 mm — H M L
Textured / Roccia 9 mm — H M L
Matte Sensitech 9 mm — H M L
Matte 9 mm — H M L
Matte 6 mm — M L
Silk 6 - 9 mm — M L
Polished 6 - 9 mm — M L
Velvet Velvetech 9 mm (1) — L

INTENDED USES FOR OUTDOORS

INDUSTRIAL AND/OR COMMERCIAL AREAS FOR VEHICLES
Squares, public car parks, filling stations, paving for forklift trucks, pallet jacks, trailer trucks, buses, industrial platforms, etc.

INSTALLATION METHOD
1. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish (2).

AREE INDUSTRIALI E/O COMMERCIALI CARRABILI
Piazze, parcheggi pubblici, stazioni di rifornimento, pavimentazioni con transito di carrelli elevatori, transpallet, autoarticolati, autobus, piattaforme industriali, ecc...

TIPO DI POSA
1. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo (2).

RESIDENTIAL AREAS FOR VEHICLES
Outdoor courtyards, private homes, apartment complex parking lots (garages), etc. Pavements used only by cars.

INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish (2).

AREE RESIDENZIALI CARRABILI
Cortili esterni abitazioni private, parcheggi condominiali (garage interni), ecc... Pavimentazioni a transito esclusivo di autovetture.

TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo (2).

AREAS FOR PEDESTRIANS ONLY
Patios, gardens and walkways, terraces, balconies, urban pedestrian areas, etc.

INSTALLATION METHOD
1. RAISED INSTALLATION AND "DRY" LAYING (on grass, sand and gravel). Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish (2).
2. LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish (2).

AREE SOLO PEDONABILI
Patii, giardini e camminamenti, terrazze, balconi, aree urbane pedonali, ecc...

TIPO DI POSA
1. POSA SOPRAELEVATA E A "SECCO" (su erba, sabbia e ghiaia). Utilizzare gres porcelanato a spessore superiore o uguale a 20mm con finitura anti-scivolo (2).
2. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcelanato con finitura anti-scivolo (2).

POOL EDGES
INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish (2).

BORDI PISCINA
TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo (2).

* **Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Under no circumstances does Atlas Concorde accept responsibility for any use of the product other than as recommended above.** - Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. Atlas Concorde non si assume in nessun caso la responsabilità per un uso del prodotto diverso da quanto consigliato sopra.- Les finitions rodée et soyeuse conviennent aux sols résidentiels ou commerciaux à faibles contraintes, où la performance antidérapante n'est pas requise. La brillance et la grande facilité de nettoyage de la surface sont le résultat d'études approfondies et de recherches techniques précises visant à assurer sa persistance dans le temps. Si le produit est en contact direct avec l'extérieur, prévoyez des dispositifs d'absorption de l'humidité et de la saleté pour éviter la formation de rayures. Atlas Concorde n'accepte aucune responsabilité pour toute utilisation du produit autre que celle recommandée ci-dessus. - Die Oberflächenversionen Geläppt und Silk eignen sich für Bodenbeläge in Wohnbereichen bzw. in gering beanspruchten Gewerberäumen, wenn keine Rutschfestigkeit erforderlich ist. Der Glanz und die einfache Reinigung der Oberfläche sind das Resultat eingehender technischer Studien, mit denen die langfristige Beständigkeit sichergestellt wurde. Kommt das Produkt direkt mit der externen Umgebung in Kontakt, so sind Feuchtigkeit und Schmutz mit geeigneten Mitteln aufzunehmen, um Kratzer zu vermeiden. Atlas Concorde haftet keinesfalls für eine nicht den vorstehenden Empfehlungen entsprechende Verwendung des Produkts. - Los acabados lapeados y silk son adecuados para pavimentos residenciales y comerciales con poco tráfico, donde no se requiere un efecto antideslizante. El brillo y la gran facilidad de limpieza de la superficie son el resultado de profundos estudios e investigaciones técnicas precisas para asegurar su persistencia en el tiempo. Si el producto está en contacto directo con el exterior, proporcionar dispositivos de absorción de humedad y suciedad para evitar arañazos. Atlas Concorde no asume responsabilidad alguna por cualquier uso del producto distinto del recomendado anteriormente. - Лаппатированная поверхность и поверхность Silk рекомендованы для полов жилых и коммерческих помещений с невысокой интенсивностью эксплуатации, в которых от покрытий не требуется характеристик сопротивления скольжению. Блеск и легкая очищаемость являются результатом глубоких исследований, направленных на создание долговечного материала. Если плитка находится в непосредственном контакте с наружной средой, необходимо предусмотреть устройства поглощения влаги и грязи во избежание образования царапин. Atlas Concorde не несет ответственности за использование изделий с нарушением вышеприведенных рекомендаций.

(1) **PRECAUTIONS - VELVET IS A DELICATE SURFACE**
The Velvet finish is a delicate surface that requires care. To preserve its beauty and ensure proper use, please refer to our instructions on page 316.
La finitura Velvet è una superficie delicata che merita attenzione. Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 316.

(2) **For the properties of slip resistance required in the aforementioned uses it is always necessary to comply with the local laws, regulations and uses, referring to the technical sheets of the selected products.** - Per le proprietà di resistenza allo scivolamento richieste nelle destinazioni d'uso sopra itate occorre sempre attenersi alle normative, leggi ed usi locali facendo riferimento alle schede tecniche dei prodotti selezionati. - Pour les propriétés de résistance à la glissade exigées par les destinations d'usage susmentionnées, il faut toujours respecter les normes, lois et réglementations locales en se référant aux fiches techniques des produits sélectionnés. - Für die von den obigen Zweckbestimmungen verlangte Rutschfestigkeit sind stets die örtlich geltenden Vorschriften, Gesetze und Gebräuche zu beachten. Siehe hierzu die technischen Datenblätter der gewählten Produkte. - Para las propiedades de resistencia al deslizamiento requeridas según los usos previstos antes indicados, es taxativo atenerse a las normativas, leyes y usos locales siempre consultando las fichas técnicas de los productos seleccionados. - Характеристики сопротивления скольжению при использовании плиток для вышеописанных назначений выбирают согласно местным законам, стандартам и правилам по листу технических характеристик выбранных изделий.

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Large sizes general packing and weight

120x120 - 47 1/4"x47 1/4" **120x240** - 47 1/4"x94 1/2" **20x278** 47 1/4"x109 1/2" **160x160** - 63"x63" **160x320** - 63"x126" **162x324** - 63 3/4"x127 1/2"

Packaging Imballo Boitage Verpackung Embalaje Упаковка		**AS400 Code** **Codice AS400** Code AS400 Artikelcode AS 400 Código AS400 Код AS400	**Packaging Size** **Dimensioni imballo** Dimension Emballage Verpackunsmasse Dimensiones de Embalaje Размер Упаковки (cm)	**Packaging weight Peso imballo** Poids Emballage Verpackungsgewicht Peso Embalaje Вес Упаковки (kg)	**Slabs size Formati** Formats Formatgrösse Formatos Размер Плит (cm)	**Max N° slabs** **Max N° pezzi** N° Max de pièces Anzahl der Platten Max N ° piezas Максимальное Количество Плит	**Max Sqm** **Max Mq** M² max Maximale qm Máx M² Макс. M²
120x120	**Pallet** Palette Palette Paleta Паллет	-	-	-	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCD	130x75x158(h) cm	60 kg	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
120x240	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCA	256x141x36(h) cm	102kg	120x240x0,9 cm	18	51,84 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCE	250x75x159(h) cm	126kg	120x240x0,9 cm	36	103,6 mq
120x278	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCB	292x141x36(h) cm	108kg	120x278x0,6 cm	18	60,05 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCF	290x75x159(h) cm	136kg	120x278x0,6 cm	42	140,11 mq
	Wooden Crate Kit Endless * (only for kit Endless) Cassa di Legno Kit Endless * (solo per kit Endless) Caisse en Bois Kit Endless * (que pour le Kit Endless) Holzbox Kit Endless * (nur für Endless Kit) Caja de Madera Kit Endless * (solo para el kit Endless) Деревянный Ящик для Kit Endless * (только для Kit Endless)	A6NZ	296x141x25(h) cm	65kg	120x278x0,6 cm	7	16,68 mq
	Wooden L-Frame per Atlas Concorde Pack 120x278 Cavalletto a L di Legno 120x278 L Chevalet en Bois L-Bock Holz L-Caballete de Madera Деревянная L-Опора	AX4Y	305x75x142(h) cm	40kg	120x278x0,6 cm	10	33,36
	Atlas Concorde Pack 120x278	AX7I	293x3xh130 cm	6 kg	120x278x0,6 cm	1	/
160x160	**Wooden Crate** Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	AØ5L	183x174x41(h) cm	91kg	160x160x0,6 cm	24	61,44 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	AØ5M	170x75x200(h) cm	84kg	160x160x0,6 cm	48	122,88 mq
160x320 RT **162x324** **159x324**	**Wooden Crate** Cassa di legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCC	344x175x37(h) cm	139kg	160x320x0,6 cm	14	71,68 mq
					162x324x0,6 cm	14	73,48 mq
					162x324x1,2 cm	8	40,96 mq
					162x324x2,0 cm	4	20,99 mq
					159x324x2,0 cm	4	20,60 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballete de Madera Деревянная А-Опора	IMCG	330x75x195(h) cm	173kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x1,2 cm	22	112,64 mq
					162x324x2,0 cm	12	62,99 mq
					159x324x2,0 cm	12	61,82 mq
	Iron A-Frame Cavalletto di ferro Chevalet en Fer A-Bock Metall Caballete de Hierro Металлическая Опора	IMCH	335x75x199(h) cm	155kg	160x320x0,6 cm	42	215,04 mq
					162x324x0,6 cm	42	220,45 mq
					162x324x1,2 cm	22	112,64 mq
					162x324x2,0 cm	12	62,99 mq
					159x324x2,0 cm	12	61,82 mq
162x324 **159x324**	**Bundles** Only from Verona warehouse	TRAP	-	30-40kg	160x320x0,6 cm	-	-
					162x324x0,6 cm	-	-
					162x324x1,2 cm	18	94,50 mq
					162x324x2,0 cm	12	63,00 mq
					159x324x2,0 cm	12	61,82 mq

Large Sizes General packing and weight - Grandi Formati, Imballi e Pesi - Grands formats, Emballage et poids - Grossformate, Verpackung und Gewicht - Grandes Formatos, Pesos y embalaje - Большие Форматы, Упаковка и вес

	20' Container - Container 20 piedi - Conteneur 20' - 20' Container - Contenedor de 20 pies - 20' Контейнер 5,90x2,32x2,35(h) m
1200x2400	nr. 11 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400 + 2 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x1200	nr. 12 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200 + 5 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x1200
1200x2780	nr. 6 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780	nr. 11 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780 + 2 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780 **Pack in Lframe**	nr. 3 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 4 **spaces** - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x3200	nr. 5 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200 (+ 4 **spaces** - spazi - places - Leerzeichen - espacios - пробелов 80cmx120 cm)
1600x3200	nr. 3 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200 (+ 4 **spaces** - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x1600	nr. 15 **crates** - casse - crates - crates - crates - crates 1600x1600
1600x1600	nr. 9 **stands type 2** - cavalletti tipo 2 - chevalets type 2 - Anzahl A-Böcke Typ 2 - caballetes tipo 2 - количество опор тип 2 1600x1600

	40' Container - Container 40 piedi - Conteneur 40' - 40' Container - Contenedor de 40 Pies - 40' Контейнер 11,90x2,32x2,35(h) m
1200x2400	nr. 12 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x2400	nr. 21 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400 + 4 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400
1200x1200	nr. 27 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200
1200x2780	nr. 12 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780	nr. 21 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780 + 4 **stands** - cavalletti - stands - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780
1200x2780 **Pack in Lframe**	nr. 9 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 5 **spaces** - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm)
1600x3200	nr. 15 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200
1600x3200	nr. 9 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200
1600x1600	nr. 28 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x1600
1600x1600	nr. 21 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x1600

	Truck, maximum loadable weight - Camion, peso massimo caricabile - Camion, poids maximum chargeable LKW maximal ladbares Gewicht - Camión, peso máximo cargable - Грузовик, максимальная загрузка	**30 Ton.**
1200x2400	nr. 25 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400	
1200x1200	nr. 24 **crates** - casse - crates - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200	
1200x2780	nr. 20 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780	
1200x2780 **Pack in Lframe**	nr. 12 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each)	
1600x3200	nr. 15 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200	
1600x3200	nr. 9 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200	
1600x1600	nr. 27 **crates** - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x1600	
1600x1600	nr. 16 **stands** - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x1600	

The quantities loaded must take into account the weight (in order not to exceed the maximum weight limits). - Il calcolo deve tenere conto del peso (in modo da non eccedere i limiti di portata). - Le calcul doit prendre en compte le poids (afin de ne pas dépasser les limites). - Die Verpackunsanzahl muss für das Gesamtgewicht berücksichtigt werden. - El cálculo debe tener en cuenta el peso (para no exceder los límites de capacidad). - Необходимо учитывать общий вес (во избежание его превышения).

INDEX
A COMPLETE PRODUCT SYSTEM
SURFACE INDEX
IMAGE GALLERY
PRODUCT RANGE
SLABS FOR COUNTERTOPS & FURNITURE
RANGE SUMMARY
TECHNICAL SPECIFICATIONS

Porcelain tiles: a safe choice



RECYCLABLE
Riciclabile

VERSATILE
Versatile

SAFE
Sicuro

LONG LASTING
Dura a lungo

FIREPROOF
Non brucia

RESISTANT
Resistente

ZERO PVC
Zero PVC

HYGIENIC
Igienico

EASY TO CLEAN AND DISINFECT
Facile da pulire e sanificare

ECO-FRIENDLY
Ama l'ambiente

DISCOVER MORE

INDEX

A COMPLETE PRODUCT SYSTEM

SURFACE INDEX

IMAGE GALLERY

PRODUCT RANGE

SLABS FOR COUNTERTOPS & FURNITURE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS



Ceramiche Atlas Concorde S.p.A.
Via Canaletto 141
41042 Spezzano di Fiorano (MO) – Italia

Copyright 2023 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) – Italia)
January 2025