

BOOSTWORLD

Interactive version



January 2024



Boost
your style

BOOST
COLOR

BOOST
BALANCE

BOOST
MINERAL

BOOST
MIX

BOOST
STONE

BOOST
NATURAL

BOOST
PRO

BOOST

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.


Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.

Boost World est un outil pour la conception qui conjugue, dans une même perspective, différentes surfaces céramiques liées par une même affinité de style et de tonalités, en offrant des solutions coordonnées pour toutes les destinations d'usage.

Boost World ist ein Planungsinstrument, das Keramikbeläge mit unterschiedlichen Looks, die jedoch farbliche und stilistische Affinitäten aufweisen, in einer einheitlichen Perspektive verbindet und für jede Zweckbestimmung aufeinander abgestimmte Lösungen ermöglicht.

Boost World es una herramienta de diseño que combina superficies cerámicas que difieren en inspiración pero que son similares en estilo y tono en una sola perspectiva, permitiendo soluciones coordinadas en cada uso previsto.

Проект Boost World – это мощный дизайнерский инструмент, который вобрал в себя несколько коллекций, различных по рисунку поверхности, но сходных по стилю, цвету и области применения.





OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

Index

↪ Overview

↪ Image Gallery

↪ BOOST

↪ BOOST PRO

↪ BOOST STONE

↪ BOOST MIX

↪ BOOST MINERAL

↪ BOOST NATURAL

↪ BOOST BALANCE

↪ Product Finder

↪ PORCELAIN TILES SURFACE RANGE

↪ WALL TILES SURFACE RANGE

↪ DECORS RANGE

↪ Range Summary & Technical Specifications

ENJOY THE VIDEO
EN | IT | FR | DE | RU



[OVERVIEW >](#)[IMAGE GALLERY >](#)[PRODUCT FINDER >](#)[RANGE SUMMARY >](#)[TECHNICAL SPECIFICATIONS >](#)[ENJOY THE VIDEO
EN | IT | FR | DE | RU >](#)

System of surfaces



Concrete-, stone-, and raw earth-effect surfaces can be blended easily. Thanks to the similarities in their colors and textures, it is possible to create complementary designs.

Superfici effetto cemento, pietra e terra cruda si combinano in modo spontaneo e naturale. Grazie alla loro affinità di colori e texture consentono di realizzare ambienti coordinati, in grado di parlare lo stesso linguaggio.

Les surfaces imitation béton, pierre et terre crue se combinent entre elles de manière spontanée et naturelle. L'affinité de leurs couleurs et de leurs textures permet de réaliser des espaces coordonnés, en mesure de parler un même langage.

Beläge in der Optik von Zement, Stein und roher Erde bilden spontan und natürlich neue Kompositionen. Dank ihrer farblichen und strukturellen Affinität lassen sie perfekt aufeinander abgestimmte Bereiche entstehen, die eine gemeinsame Sprache sprechen.

Superficies efecto hormigón, piedra y tierra cruda se combinan de forma espontánea y natural. Gracias a su afinidad de colores y texturas, permiten crear ambientes coordinados que hablan el mismo idioma.

Плитки под цемент, камень и сырую глину естественно сочетаются между собой. У них схожие цвета и фактуры, поэтому в украшенных ими интерьерах все говорит на одном языке.

A world of design

The Boost World project shares a natural elegance with neutral tones and contemporary styles that maintains uniqueness. Concrete-, stone-, and raw earth-effect surfaces will blend seamlessly in the same spaces with tone-on-tone combinations and dramatic contrasts.

Pur mantenendo un'identità specifica, le collezioni di Boost World condividono un'eleganza naturale, tonalità neutre e uno stile essenziale e contemporaneo. Le superfici effetto cemento, pietra e terra cruda possono così coesistere negli stessi ambienti con accostamenti tono su tono e contrasti netti.

Tout en conservant leur identité spécifique, les collections de Boost World partagent une élégance naturelle, des tons neutres et un style minimaliste et contemporain. Les carreaux effet béton, pierre et terre crue peuvent ainsi être posés dans un même espace avec des associations ton sur ton ou en net contraste.

Obwohl jede von ihnen ihre spezifische Identität bewahrt, teilen die Boost World-Kollektionen eine natürliche Eleganz, neutrale Farbtöne und einen schlichten, zeitgemäßen Stil. Die Beläge in der Optik von Zement, Naturstein und roher Erde können Ton in Ton oder mit klaren Kontrasten im selben Raum kombiniert werden.

Aún manteniendo una identidad específica, las colecciones de Boost World comparten una elegancia natural, tonos neutros y un estilo esencial y contemporáneo. Así, las superficies efecto hormigón, piedra y tierra cruda pueden convivir en los mismos ambientes con combinaciones tono sobre tono y fuertes contrastes.

У каждой из коллекций Boost World свой неповторимый характер, но при этом все их объединяет натуральная элегантность, нейтральная палитра цветов и лаконичный современный стиль. В одном и том же интерьере из плиток под цемент, камень и сырую глину можно создавать однотонные композиции или эффектные контрасты.



OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >


TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

BOOST
MINERAL


Color & Surface Range

BOOST
BALANCE

BOOST
STONE

BOOST

BOOST
NATURAL


OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >


RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU




Maximum design freedom



Countertops




Furniture



Floor & Wall



Facades




162x324 cm



160x320 cm



120x278 cm



160x160 cm



120x240 cm



75x150 cm




120x120 cm



60x120 cm



75x75 cm




37.5x75 cm




60x60 cm



30x60 cm



Wall




50x120 cm



40x80 cm



Outdoor




120x240 cm




120x120 cm



60x120 cm



90x90 cm



60x60 cm



30x60 cm

atlasPLAN

atlas concorde



OVERVIEW



IMAGE GALLERY



PRODUCT FINDER



RANGE SUMMARY



TECHNICAL SPECIFICATIONS

ENJOY THE VIDEO
EN | IT | FR | DE | RU



OVERVIEW >

IMAGE GALLERY >


PRODUCT FINDER >

RANGE SUMMARY >


TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

**INDEX****OVERVIEW** >**IMAGE GALLERY** >**PRODUCT FINDER** >**RANGE SUMMARY** >**TECHNICAL SPECIFICATIONS** >**ENJOY THE VIDEO**
EN | IT | FR | DE | RU



A complete product system



 **atlas concorde**


A system of indoor and outdoor surfaces: floors, walls, and decors.

 **atlasPLAN**

Large slabs for kitchen countertops, tables, and furnishings.

 **atlas concorde habitat**

Furnishing in combination with Atlas Concorde surfaces.



INDEX

OVERVIEW 

IMAGE GALLERY 

PRODUCT FINDER 

RANGE SUMMARY 

TECHNICAL SPECIFICATIONS 

ENJOY THE VIDEO
EN|IT|FR|DE|RU 

Image Gallery

OVERVIEW >

< BOOST



< BOOST PRO



< BOOST STONE



< BOOST MIX



IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

< BOOST MINERAL



< BOOST NATURAL



< BOOST BALANCE



PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Urban concrete look

BOOST



The Boost collection has a refined metropolitan look with surfaces featuring the customary shading of troweled concrete in varied gray tones. The wall tile palette is enriched by two color accents that bring a bathroom to life.

Boost è la collezione che apre le porte al progetto Boost World. Con un raffinato look metropolitano, queste superfici declinano le sfumature tipiche del cemento spatalato attraverso una scala di toni di grigio. La proposta cromatica dei rivestimenti è arricchita da due accenti di colore che ravvivano gli ambienti bagno.

Boost est la collection qui ouvre les portes au projet Boost World. Le look urbain raffiné de ces surfaces est décliné dans les nuances typiques du béton brossé à travers une échelle de tons gris. La proposition chromatique des carreaux est enrichie par deux accents de couleur pour raviver la salle de bains.

Boost war die erste Kollektion des Projekts Boost World. Mit einem ausgesuchten Großstadtlook deklinieren ihre Oberflächen die typischen Nuancen gespachtelten Zements in einer Skala aus Grautönen. Die Farbpalette der Wandbeläge wird durch zwei Farbakzente ergänzt, die das Bad lebhafter machen.

Boost es la colección que abre las puertas al proyecto Boost World. Con un refinado look metropolitano, estas superficies reflejan los matices típicos del hormigón espatulado mediante una escala de tonos grises. La combinación de colores de los azulejos de la pared se enriquece con dos acentos de color que alegran el baño.

Boost, первая коллекция проекта Boost World, обладает эффектным урбанистическим дизайном. Палитра охватывает разные оттенки серого цвета, характерные для разглаженного шпателем бетона. Для настенных плиток доступны также два более ярких тона, позволяющих оживить интерьеры ванных акцентными контрастами.

OVERVIEW

>

IMAGE GALLERY

>

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER

>

RANGE SUMMARY

>

TECHNICAL SPECIFICATIONS

>

ENJOY THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Pearl
 Matte Sensitech
 75x150 cm | 29 $\frac{1}{2}$ "x59"

WALL
Boost White
 Matte Sensitech
 75x150 cm | 29 $\frac{1}{2}$ "x59"

Boost
Pearl
Mosaico Shapes Matte
 31x33,5 cm | 12 $\frac{1}{4}$ "x13 $\frac{1}{4}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



FLOOR

Boost
White
Outdoor Sensitech \pm 20 mm
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

Boost
White
Grip Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Boost
White
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





^
FLOOR - WALL
Boost
White
Matte
120x278 cm | 47¹/₄"x109¹/₂"

>
COUNTERTOP
Atlas Plan
Boost White
Hammered
162x324 cm | 63³/₄"x127¹/₂"
FLOOR - COUNTERTOP
Boost
Grey
Matte
162x324 cm | 63³/₄"x127¹/₂"



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE


PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





^
FLOOR
Boost
Tarmac
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

WALL
Boost
Grey
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

Boost
Tarmac
Mosaico Hex Black Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

<
FLOOR
Boost
Smoke
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost
Smoke
Mosaico Hex Yellow Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

Boost
Smoke
Mosaico Hex Black Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost
Pearl
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

WALL
Boost
Sage
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

Boost
White
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

Boost
3D Urban White
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

FURNITURE
Marvel
Statuario Select
Polished
75x150 cm | 29 $\frac{1}{2}$ "x59"



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost
Grey
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

WALL
Boost
Red
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

Boost
Grey
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



Warm concrete look

**BOOST
PRO**



Boost Pro enriches the concrete look with fresh warm shades, making the metropolitan style even more inviting. The assortment of wall tiles has expanded to include two powdery shades ideal for relaxing and comfortable spaces.


Boost Pro arricchisce l'effetto cemento di nuove tonalità calde, che esaltano l'accoglienza dello stile metropolitano. Alla proposta da rivestimento per gli ambienti dedicati alla cura del corpo, si aggiungono due tinte polverose, perfette per ambienti confortevoli.

Boost Pro enrichit l'effet béton avec de nouvelles tonalités chaudes qui exaltent la chaleur du style urbain. À la proposition des carreaux pour les espaces dédiés au soin du corps, il faut ajouter deux teintes poudreuses, parfaites pour des espaces confortables.

Boost Pro bereichert die Zementoptik um neue, warme Farben, die den Urban Style behaglicher machen. Das Sortiment der Wandbeläge für das Bad wurde um zwei staubige Farben bereichert, die für besonderen Raumkomfort sorgen.

Boost Pro enriquece el efecto hormigón con nuevas tonalidades cálidas que destacan el acogedor estilo metropolitano. A la propuesta de revestimiento para ambientes dedicados al cuidado del cuerpo, se añaden dos colores polvorientos, perfectos para ambientes confortables.

Boost Pro пополняет гамму плитки под бетон новыми теплыми цветами, вдыхающими в пространства урбанистический уют. В палитру настенных плиток для ванных входят также два припыленных оттенка, способных усилить ощущение комфорта.





^
FLOOR
Boost Pro
Clay
Matte Sensitech
75x150 cm | 29 1/2"x59"

WALL
Boost Pro
Ivory
Matte Sensitech
75x150 cm | 29 1/2"x59"

>
FLOOR
Boost Pro
Cream
Matte Sensitech
75x150 cm | 29 1/2"x59"

WALL
Boost Pro
Taupe
Matte Sensitech
75x150 cm | 29 1/2"x59"

Boost Pro
Taupe
Mosaico Hex Coffee Matte
25x28,5 cm | 9 7/8"x11 1/4"



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

FLOOR
Boost Pro Cream
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

WALL
Boost Pro Taupe
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59"

Boost Pro Cream
Mosaico Hex Blue Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

Boost Pro Taupe
Mosaico Hex Coffee Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





<

FLOOR
Boost Pro
Clay
Matte
160x160 cm | 63"x63"

^

WALL
Atlas Plan
Boost Pro Taupe
Hammered
160x320 cm | 63"x126"

^

FURNITURE
Boost
White
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

^

FLOOR
Boost Pro
Tobacco
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

FURNITURE
Boost
Smoke
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Pro Clay
Outdoor Sensitech ± 20 mm
120x120 cm | 47 $\frac{1}{4}$ x47 $\frac{1}{4}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Pro
Clay
Matte Sensitech
75x150 cm | 29½" x 59"

WALL
Heartwood
Brandy
Matte Sensitech
18,5x150 cm | 7¼" x 59"

WALL
Boost Pro
Powder Blue
Matte
40x80 cm | 15³/₄" x 31½"

WALL
Boost Pro
Powder Blue
Minibrick Pro Ocean Matte
29,7x33,3 cm | 11⁵/₈" x 13¹/₄"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



FLOOR
Boost Pro
Ivory
Matte Sensitech
75x150 cm | 29 $\frac{1}{2}$ "x59 $\frac{1}{2}$ "

WALL
Boost Pro
3D Urban Ivory
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

Boost Pro
Clay
Matte
40x80 cm | 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "

PORCELAIN TILE DECOR
Heartwood
Brandy Tatami
18,5x75 cm | 7 $\frac{1}{4}$ "x29 $\frac{1}{2}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





Essential stone look

**BOOST
STONE**



Boost Stone reinterprets the limestone of the Pyrenees in idealistic colors for a concrete look. Discreet surfaces for a stone effect with a measured but strong personality is reproduced with absolute realism.

Boost Stone reinterpreta la pietra calcarea dei Pirenei, nel ventaglio cromatico del mondo cemento. Superfici dall'aspetto discreto per un effetto pietra dalla misurata ma forte personalità riprodotta con assoluto realismo.

Boost Stone réinterprète la pierre calcaire des Pyrénées dans l'éventail chromatique du monde du béton. Des surfaces à l'aspect discret pour un effet pierre qui a une personnalité à la fois forte et mesurée, reproduite avec un réalisme absolu.

Boost Stone interpretiert den Pyrenäen-Kalkstein neu in der Farbpalette der Zementoptik. Unaufdringliche Oberflächen in einer verhaltenen, aber zugleich auch charaktervollen und absolut realitätsgetreu nachempfundenen Steinoptik.

Boost Stone reinterpreta la piedra caliza de los Pirineos en la gama cromática del mundo del concreto. Superficies de aspecto discreto para un efecto piedra con una personalidad comedida pero fuerte, reproducida con absoluto realismo.

Boost Stone переосмысливает известняк Пиренеев в цветовой палитре бетона. Реалистично воссозданная фактура камня сдержанна, но при этом обладает сильным характером.

OVERVIEW

>

IMAGE
GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT
FINDER

RANGE
SUMMARY

TECHNICAL
SPECIFICATIONS

ENJOY
THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Stone
Grey
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

OUTDOOR CLADDING
Boost Stone
Grey
Matte
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Boost Stone
Stone Grey
Mosaico Brick Matte
30x60 cm | 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Stone Cream
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

EXTERNAL FACADE
Boost Stone Ivory
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Stone
Ivory
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Stone
Ivory
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Natural
Coral
Matte
120x278 cm | 47¹/₄"x109¹/₂"

ENJOY
THE VIDEO
EN | IT | FR | DE | RU



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Stone
Tarmac
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Stone
Smoke
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Stone
White
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Stone
White
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

SHOWER
Boost Stone
Mosaico Cube Cold
Matte
30x30 cm | 11³/₄"x11³/₄"

ENJOY
THE VIDEO
EN|IT|FR|DE|RU

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Stone
Ivory
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Exence
Amber
Matte Sensitech
18,5x150 cm | 7 $\frac{1}{4}$ "x59"

WALL
Boost Stone
Ivory
Matte Sensitech
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

Boost Stone
Ivory
Matte Sensitech
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

Boost Pro
Clay
Matte
25x28,5 cm | 9 $\frac{7}{8}$ "x11 $\frac{1}{4}$ "

Boost Pro
Clay
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SINK & SHELF
Sit-on basin
Atlas Concorde Habitat
Boost Stone Ivory
Matte
65x50x15 cm | 25 $\frac{5}{8}$ "x19 $\frac{5}{8}$ "x5 $\frac{7}{8}$ "

Top
Atlas Concorde Habitat
Boost Stone Clay
Matte
150x50x15 cm | 59"x19 $\frac{5}{8}$ "x5 $\frac{7}{8}$ "

Shelf
Atlas Concorde Habitat
Boost Pro Clay
Matte/Matt
150x50x15 cm | 59"x19 $\frac{5}{8}$ "x5 $\frac{7}{8}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





Original stone look

BOOST MIX



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

Boost Mix replicates the unmistakable texture of Ceppo di Gré, a sedimentary stone with a distinct pebbled appearance reminiscent of 20th-century Milan. The collection's three neutral shades work best when combined with the concrete-effect colors of Boost and Boost Pro.

Boost Mix riproduce l'inconfondibile texture del Ceppo di Gré, pietra sedimentaria dal caratteristico aspetto a ciottoli e simbolo della Milano del '900. Le tre tonalità neutre della collezione si esprimono al meglio in abbinamento alle colorazioni effetto cemento di Boost e Boost Pro.

Boost Mix reproduit la texture unique du Ceppo di Gré, pierre sédimentaire au typique aspect congloméré et symbole du Milan du XXe siècle. Les trois tons neutres de la collection s'expriment au mieux en association avec les coloris effet béton de Boost et de Boost Pro.

Boost Mix reproduziert die unverwechselbare Textur des Ceppo di Gré, eines Sedimentgesteins mit charakteristischer Kieselsteinoptik und Symbol für das Mailand des 20. Jahrhunderts. Die drei neutralen Farbtöne der kommen am besten im Mix mit den Zementfarben von Boost und Boost Pro zur Geltung.

Boost Mix reproduce la inconfundible textura del Ceppo di Gré, una piedra sedimentaria con un característico aspecto guijarroso y símbolo del Milán del siglo XX. Los tres tonos neutros de la colección se expresan mejor en los colores de efecto hormigón de Boost y Boost Pro.

Boost Mix имитирует характерный галечный рисунок камня Серро ди Грэ – одного из символов миланской архитектуры XX века. Три нейтральных тона коллекции великолепно смотрятся в сочетании с цветами «бетонных» плиток Boost и Boost Pro.

ENJOY THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Mix Pearl
Outdoor Sensitech \times 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Mix
Pearl
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mix
Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



ENJOY
THE VIDEO
EN|IT|FR|DE|RU



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

FLOOR
Boost Mix Pearl
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Mix
Pearl
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Entice
Copper Oak Natural
Grip
20x120 cm | 7 $\frac{7}{8}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mix
Pearl
Grip
20x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SINK
Mastertop
Atlas Concorde Habitat
Boost Mix Pearl
Matte
180x50x12 cm | 70 $\frac{7}{8}$ "x19 $\frac{5}{8}$ "x4 $\frac{3}{4}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Mix
Smoke
Matte Sensitec
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mix
Smoke
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "
Boost
White
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR	WALL	Boost Natural	Boost Natural
Boost Mix	Boost Mix	Cobalt	Ecrù
Ivory	Ivory	Matte	Matte
Matte Sensitech	Matte	120x278 cm 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "	120x278 cm 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "
120x120 cm 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "	120x278 cm 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "	120x278 cm 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "	120x278 cm 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



FACADE
Boost Mix
Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Mix
Smoke
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

FLOOR
Boost Mix
Pearl
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



Elegant stone look

BOOST
MINERAL

An authentic and modern stone effect combining indoor and outdoor. Boost Mineral crystallises the naturalness of Belgian Ardennes stone on the ceramic surface.


Un effetto pietra autentico e moderno in dialogo tra interno ed esterno. Boost Mineral cristallizza la naturalezza della pietra delle Ardenne sulla superficie ceramica.

Effet pierre authentique et moderne, liaison entre intérieur et extérieur. Boost Mineral cristallise l'aspect naturel de la pierre des Ardennes sur la surface céramique.

Eine authentische und moderne Steinoptik im Dialog zwischen Innen- und Außenbereich. Boost Mineral kristallisiert die Natürlichkeit des Ardennen Steins auf der Keramikoberfläche.

Un efecto piedra auténtico y moderno que establece un diálogo entre interior y exterior. Boost Mineral cristaliza la naturalidad de la piedra de las Ardenas sobre la superficie cerámica.

Аутентичный и современный эффект камня на стыке помещений и улицы. Boost Mineral кристаллизует натуральность арденнского камня на керамической поверхности.





FLOOR
Boost Mineral
White Elegant
Matte Sensitech
120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

WALL
Boost Mineral
White Elegant
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Pro
Clay
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

ENJOY
THE VIDEO
EN|IT|FR|DE|RU

INDEX

OVERVIEW >

IMAGE GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR

Boost Mineral
White Elegant
Matte Sensitech
120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

Boost Mineral

White Elegant

Outdoor Sensitech \pm 20 mm
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

WALL

Boost Mineral
White Elegant
Outdoor Sensitech \pm 20 mm
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost

Pro Clay

Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



OVERVIEW



IMAGE GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER



RANGE SUMMARY



TECHNICAL SPECIFICATIONS



ENJOY THE VIDEO
EN | IT | FR | DE | RU





<
FLOOR
 Boost Mineral
 White
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

Boost Mineral
White
 Outdoor Sensitech \pm 20 mm
 120x120 cm | 47¹/₄"x47¹/₄"

[^]
WALL
 Boost Mineral
 White
 Brick
 Outdoor Sensitech \pm 20 mm
 30x60 cm | 11³/₄"x23⁵/₈"

ENJOY
 THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)

INDEX

OVERVIEW >


IMAGE GALLERY >

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Mineral
White
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral
White
Brick
30x60 cm | 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "

ENJOY
THE VIDEO
EN|IT|FR|DE|RU

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Mineral
Pearl
Outdoor Sensitech \pm 20 mm
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral
Pearl Elegant
Matte Sensitech
120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

ENJOY
THE VIDEO
EN|IT|FR|DE|RU


IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Mineral
Pearl
 Matte Sensitech
 120x240 cm | 47¹/₄"x94¹/₂"

Boost Mineral
Pearl
 Outdoor Sensitech \times 20 mm
 60x120 cm | 23⁵/₈"x47¹/₄"

WALL
Boost Mineral
Pearl Elegant
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

Boost
White
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
 Hammered
 162x324 cm | 63³/₄"x127¹/₂"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)



FLOOR

Boost Mineral
Pearl Elegant
Matte Sensitech $\frac{1}{2}$ 20 mm
120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

WALL

Boost Mineral
Pearl Elegant
Outdoor Sensitech $\frac{1}{2}$ 20 mm
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

COUNTERTOP

Boost
White
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Mineral
Pearl
Matte Sensitech
75x150 cm | 29½" x 59"

WALL
Exence
Pearl
Almond
Tatami
18,5x75 cm | 7¼" x 29½"

WALL
Boost Mineral
Pearl
Atlas Concorde Habitat
Boost Mineral Pearl Elegant
Matte
Matte Sensitech
75x150 cm | 29½" x 59"



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN | IT | FR | DE | RU



FLOOR

Boost Mineral Grey
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Boost Mineral Grey
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral Grey
Matte Sensitech
60x120 cm | 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "

Boost Tarmac
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Mineral Grey
Brick
30x60 cm | 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Mineral
Grey
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral
Grey
Brick
30x60 cm | 11 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "

INDEX

OVERVIEW IMAGE GALLERY 

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER RANGE SUMMARY TECHNICAL SPECIFICATIONS 

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Mineral
Grey
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral
Grey
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost
Tarmac
Matte
120x278 cm | 47¹/₄"x94¹/₂"

INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU

[INDEX](#)[OVERVIEW](#)[IMAGE GALLERY](#)

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

[PRODUCT FINDER](#)[RANGE SUMMARY](#)[TECHNICAL SPECIFICATIONS](#)

ENJOY
THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)





FLOOR	WALL	SINK & SHELF
Boost Mineral Smoke Matte Sensitech 120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	Entice Copper Oak Natural Matte Sensitech 18,5x150 cm 7 ¹ / ₄ "x59"	Twin wall-mounted sink Atlas Concorde Habitat Boost Tarmac Matte 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "
		Shelf Boost Tarmac Matte 210x35x5 cm 82 ⁵ / ₈ "x19 ⁵ / ₈ "x5 ⁷ / ₈ "

OVERVIEW

>

IMAGE GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER

>

RANGE SUMMARY

>

TECHNICAL SPECIFICATIONS

>

ENJOY THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Mineral
Smoke
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral
Smoke Elegant
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Entice
Copper Oak Natural
Matte Sensitech
18,5x150 cm | 7 $\frac{1}{4}$ "x59"


[INDEX](#)[OVERVIEW >](#)**IMAGE GALLERY >**

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

[PRODUCT FINDER >](#)[RANGE SUMMARY >](#)[TECHNICAL SPECIFICATIONS >](#)

ENJOY THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)





FLOOR
Boost Mineral
Tarmac
 Outdoor Sensitech \pm 20 mm
 120x120 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

COUNTERTOP
Atlas Plan
Boost Mineral Grey
 Hammered
 162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

Boost Mineral
Tarmac Elegant
 Matte Sensitech
 120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "


FURNITURE
Atlas Plan
Boost Mineral Grey
 Hammered
 162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

WALL
Boost Mineral
Tarmac Elegant
 Matte
 120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDEX

OVERVIEW >
IMAGE GALLERY
>

 BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE
PRODUCT FINDER >RANGE SUMMARY >TECHNICAL SPECIFICATIONS >
 ENJOY THE VIDEO
 EN|IT|FR|DE|RU



Natural concrete look

BOOST
NATURAL

The Boost Natural collection, created in collaboration with Matteo Brioni, features the notable texture of solid earth in a palette of natural shades. The three-dimensional tiles on the wall mimic the marks typical of manual workmanship.

Boost Natural è la collezione nata dalla collaborazione con Matteo Brioni, che ripropone la texture irregolare della terra cruda con una paletta di tonalità naturali. A parete, i rivestimenti tridimensionali replicano nel dettaglio i segni tipici della lavorazione manuale della materia di riferimento.

Boost Natural est la collection née de la collaboration avec Matteo Brioni, qui propose la texture irrégulière de la terre crue dans une palette de couleurs naturelles. Au mur, les carreaux tridimensionnels reproduisent le détail des signes typiques du façonnage manuel de la matière de référence.

Boost Natural ist eine in Zusammenarbeit mit Matteo Brioni entwickelte Kollektion mit der unregelmäßigen Textur der rohen Erde und einer Farbpalette aus natürlichen Nuancen. Die dreidimensionalen Wandbeläge geben die typischen Spuren der manuellen Bearbeitung des als Vorbild dienenden Materials detailgetreu wieder.



OVERVIEW

>

IMAGE GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER

>

RANGE SUMMARY

>

TECHNICAL SPECIFICATIONS

>

ENJOY THE VIDEO
EN | IT | FR | DE | RU





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

FLOOR
Boost Natural Ash
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Natural Ash
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Natural Ecru
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Natural Ash
Mosaico Rhombus Matte
36,7x33,8 cm | 14 $\frac{1}{2}$ "x13 $\frac{1}{4}$ "

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Natural
Ecrù
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Natural

Ash

Matte

Boost Natural
3D Wave Ash
Matte
50x120 cm | 19 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



FLOOR
Boost Natural
Ecru
Matte Sensitech
120x120 cm | 47¹/₈"x47¹/₄"

WALL
Boost Natural
Ecru
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Boost Natural
3D Texture Ecru
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Natural
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Natural
Ash
Mosaico Piano Mix Matte
50x40,5 cm | 19⁵/₈"x16"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Natural
Ash
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Natural
Kaolin
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Natural
Ash
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

ENJOY
THE VIDEO
EN|IT|FR|DE|RU

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



^
 FLOOR
 Boost Natural
 Coral
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
 Boost Natural
 Coral
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

Boost Stone
 Ivory
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

>
 FLOOR
 Boost Natural
 Cobalt
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

Boost Natural
 Coal
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
 Boost Natural
 Ash
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"





FLOOR
Boost Natural
Ecru
Outdoor Sensitech \pm 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Natural
Umber
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





Endless concrete look

BOOST BALANCE



A simple concrete look for a style with sophisticated simplicity. The ten neutral shades range from ice to black. The three whites are designed to act as a foundation for any type of project. Grays and blacks complete the range and ensure maximum stylistic freedom.

Un effetto cemento essenziale, per uno stile dalla sofisticata semplicità. Le 10 tonalità neutre spaziano dal ghiaccio fino al nero. I 3 bianchi sono studiati come base per ogni tipologia di progetto. I grigi e neri completano la gamma e assicurano la massima libertà stilistica.

Un effet concret essentiel pour un style d'une simplicité sophistiquée. Les 10 tons neutres vont de la couleur lace au noir. Les 3 blancs sont conçus pour servir de base à tout type de design. Les gris et les noirs complètent la gamme et garantissent une liberté de style maximale.

Schlichte Betonoptik für einen ausgesucht einfachen Stil. 10 neutrale Farbtöne von Eis bis Schwarz. Die 3 Weißtöne sind die perfekte Basis für jede Art von Projekt. Grau- und Schwarztöne komplettieren die Palette und bieten maximale stilistische Freiheit.

Un efecto cemento esencial para un estilo de sencillez sofisticada. Los 10 tonos neutros van del hielo al negro. Los 3 blancos están pensados como base para todo tipo de diseños. Los grises y los negros completan la gama y garantizan la máxima libertad estilística.

Его неброский рисунок бетона – для изысканно простого стиля. 10 нейтральных оттенков варьируются от ледяного до черного. Три белых тона образуют прекрасный базовый фон для любого проекта. Серые и черные цвета открывают простор для самых разнообразных стилистических решений.

OVERVIEW

>

IMAGE GALLERY

[BOOST](#)
[BOOST PRO](#)
[BOOST STONE](#)
[BOOST MIX](#)
[BOOST MINERAL](#)
[BOOST NATURAL](#)
[BOOST BALANCE](#)

PRODUCT FINDER

>

RANGE SUMMARY

>

TECHNICAL SPECIFICATIONS

>

 ENJOY
 THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)




INDEX

OVERVIEW >

IMAGE GALLERY

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Balance Moon
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Balance Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

COUNTERTOP
Atlas Plan Calacatta Meraviglia
Silk
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Balance
Moon
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

FLOOR - OUTDOOR
Boost Balance
Pearl
Outdoor Sensitech ± 20mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47¹/₄"x109¹/₂"
70x70 cm | 27¹/₂"x27¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Calacatta Meraviglia
Silk
70x70 cm | 27¹/₂"x27¹/₂"

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

FLOOR
Boost Balance Pearl
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Grey
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Grey
Mosaico Strings
Matte Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

DINING TABLE | **Incontro 75**
Atlas Concorde Habitat
Nero Marquina
Polished
100x180 cm | 39³/₈"x70⁷/₈"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Nero Marquina
Polished
70x70 cm | 27¹/₂"x27¹/₂"

FURNITURE
Atlas Plan
Nero Marquina
Polished
162x324 cm | 63³/₄"x127¹/₂"

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU





FLOOR

Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL

Boost Balance
Grey
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Nero Marquina
Polished
ø 45 cm | 17³/₄"

FURNITURE
Boost Balance
Pearl
Matte
120x278 cm | 47¹/₄"x109¹/₂"

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



**INDEX****OVERVIEW** >**IMAGE GALLERY**

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >**RANGE SUMMARY** >**TECHNICAL SPECIFICATIONS** >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



FLOOR
Boost Balance
White
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance
White
 Grip Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Pearl
 Matte
Mosaico Lock Matte Sensitech
 37,4x50,5 cm | 14³/₄"x19⁷/₈"

MASTERTOP
Atlas Concorde Habitat
Boost Balance Pearl
 Matte
 160x50x12 cm | 63"x19⁵/₈"x4³/₄"

SHELF
Atlas Concorde Habitat
Boost Balance Pearl
 Matte
 160x35x5 cm | 63"x13³/₄"x2"

INDEX

OVERVIEW >

IMAGE GALLERY

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
 THE VIDEO
 EN | IT | FR | DE | RU



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

FLOOR
Boost Balance White
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Balance White
Grip Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Pearl
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm | 14³/₈"x19⁷/₈"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Black Lava
Leathered
Ø 45 cm | 17³/₄"

MASTERTOP
Atlas Concorde Habitat
Boost Balance Pearl
Matte
160x50x12 cm | 63⁵/₈"x4³/₄"

SHELF
Atlas Concorde Habitat
Boost Balance Pearl
Matte
160x35x5 cm | 63¹/₈"x13³/₄"x2"

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU





^
 FLOOR
Boost Balance
 White
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

SIDE TABLE | **Contatto**
 Atlas Concorde Habitat
Nero Marquina
 Polished
 ø 70 cm | 27¹/₂"

<
 FLOOR
Boost Balance
 White
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Pearl
Mosaico Lock Matte Sensitech
 37,4x50,5 cm | 14³/₄"x19⁷/₈"

SIDE TABLE | **Contatto**
 Atlas Concorde Habitat
Black Lava
 Leathered
 ø 45 cm | 17³/₄"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
 THE VIDEO
 EN | IT | FR | DE | RU





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

FLOOR
Boost Balance Ash
Velvet
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Ivory
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Boost Balance Ash
Matte
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | Incontro 75
Atlas Concorde Habitat
Precious Brown
Silk
100x240 cm | 39³/₈"x94¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Precious Brown
Silk
Ø 45 cm | 17³/₄"

FURNITURE
Atlas Plan
Precious Brown
Silk
162x324 cm | 63³/₈"x127¹/₂"

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU



FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Ivory
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Precious Brown
Silk
ø 45 cm | 17³/₄"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Precious Brown
Silk
ø 45 cm | 17³/₄"

FURNITURE
Atlas Plan Precious
Brown
Silk
162x324 cm | 63³/₄"x127¹/₂"



OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN | IT | FR | DE | RU





FLOOR - OUTDOOR
Boost Balance
Ash
Outdoor Sensitech \pm 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

COFFEE TABLE | **Incontro 25**
Atlas Concorde Habitat
Calacatta Meraviglia
Silk
90x60 cm | 35 $\frac{3}{8}$ "x23 $\frac{5}{8}$ "

FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Precious Brown
Silk
 \varnothing 70 cm | 27 $\frac{1}{2}$ "

Atlas Plan
Boost Balance
Ash
Matte
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

COUNTERTOP
Atlas Plan
Precious Brown
Silk
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU





^
FLOOR
Boost Balance
Ash
Velvet
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

SIDE TABLE | Contatto
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 $\frac{1}{2}$ "

>
FLOOR
Boost Balance
Ash
Silk
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

SIDE TABLE | Contatto
Atlas Concorde Habitat
Precious Brown
Silk
ø 70 cm | 27 $\frac{1}{2}$ "



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Balance Pearl
Outdoor Sensitech ± 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Boost Balance Pearl
Round Matte Sensitech ± 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

Boost Balance Pearl
Elemento L Outdoor Sensitech ± 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU





FLOOR
Boost Balance
Pearl
Outdoor Sensitech \pm 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Boost Balance
Pearl
Elemento L Outdoor Sensitech \pm 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
THE VIDEO
EN|IT|FR|DE|RU



INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

FLOOR
Boost Balance Pure
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Balance Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Balance Pure
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Balance Smoke
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

FURNITURE
Boost Balance Pure
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

ENJOY THE VIDEO
EN|IT|FR|DE|RU





^
FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Fior di Bosco
Silk
ø 70 cm | 27 $\frac{1}{2}$ "

<
FLOOR
Boost Balance
Pure
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

FURNITURE
Boost Balance
Pure
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

**INDEX****OVERVIEW** >**IMAGE GALLERY**

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER**RANGE SUMMARY****TECHNICAL SPECIFICATIONS** >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



^
 FLOOR
Marvel Meraviglia
Grigio Elegante Hammered
 Matte Sensitech
 60x120 cm | 23⁵/₈"x47¹/₄"

WALL
Boost Balance
Cream
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

SINK
 Twin wall-mounted sink
Atlas Concorde Habitat
Boost Balance Cream
 Matte
 210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF
Atlas Concorde Habitat
Boost Balance Cream
 Matte
 210x35x5 cm | 82⁵/₈"x13³/₄"x2"

<
 FLOOR
Boost Balance
Cream
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance
Cream
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Atlas Plan
Precious Brown
 Silk
 162x324 cm | 63³/₄"x127¹/₂"

SHELF
Atlas Concorde Habitat
Boost Balance Cream
 Matte
 160x35x5 cm | 63"x13³/₄"x2"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU



FLOOR
Boost Balance Cream
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Balance Cream
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Atlas Plan
Precious Brown
 Silk
 162x324 cm | 63³/₄"x127¹/₂"

INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER >

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY
 THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)





INDEX

OVERVIEW >

IMAGE GALLERY >

BOOST
BOOST PRO
BOOST STONE
BOOST MIX
BOOST MINERAL
BOOST NATURAL
BOOST BALANCE

PRODUCT FINDER >

FLOOR
Boost Balance Grey
Matte Sensitech
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Balance Grey
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Boost Balance Tarmac
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

DESK
Atlas Plan
Calacatta Meraviglia
Silk
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

FURNITURE
Atlas Plan
Calacatta Meraviglia
Silk
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

ENJOY THE VIDEO
EN | IT | FR | DE | RU





FLOOR
Boost Balance
 Grey
 Matte Sensitech
 120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Balance
 Tarmac
 Matte
 120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
 Onyx White
 Silk
 Ø 70 cm | 27 $\frac{1}{2}$ "

INDEX

OVERVIEW IMAGE GALLERY 

BOOST
 BOOST PRO
 BOOST STONE
 BOOST MIX
 BOOST MINERAL
 BOOST NATURAL
 BOOST BALANCE

PRODUCT FINDER RANGE SUMMARY TECHNICAL SPECIFICATIONS 

ENJOY
 THE VIDEO
 EN | IT | FR | DE | RU





Product Finder

- ⇨ PORCELAIN TILES SURFACE RANGE
- ⇨ WALL TILES SURFACE RANGE
- ⇨ DECORS RANGE

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY >


TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU








Porcelain Tiles

Boost



Boost Pro



INDEX

OVERVIEW 

IMAGE GALLERY 

PRODUCT FINDER 

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE




RANGE SUMMARY 

TECHNICAL SPECIFICATIONS 

ENJOY THE VIDEO
EN | IT | FR | DE | RU 

Porcelain Tiles

Boost Stone



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE




RANGE SUMMARY

TECHNICAL SPECIFICATIONS


ENJOY THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)

Porcelain Tiles

Boost Mix



Boost Mineral



INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE








RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tiles

Boost Natural



OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE










RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tiles

Boost Balance



Porcelain Tiles

Boost Color



INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE







RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Wall Tiles

Boost



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE






RANGE SUMMARY

TECHNICAL SPECIFICATIONS

ENJOY THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)

Wall Tiles

Boost Pro



OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES

SURFACE RANGE

WALL TILES

SURFACE RANGE

DECORS RANGE







RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU >

Wall Tiles

Boost Natural



OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE



RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
[EN](#) | [IT](#) | [FR](#) | [DE](#) | [RU](#)

Wall Tiles

Boost Natural



OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN|IT|FR|DE|RU



Wall Tiles






Boost Color

[OVERVIEW >](#)[IMAGE GALLERY >](#)[PRODUCT FINDER >](#)

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

[RANGE SUMMARY >](#)[TECHNICAL SPECIFICATIONS >](#)

ENJOY
THE VIDEO
EN | IT | FR | DE | RU



INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >










PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY >



TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tile Decors Boost





Wall Tile Decors Boost



⁽¹⁾ Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicatione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Säure oder alkalische Produkte, Wachs sowie Stahlwolle - bzw. Schuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

Porcelain Tile Decors Boost Pro



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY

TECHNICAL SPECIFICATIONS


ENJOY THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tile Decors Boost Stone

INDEX



**Boost Stone White
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"

4,8x4,8 cm - 1⁷/₈"x1⁷/₈"

**Boost Stone Pearl
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"




**Boost Stone Grey
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Smoke
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Tarmac
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Ivory
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Cream
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Clay
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Taupe
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



**Boost Stone Tobacco
Mosaico Matte**
30x30 cm - 11³/₄"x11³/₄"



OVERVIEW >

IMAGE GALLERY >


PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >

**Boost Stone White
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"

A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"

**Boost Stone Pearl
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Grey
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Smoke
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Tarmac
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Ivory
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Cream
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"




**Boost Stone Clay
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"




**Boost Stone Taupe
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone Tobacco
Mosaico Hex**
25x28,5 cm - 9⁷/₈"x11¹/₄"



**Boost Stone White
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"

A 3,9x60 cm - 1¹/₂"x23⁵/₈"
B 1,7x60 cm - 7⁷/₈"x23⁵/₈"
C 4,6x60 cm - 1³/₄"x23⁵/₈"

**Boost Stone Pearl
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Grey
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Grey
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Smoke
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Tarmac
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Ivory
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Cream
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Clay
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Taupe
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"



**Boost Stone Tobacco
Mosaico Brick**
30x60 cm - 11³/₄"x23⁵/₈"




Boost Stone Mosaico Cube Warm
30x30 cm - 11³/₄"x11³/₄"

A 29,8 cm - 11³/₄"
a 14,6 cm - 5⁷/₈"
b 14,8 cm - 5⁷/₈"
c 20,8 cm - 8¹/₄"
D 29,8 cm - 11³/₄"
d 29,5 cm - 11⁵/₈"



Boost Stone Mosaico Cube Cold
30x30 cm - 11³/₄"x11³/₄"

ENJOY THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tile Decors Boost Natural



Wall Tile Decors Boost Natural



⁽¹⁾ **Tumbled.** Irregularities in the edges are not defects but rather features intrinsic to this type of product. - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Гранитная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

INDEX

OVERVIEW IMAGE GALLERY PRODUCT FINDER 









PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY TECHNICAL SPECIFICATIONS 

ENJOY
THE VIDEO
EN | IT | FR | DE | RU

Porcelain Tile Decors Boost Mineral

INDEX



⁽¹⁾ Engraved mosaic. For best results it is advisable to completely plaster the engravings. Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, cerati e pagliette di metallo o abrasive. - Mosaique gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Gravurteils Mosaik, für ein optimales Resultat sollten die Gravuren vollständig verputzt werden. Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

⁽²⁾ Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, cerati e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

OVERVIEW



IMAGE GALLERY



PRODUCT FINDER



PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY



TECHNICAL SPECIFICATIONS




ENJOY THE VIDEO
EN | IT | FR | DE | RU



Porcelain Tile Decors Boost Mineral


Boost Mineral White

Slice A+B (°)

60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm

Boost Mineral Grey

Slice A+B (°)

60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm



Boost Mineral Smoke

Slice A+B (°)

60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm

Boost Mineral Tarmac

Slice A+B (°)

60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm

A 119.5 cm - 18¹/₄"
 B 59.5 cm - 18¹/₄"
 a 35.3 cm - 7¹/₂"
 b 24.2 cm - 7¹/₂"
 c 14 cm - 5¹/₂"
 d 45.5 cm - 7¹/₂"




IMAGE GALLERY >

PRODUCT FINDER >

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY >

TECHNICAL SPECIFICATIONS >



^(°) We recommend "dry" installation on gravel and/or grass. / Si consiglia posa "a secco" su ghiaia e/o erba. / Pose « à sec » sur gravillons et/ou herbe conseillée. / Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. / Se recomienda colocación «en seco» sobre grava o hierba. / Рекомендуется «сухая» укладка на гравий и/или траву.









ENJOY THE VIDEO
EN | IT | FR | DE | RU



Porcelain Tile Decors Boost Mix



Porcelain Tile Decors Boost Balance



Boost Balance Pure
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Ivory
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Cream
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Ash
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Moon
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance White
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"




Boost Balance Grey
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Smoke
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



Boost Balance Tarmac
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY


TECHNICAL SPECIFICATIONS

ENJOY THE VIDEO
EN | IT | FR | DE | RU



Porcelain Tile Decors Boost Balance

INDEX

60x120 cm - 23⁵/₈"x47¹/₄"

OVERVIEW



IMAGE GALLERY



PRODUCT FINDER



PORCELAIN TILES
SURFACE RANGE
WALL TILES
SURFACE RANGE
DECORS RANGE

RANGE SUMMARY



TECHNICAL SPECIFICATIONS



ENJOY
THE VIDEO
EN | IT | FR | DE | RU




Porcelain and Glazed Tile Decors **Venti Boost**

not rectified

Venti Boost**Warm**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Mix Warm ***

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 1 Warm**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 2 Warm**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 3 Warm**


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Cold**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Mix Cold ***


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 1 Cold**


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 2 Cold**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Carpet 3 Cold**


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Classic mix ▲**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Classic Carpet 1**


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Classic Carpet 2**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Classic Carpet 3**


20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Blue mix ▲**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Blue Carpet 1**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Blue Carpet 2**

20x20 cm - 7 7/8" x 7 7/8"

**Venti Boost****Blue Carpet 3**

20x20 cm - 7 7/8" x 7 7/8"



*Article composed of 16 different graphics, randomly mixed inside the boxes. / Articolo composto da 16 grafiche diverse, mescolate in modo casuale all'interno delle scatole. / Article composé de 16 graphismes différents, mélangés au hasard dans les boîtes.. / Artikel mit 16 verschiedenen Grafiken, in den Schachteln nach dem Zufallsprinzip gemischt. / Artículo compuesto por 16 gráficos diferentes, mezclados en manera casual dentro a las cajas. / Артикул состоит из 16 различных рисунков, случайно перемешанных внутри коробок.

▲Article composed of 20 different graphics, randomly mixed inside the boxes. / Articolo composto da 20 grafiche diverse, mescolate in modo casuale all'interno delle scatole. / Article composé de 20 graphismes différents, mélangés au hasard dans les boîtes.. / Artikel mit 20 verschiedenen Grafiken, in den Schachteln nach dem Zufallsprinzip gemischt. / Artículo compuesto por 16 gráficos diferentes, mezclados en manera casual dentro a las cajas. / Артикул состоит из 16 различных рисунков, случайно перемешанных внутри коробок.

Porcelain Tile Decors **Large Sizes**

Boost Pro Paint ± 6 mm ■
120x278 cm - 47 1/4" x 109 1/2"



Boost Pro Leaves ± 6 mm ●
120x278 cm - 47 1/4" x 109 1/2"



Boost Pro Grove ± 6 mm ■
120x278 cm - 47 1/4" x 109 1/2"



■ The production process does not guarantee the presence of the exact sequence of the graphics inside the packaging. / Il processo produttivo non garantisce la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. / Le processus de fabrication ne garantit pas la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. / Der Produktionsprozess garantiert nicht die exakte Sequenz der Grafiken in der Verpackung. / El proceso de producción no garantiza la presencia de la secuencia exacta de los gráficos dentro del embalaje. / Процесс производства не обеспечивает наличие точно совпадающих рисунков поверхности внутри упаковки.

● The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. / Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasivi. / Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. / Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Säure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. / Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. / Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

● The decoration can only be laid on the wall. / Il decoro si può posare solo a rivestimento. / Décor uniquement mural. / Das Dekor kann nur an der Wand verlegt werden. / La decoración se puede colocar únicamente en paredes. / Декор может быть уложен только на стену.

INDEX

[OVERVIEW](#)
[IMAGE GALLERY](#)
[PRODUCT FINDER](#)

PORCELAIN TILES SURFACE RANGE
WALL TILES SURFACE RANGE
DECORS RANGE

[RANGE SUMMARY](#)
[TECHNICAL SPECIFICATIONS](#)

ENJOY THE VIDEO
EN | IT | FR | DE | RU



Range Summary

- ⇦ A SAFE CHOICE
- ⇦ SENSITECH
- ⇦ BOOST WORLD RANGE SUMMARY

INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >


A SAFE CHOICE
SENSITECH
BOOST WORLD
RANGE SUMMARY

TECHNICAL SPECIFICATIONS >

PORCELAIN TILES
TECHNICAL FEATURES
WALL TILES
TECHNICAL FEATURES
ATLAS PLAN
TECHNICAL FEATURES

ENJOY
THE VIDEO
EN | IT | FR | DE | RU





Porcelain and wall tiles: a safe choice

RECYCLABLE
Riciclabile

VERSATILE
Versatile

SAFE
Sicuro

LONG LASTING
Dura a lungo

HYGIENIC
Igienico
EASY TO CLEAN
AND DISINFECT
Facile da pulire e sanificare

FIREPROOF
Non brucia
RESISTANT
Resistente

ECO-FRIENDLY
Ama l'ambiente
ZERO PVC
Zero PVC

ENJOY
THE VIDEO
EN | IT | FR | DE | RU

INDEX

OVERVIEW >

IMAGE GALLERY >

PRODUCT FINDER >

RANGE SUMMARY >

A SAFE CHOICE
SENSITECH
BOOST WORLD
RANGE SUMMARY

TECHNICAL SPECIFICATIONS >

The evolution of ceramic surfaces

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

Sensitech est la surface hautement technologique conçue par les laboratoires Atlas Concorde pour les espaces intérieurs et extérieurs. Elle associe des performances de résistance au glissement élevées à une plus grande douceur au toucher. Avec Sensitech, la définition de surface évolue et acquiert un aspect rassurant, agréable et pratique, rendant ainsi les espaces architecturaux de plus en plus confortables.

Sensitech ist die High-Tech-Oberfläche für Innen- und Außenbereiche, die von den Laboratorien Atlas Concorde realisiert wurden. Die Oberfläche kombiniert hohe Rutschfestigkeit mit taktiler Weichheit. Mit Sensitech entwickelt sich die Bedeutung der Oberfläche weiter und erhält einen beruhigenden, angenehmen und praktischen Touch, der architektonische Räume komfortabler gestaltet.

Sensitech es la superficie de alto valor tecnológico para ambientes interiores y exteriores creada por los laboratorios de Atlas Concorde. La superficie combina un alto rendimiento de resistencia al deslizamiento con una mayor suavidad al tacto. Con Sensitech, el significado de superficie evoluciona y adquiere un aire tranquilizador, agradable y práctico, haciendo que los espacios arquitectónicos resulten cada vez más cómodos y agradables.


Sensitech – это высокотехнологичная поверхность для помещений и улицы, созданная лабораториями Atlas Concorde. Она сочетает в себе высокие показатели противоскользжения с высокой тактильной мягкостью. Sensitech трансформирует значение поверхностей, делая их успокаивающими, приятными и практичными, благодаря чему архитектурные пространства становятся удобнее.

Sensitech

SAFE. SOFT. SMART.



INDOOR & OUTDOOR CONTINUITY SOFT TO THE TOUCH EXTREMELY SAFE HYGIENIC AND EASY TO CLEAN LONG-LASTING QUALITIES



Traditional anti-slip surface

The innovative Sensitech Surface

The profile of standard anti-slip surfaces has an accentuated alternation of peaks and hollows, which generates friction and increases slip resistance, but also results in very rough surfaces. In Sensitech, special micro-particles fill hollows, leaving the anti-slip performance intact, while the surface is levelled and smoothed. These qualities make cleaning easier because it is less likely to retain dust and dirt.

[discover more](#)



OVERVIEW [>](#)

IMAGE GALLERY [>](#)

PRODUCT FINDER [>](#)

RANGE SUMMARY [>](#)

A SAFE CHOICE
SENSITECH
BOOST WORLD
RANGE SUMMARY

TECHNICAL SPECIFICATIONS [>](#)

ENJOY THE VIDEO
[EN|IT|FR|DE|RU](#)

BOOSTWORLD



Floor & Wall Furniture

160x320* cm - 63"x126"	± 6 mm	Matte		Matte	Matte	Matte			Matte
160x160 cm - 63"x63"	± 6 mm	Matte		Matte	Matte	Matte			Matte
120x278 cm - 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "	± 6 mm	Matte							
120x240 cm - 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "	± 9 mm	Matte Sensitech							
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "	± 6 mm	Matte							
	± 9 mm	Matte Sensitech							
75x150 cm - 29 $\frac{1}{2}$ "x59"	± 9 mm	Matte Sensitech							
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "	± 6 mm	Matte Sensitech	Matte Sensitech			Matte Sensitech	Matte Sensitech		
	± 9 mm	Matte Sensitech							
75x75 cm - 29 $\frac{1}{2}$ "x29 $\frac{1}{2}$ "	± 9 mm	Matte Sensitech							
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "	± 9 mm	Matte Sensitech							
30x60 cm - 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "	± 9 mm	Matte Sensitech							



Outdoor

120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "	± 9 mm								
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "	± 9 mm								
30x60 cm - 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "	± 9 mm								
120x240 cm - 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "	± 20 mm								
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech					
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech					
90x90 cm - 35 $\frac{3}{8}$ "x35 $\frac{3}{8}$ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech					
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech					




Countertops Furniture

162x324* cm - 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "	± 12 mm	Hammered		Hammered	Hammered	Hammered			Hammered
> Non rectified - non rettificato *Atlas Plan	± 20 mm								



Wall

40x80 cm - 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ "	$\pm 8,5$ mm	Matte							
40x80 cm - 15 $\frac{3}{4}$ "x31 $\frac{1}{2}$ " 3D Urban	± 10 mm	Matte	Matte	Matte			Matte		
50x120 cm - 19 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "	$\pm 8,5$ mm								
50x120 cm - 19 $\frac{5}{8}$ "x47 $\frac{1}{4}$ " 3D Brushed	$\pm 8,5$ mm								
50x120 cm - 19 $\frac{5}{8}$ "x47 $\frac{1}{4}$ " 3D Texture	$\pm 8,5$ mm								
50x120 cm - 19 $\frac{5}{8}$ "x47 $\frac{1}{4}$ " 3D Wave	$\pm 8,5$ mm								



Range Summary

INDEX

OVERVIEW



Matte									
Matte									
Matte	Matte		Matte		Matte		Matte		Matte
Matte Sensitech	Matte Sensitech								
Matte	Matte								
Matte Sensitech	Matte Sensitech								
Matte	Matte								
Matte Sensitech	Matte Sensitech								
Matte	Matte								
Matte Sensitech	Matte Sensitech								

Grip Sensitech									
		Grip Sensitech							
Outdoor Sensitech									
Outdoor Sensitech	Outdoor Sensitech								
Outdoor Sensitech	Outdoor Sensitech								
Outdoor Sensitech	Outdoor Sensitech								
Outdoor Sensitech	Outdoor Sensitech								
Outdoor Sensitech	Outdoor Sensitech								

Sensitech
SAFE. SOFT. SMART.

page 223

ENJOY
THE VIDEO
EN | IT | FR | DE | RU



BOOSTWORLD

Range Summary

INDEX



Floor & Wall



Furniture

160x320* cm - 63"x126"

± 6 mm

160x160 cm - 63"x63"

± 6 mm

120x278 cm - 47½"x109½"

± 6 mm

120x240 cm - 47¼"x94¼"

± 9 mm

120x120 cm - 47¼"x47¼"

± 6 mm

75x150 cm - 29½"x59"

± 9 mm

60x120 cm - 23½"x47¼"

± 6 mm

75x75 cm - 29½"x29½"

± 9 mm

60x60 cm - 23½"x23½"

± 9 mm

30x60 cm - 11¾"x23½"

± 9 mm

120x120 cm - 47¼"x47¼"

± 9 mm

60x120 cm - 23½"x47¼"

± 9 mm

60x60 cm - 23½"x23½"

± 9 mm

30x60 cm - 11¾"x23½"

± 9 mm

120x240 cm - 47¼"x94¼"

± 20 mm

120x120 cm - 47¼"x47¼"

± 20 mm

60x120 cm - 23½"x47¼"

± 20 mm

60x90 cm - 23½"x35½"

± 20 mm

60x60 cm - 23½"x23½"

± 20 mm

162x324* cm - 63¾"x127½"

± 12 mm

> Non rectified - non rettificato

*Atlas Plan

Hammered

Grip Sensitech	Grip Sensitech							Grip Sensitech					
								Grip Sensitech					
Grip Sensitech						Outdoor Sensitech*							
								Outdoor Sensitech					
								Outdoor Sensitech					
								Outdoor Sensitech					
								Outdoor Sensitech					
								Outdoor Sensitech					



Countertops



Furniture

162x324* cm - 63¾"x127½"

± 12 mm

Hammered

* Elegant surface

Sensitech
SAFE. SOFT. SMART.

page 223

ENJOY
THE VIDEO
EN | IT | FR | DE | RU

BOOSTWORLD



Floor & Wall



Furniture

160x320* cm - 63"x126"

± 6 mm

160x160 cm - 63"x63"

± 6 mm

120x278 cm - 47½"x109½"

± 6 mm

120x240 cm - 47½"x94½"

± 9 mm

120x120 cm - 47½"x47½"

± 6 mm

75x150 cm - 29½"x59"

± 9 mm

Technical features Porcelain Tiles

			(mm)	(%)	(mm)	Dimension ± 9 mm	Dimension ± 6 mm	Dimension ± 6 mm	Dimension ± 9 mm	Dimension ± 2 mm
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 1,5 (****) Non-rect. ± 0,8 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.		c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.					
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.		e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
Structural characteristics		Surface flatness Planarità		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E, ≤ 0,5% Individual max 0,6% E, ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²			
		Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
Thermal and hygrometric characteristics		Coefficient of thermal linear expansion Coeficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹	≤ 7 MK⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	Class A1 or A1 _{fl} Classe A1 oppure A1 _{fl}			A1 - A1 _{fl}			
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R10	R9	R10	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			B	A	B	C
			BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≥ 36 Wet	(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
		Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			Class P3	(●●)	Class P3	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			Class C2	(●●●)	Class C2	Class C3
		Coefficient of friction (COF) Coeficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ>0,40 per elemento scivolante cuoio su pavimentazione asciutta μ>0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coeficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55

(*) The permissible deviation in % or mm of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammessa in % oppure mm della dimensione media di ogni piastrella (2 o 4 lati).

(*) The permissible deviation, in % or mm, of the average size for each tile from work size (WS), Deviazione ammessa, in % oppure mm, della dimensione media di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(**) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work size (WS). Deviazione massima ammessa di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

(***) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammessa di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammessa della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

w. the maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazioni massime ammissibili della svolgimento, in % oppure in mm, riferite alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

In the maximum permissible deviation from the page, in μ m/mm, related to diagonal calculated from the width class (W₁), a quadratic measure minimizes both overlengths, in μ appear mm, in supports and diagonals calculated according to dimension of loadlessness (W₁).

Termination of slip resistance of pedestrian surfaces: it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili: non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

ever, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance,

further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design wear, and manufacturers' guidelines and recommendations."

further details, please refer to **outdoor design general catalogue**. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
ly for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

Pos Natural Cobalt "Glazed Porcelain Tiles"

3 (ISO 10545-7) Boost Natural Cobalt

≥ 36 Wet on demand / su richiesta (● ●) P3 on demand / su richiesta (● ● ●) C2 on demand / su richiesta

INDEX

OVERVIEW

IMAGE
GALLERY

PRODUCT
FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

PORCELAIN TILES TECHNICAL FEATURES

WALL TILES TECHNICAL FEATURES

ATLAS PLAN
TECHNICAL FEATURES

For more information about the study, please contact Dr. Michael J. Hwang at (310) 794-3000 or via email at mhwang@ucla.edu.

ENJOY
THE VIDEO
EN | IT | FR | DE | RU

		Requirements for nominal size N Requisiti per dimensione nominale N				BOOST NATURAL				BOOST PRO				BOOST STONE				
		7 cm ≤ N < 15 cm (mm)		N ≥ 15 cm (mm)		Matte Sensitech ± 9 mm (1)	Matte ± 6 mm (1)	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte Sensitech ± 9 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte Sensitech ± 9 mm	Matte ± 6 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	
Regularity characteristics	Length and width Lunghezza e larghezza	ISO 10545-2		± 0.9 (*) Non-rect. ± 0.4 (*) Rect.		± 0.6 (*) Non-rect. ± 0.3 (*) Rect.		± 2.0 (*) Non-rect. ± 1.0 (*) Rect.		Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
	Thickness Spessore	± 0.5 (**)		± 5 (**)		± 0.5 (**)		Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
	Straightness of sides Rettilinietà degli spigoli	± 0.8 (***) Non-rect. ± 0.4 (***) Rect.		± 0.5 (*** Non-rect. ± 0.3 (*** Rect.		± 1.5 (*** Non-rect. ± 0.8 (*** Rect.		Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
	Rectangularity (Measurement only on short edges when L/I ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/I ≥ 3)	± 0.8 (*** Non-rect. ± 0.4 (*** Rect.		± 0.5 (*** Non-rect. ± 0.3 (*** Rect.		± 2.0 (*** Non-rect. ± 1.5 (*** Rect.		Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
	Surface flatness Pianità	$c.c. \pm 0.8$ Non-rect. $c.c. \pm 0.6$ Rect.		$c.c. \pm 0.5$ Non-rect. $c.c. \pm 0.4$ Rect.		$c.c. \pm 2.0$ Non-rect. $c.c. \pm 1.8$ Rect.		Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
Structural characteristics	Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	$E_s \leq 0.5\%$ Individual max 0.6% $E_s \leq 0.5\%$ Valore max singolo 0.6%		$\leq 0.1\%$		$\leq 0.1\%$		Requirement ANSI A137.1 Water Absorption Max 0.5%				$\leq 0.1\%$					
		ASTM C373-18			$\leq 0.5\%$		$\leq 0.5\%$						$\leq 0.5\%$					
Bulk mechanical characteristics	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)		S ≥ 1500 N		S ≥ 1000 N		S ≥ 1500 N		S ≥ 10000 N		S ≥ 1500 N					
	Module of rupture Resistenza alla flessione		R ≥ 40 N/mm ²		R ≥ 40 N/mm ²		R ≥ 40 N/mm ²		R ≥ 45 N/mm ²				R ≥ 40 N/mm ²					
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4) (5)	EN 1339 Annex F	-		-		-		$\geq T11$ 120x120 60x60				-					
Surface mechanical characteristics	Impact resistance, as coefficient of restitution Resistenza all'impatto espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato		≥ 0.55		≥ 0.55		≥ 0.55				≥ 0.55					
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	$\leq 175 \text{ mm}^3$		$\leq 150 \text{ mm}^3$ (2)		$\leq 150 \text{ mm}^3$ (2)		$\leq 150 \text{ mm}^3$				$\leq 150 \text{ mm}^3$					
Thermal and hygrometric characteristics	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato		$\leq 7 \text{ MK}^{-1}$		$\leq 7 \text{ MK}^{-1}$		$\leq 7 \text{ MK}^{-1}$				$\leq 7 \text{ MK}^{-1}$					
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resiste		Resistant Resiste		Resistant Resiste				Resistant Resiste					
	Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato		$\leq 0.01\%$ (0.1mm/m)		$\leq 0.01\%$ (0.1mm/m)		$\leq 0.01\%$ (0.1mm/m)				$\leq 0.01\%$ (0.1mm/m)					
Physical properties	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resiste		Resistant Resiste		Resistant Resiste				Resistant Resiste					
	Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato		$\geq 10 \text{ N/mm}^2$ (Class C2 - EN 12004)		$\geq 10 \text{ N/mm}^2$ (Class C2 - EN 12004)		$\geq 10 \text{ N/mm}^2$ (Class C2 - EN 12004)				$\geq 10 \text{ N/mm}^2$ (Class C2 - EN 12004)					
Chemical characteristics	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _r Classe A1 oppure A1 _r		A1 - A1 _r		A1 - A1 _r		A1 - A1 _r				A1 - A1 _r					
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B		A		A		A				A					
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata		LA		LA		LA				LA					
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata		HA		HA		HA				HA					
Safety characteristics (1)(2)	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata		5		5		5				5					
	Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato		R10		R9		R11				R10					
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato		B		A		C				C					
	Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"		$\geq 36 \text{ Dry}$ $\geq 36 \text{ Wet}$													

Wall tiles technical features

		Requirements for nominal size N Requisiti per dimensione nominale N				BOOST	BOOST COLOR	BOOST NATURAL	BOOST PRO	
		7 cm ≤ N < 15 cm (mm)		N ≥ 15 cm (%)		Matte	Matte	Matte	Matte	
		Length and width Lunghezza e larghezza		± 0.4 (*) Rect. ± 0.3 (*) Rect.		± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Dimensions Dimensioni Dimensions Maße Tamaño Размер	ISO 10545-2	Thickness Spessore		± 0.5 (**)		± 10 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Straightness of sides Rettilineità degli spigoli		± 0.4 (***) Rect. ± 0.4 (****) Rect.		± 0.8 (***) Rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Rectangularity Ortogonalità		c.c. ± 0.6 Rect.		c.c. ± 0.4 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Surface flatness Planarità		e.c. ± 0.6 Rect.		e.c. ± 0.4 Rect.	e.c. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	
		w. ± 0.6 Rect.		w. ± 0.4 Rect.		w. ± 1.8 Rect.	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	
		Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)		Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20% deve essere indicato. Valore Singolo > 9%		10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	
		Breaking strength Sforzo di rottura		ISO 10545-3		S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	
		Modulus of rupture Resistenza alla flessione		ISO 10545-4		R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare		ISO 10545-8		Declared value Valore dichiarato	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	
		Thermal shock resistance Resistenza agli sbalzi termici		ISO 10545-9		Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1	Resistant Resiste	Resistant Resiste	Resistant Resiste	
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)		ISO 10545-10		Declared value Valore dichiarato	≤ 0.06% (0.6mm/m)	≤ 0.06% (0.6mm/m)	≤ 0.06% (0.6mm/m)	
		Crazing resistance Resistenza al cavillo		ISO 10545-11		Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1	Resistant Resiste	Resistant Resiste	Resistant Resiste	
		Bond strength/adhesion for improved cementitious adhesives Adezione a trazione con adesivi cementizii migliorati		EN 1348		Declared value Valore dichiarato	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco		-		Class A1 Classe A1	A1	A1	A1	
		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina		ISO 10545-13		Minimum Class B Classe minima B	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali				Declared Class Classe dichiarata	LA	LA	LA	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali				Declared Class Classe dichiarata	HA	HA	HA	
		Resistance to staining Resistenza alle macchie		ISO 10545-14		Minimum Class 3 Classe 3 minima	5	5	5	
		Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)		ISO 10545-15		Declared value Valore dichiarato	≤ 0.01 mg/dm ² Cd ≤ 0.1 mg/dm ² Pb	≤ 0.01 mg/dm ² Cd ≤ 0.1 mg/dm ² Pb	≤ 0.01 mg/dm ² Cd ≤ 0.1 mg/dm ² Pb	

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastra (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastra dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.





		Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63½" x 127½" Non-Rectified	160x320 cm - 63" x 127" Rectified
		N ≥ 15 cm		Matte Hammered	Matte Hammered
		(%)	(mm)		
Regularity characteristics	Length and width Lunghezza e larghezza	± 0.3 (*)	± 1 (*)	N.A.	Suitable for Conforme
	Thickness Soprassa	± 5 (**)	± 0.5 (**)	N.A.	Suitable for Conforme
	Straightness of sides Rettilinietà degli spigoli	± 0.3 (***)	± 0.8 (***)	Suitable for Conforme	Suitable for Conforme
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	± 0.3 (****)	± 1.5 (****)	N.A.	Suitable for Conforme
	Surface flatness Planarità	c.c. ± 0.4 e.c. ± 0.4 w. ± 0.4	c.c. ± 1.8 e.c. ± 1.8 w. ± 1.8	Suitable for Conforme	Suitable for Conforme
		E, ± 0.5% Individual max 0.6% E, ± 0.5% Valore max singolo 0.6%		≤ 0.1 %	≤ 0.1 %
Structural characteristics	Water absorption Massa d'acqua assorbita	ISO 10545-3	Requirement ANSI A137.1 Water Absorption Max ± 0.5%	≤ 0.5 %	≤ 0.5 %
		ASTM C373-18			
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700 N for thickness < 7,5mm per spessore < 7,5mm	S ≥ 1300 N for thickness ≥ 7,5mm per spessore ≥ 7,5mm	6 mm → S ≥ 1000N 12 mm → S ≥ 3500N 20 mm → S ≥ 10000N
Bulk mechanical characteristics	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato	≥ 0.55	≥ 0.55
Surface mechanical characteristics	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³	Suitable for Conforme	Suitable for Conforme
Thermal and hygrometric characteristics	Coefficient of thermal linear expansion Coeficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato	≤ 7 MK⁻¹	≤ 7 MK⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)
Physical properties	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1	Resistant Resiste	Resistant Resiste
	Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	Declared value Valore dichiarato	≥ 10 N/mm² (Class C2 - EN 1204)	≥ 10 N/mm² (Class C2 - EN 1204)
Chemical characteristics	Reaction to fire Reazione al fuoco	-	A1 or Afl	A1 without fiberglass - A2 with fiberglass	A1 - A1fl
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B (B for unglazed tiles) Classe minima B (B per piastrelle non smaltate)	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata	HA	HA
Safety characteristics (1)(2)	Resistance to staining Resistenza alle macchie	ISO 10545-14	Declared Class Classe dichiarata	5	5
	Release of dangerous substances: Cadmium (in mg/dm³) and Lead (in mg/dm³) Piacere di sostanze pericolose Cadmio (in mg/dm³) e Piombo (in mg/dm³)	ISO 10545-15	Declared value Valore dichiarato	≤ 0.01 mg/dm³ Cd ≤ 0.1 mg/dm³ Pb	-
	Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared Class Classe dichiarata	N.A.	N.A.
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared Class Classe dichiarata	N.A.	N.A.
	Coefficient of friction (COF) Coeficiente di attrito	B.C.R.A. Rep. CEC/81	D M. 236/89 del 14/06/89 μ>0,40 per elemento scivolante cuoio su pavimentazione asciutta μ>0,40 per elemento scivolante gomma dura su pavimentazione bagnata	N.A.	N.A.
	Dynamic coefficient of friction (DCOF) Coeficiente di attrito dinamico	ANSI A 326.3	-	N.A.	N.A.
	Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988		wet DCOF > 0,42	
<small>* The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammessa, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).</small>		<small>** The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammessa, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).</small>		<small>*** The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammessa di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.</small>	
<small>**** The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammessa di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.</small>		<small>c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammessa della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).</small>		<small>e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammessa della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.</small>	
<small>w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammessa dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).</small>					

(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).
 Determinazione della resistenza allo scivolamento delle superfici pedonali, non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
 (2) Anti-slip performance is guaranteed at the time of delivery of the product.
 Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
 (3) However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations.
 (4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
 (5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

The maximum permissible deviation from work size, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
 Deviazione ammessa, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

The maximum permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
 Deviazione ammessa, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
 Deviazione massima ammessa di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
 Deviazione massima ammessa di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
 Deviazione massima ammessa della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
 Deviazione massima ammessa della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
 Deviazione massima ammessa dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali



Product declarations / Dichiarazioni di prodotto



Certifications for export to international markets*



Product certifications / Certificazioni di prodotto



Certification for buildings / Rating dell'edificio



Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.



atlasconcorde.com

cstb.fr

INDEX

OVERVIEW

IMAGE GALLERY

PRODUCT FINDER

RANGE SUMMARY

TECHNICAL SPECIFICATIONS

PORCELAIN TILES TECHNICAL FEATURES
WALL TILES TECHNICAL FEATURES
ATLAS PLAN TECHNICAL FEATURES

ENJOY THE VIDEO
EN | IT | FR | DE | RU



atlasconcorde.com

September 2023